

# TERRAIN IS NO LONGER THE LIMIT



***can-am***

**APACHE**  
TRACK SYSTEMS

## WINTER TRACKS

SNOW



## APACHE BACKCOUNTRY & BACKCOUNTRY LT

Finally explore winter with no traction limitations and no compromise, thanks to the unmatched performance of Apache Backcountry track kits. Engineered to thrive in the deepest snow—for work or play. Don't let winter stand in the way.

## YEAR ROUND TRACKS

MIXED  
CONDITIONS



## APACHE 360 & 360 LT

These ATV & SSV track kits improve your vehicle's ground clearance and increase its contact patch with the terrain. Adapt your track kits to the conditions your riding in and for any purpose with the Apache 360 & 360 LT system as your all-season, all-terrain masterpiece.

## VISIT YOUR AUTHORIZED CAN-AM DEALER FOR MORE DETAILS



## DESIGNED

Each track kit has a specific purpose and is designed without compromise for work and play. Whether it's for deep snow riding, trail riding or for heavy loads, Apache tracks are akin to floating across the terrain.

## ENGINEERED

Unmatched performance and durability with our purpose-built track systems: choose Apache Backcountry tracks for industry-leading snow performance or Apache 360 and 360 LT for all-season versatility.

## BUILT

Designed by Can-Am for your Can-Am: Apache Track Kits are matched to your engine output, chassis setup, speedometer, and work with DPS power steering for perfect control, anywhere.

# WINTER TRACKS



GET THE MOST OUT OF  
YOUR CAN-AM VEHICLE  
THIS WINTER FOR ALL  
YOUR ENDEAVORS.

**Explore without compromise.** Ride on untouched trails, traveling deep into winter's embrace and you'll know: the same technology behind our world-renowned snowmobiles is at your command. With a larger contact patch, and more aggressive track design, travel beyond what you thought possible with the best snow performance.

COVERED BY A **1-YEAR** WARRANTY

## Track Patterns

2" lug and 3" pitch to increase floatation and traction in various snow conditions.

## Geometry

Aluminum slider system reduces rolling resistance and increases the contact patch.

## Accessories

Customize your kit to your riding conditions with additional idler wheels, Vespel sliders and ice scratchers.

## DPS Module \*

Enhance your track experience with Can-Am's unique Dynamic Power Steering module. By configuring multiple settings such as powersteering response and speedometer with the track ratio, your vehicle's speedometer and odometer will stay true and in sync.

## Easy Installation

Can-Am's vehicle specific mounting brackets simplify initial track installation. The integrated design allows some components to remain fitted, while using wheels, making future installation as simple as changing a wheel.

\* DPS module not sold in Europe

# APACHE BACKCOUNTRY TRACK SYSTEM

## Fits:

- All Can-Am ATVs
- Maverick Trail
- Maverick Sport

**Designed to support ATVs and lightweight SSVs while delivering better control.**



# APACHE BACKCOUNTRY LT TRACK SYSTEM

## Fits:

- Traxter
- Maverick

**Designed to support the heavier loads of SSVs while delivering better traction and an unmatched floatation level.**



# YEAR ROUND TRACKS

## WORK & PLAY YEAR ROUND THROUGH MUD, SNOW, & ALL TYPES OF TERRAIN.

**Rise above terrain,** weather, and whole seasons with the Apache 360 LT and 360 track kits — the upgrade that takes the Can-Am experience to another level. Designed for superior traction and carrying heavier loads in soft terrain, both 360 and 360LT track kits can be installed on ATV and SSV vehicles and used year round for exploring and completing tough tasks.

COVERED BY A **2-YEAR** WARRANTY

### Track Pattern

The pattern is different for front and rear tracks in order to optimize steering and traction over all terrain and in any conditions.

### Easy Installation

Can-Am's vehicle specific mounting brackets simplify initial track installation. The integrated design allows some components to remain fitted, while using wheels, making future installation as simple as changing a wheel.

### DPS Module \*

Enhance your track experience with Can-Am's unique Dynamic Power Steering module. By configuring multiple settings such as powersteering response and speedometer with the track ratio, your vehicle's speedometer and odometer will stay true and in sync.

### Adapt the track to your needs

Adjustable attack angle allows you to customize your track to your terrain.

\* DPS module not sold in Europe

## APACHE 360 TRACK SYSTEM

**Fits:**  
· All Can-Am ATVs

**Multifunctional tracks,**  
designed to fit most  
Can-Am ATVs.



## APACHE 360 LT TRACK SYSTEM

**Fits:**  
· All Can-Am ATVs and SSVs

**Designed to support the heavier loads of high displacement ATVs and SSVs while delivering better traction and an unmatched flotation level.**



## APACHE 360 LT 6X6 TRACK SYSTEM


The 360 LT 6x6 has all the load and pulling capacity of the Outlander 6x6 so you can always get the job done.



# APACHE BACKCOUNTRY & BACKCOUNTRY LT


## TECHNICALS ASPECTS

### Tracks




The Backcountry track pattern is designed for optimal snow traction, without compromise. The 2" lugs combined with the 3" pitch allow your vehicle to "float" over deep powder and challenging terrain with class-leading traction.

### Wheels & Sliders




The Backcountry and Backcountry LT use a combination of rubber over molded wheels and a snowmobile-like slider system. This combination reduces rolling resistance, maximizing power transfer to the ground.

### Frame




The Backcountry system was designed for one purpose: to increase the contact patch. Composed of a steel upper section that supports lower aluminum sliders, the snowmobile-like geometry offers unmatched weight distribution on snow.

### Anti-Rotation Arm



Adjustable pre-loaded spring and multiple rubber dampers keep tracks securely in place and ensure your machine's performance. Our unique system has been improved for better performance and control.

### Sprocket



The Backcountry and Backcountry LT use an external drive sprocket for slip-free power transfer. Developed exclusively for Can-Am vehicles, it uses a 3" pitch for optimized performance in deep snow.

### Tensioner




The Backcountry and Backcountry LT use an easy to operate snowmobile type tensioner.

# APACHE 360 & 360 LT

## TECHNICALS ASPECTS

### Tracks



The position-specific track pattern allows optimal traction and flotation for any conditions. The angled track edge greatly reduces steering effort, making turns easier, even on challenging terrain.

### Frame




The steel and aluminum frame combines the strength of a traditional steel chassis with a lightweight cast aluminum upper section to offer a lightweight-but-rugged track that can take on any element.

### Sprocket




The 360 and 360LT use an internal drive sprocket, to ensure reliability in all conditions. Custom designed by Can-Am, for Can-Am, it is optimized for your vehicle's gear ratio.

### Wheels



The 360 and 360 LT use rubber over molded heavy-duty wheels, positioned in an offset pattern to reduce vibration. Each wheel uses two removable bearings to minimize friction, which both improves reliability and reduces maintenance.

### Anti-Rotation Arm



Adjustable pre-loaded spring and multiple rubber dampers keep tracks securely in place and ensure track performance over uneven terrain. Can-Am uses vehicle-specific tuning for optimal track articulation.

### Tensioner & Adjustment



The attack angle on the 360 and 360 LT is adjustable: set a low attack angle to increase traction in soft terrain, or set a high attack angle to go over obstacles with greater ease.

TECHNICAL SPECIFICATIONS



MODULES	DESCRIPTION	APACHE BACKCOUNTRY		APACHE BACKCOUNTRY LT		APACHE 360		APACHE 360 LT		APACHE 360 LT 6X6	
GEOMETRY	Weight assembled tracks (lbs)	Front: 70	Rear: 96	Front: 90	Rear: 137	Front: 74	Rear: 79	Front: 86	Rear: 105	Front: 86	Rear: 152
	Length front assembled track (in)	Front: 39.9	Rear: 62.6	Front: 48.3	Rear: 69	Front: 41.4	Rear: 43.3	Front: 41	Rear: 51.8	Front: 41.1	Rear: 62.2
	Height front track (in)	Front: 30.5	Rear: 30.6	Front: 30.7	Rear: 30.7	Front: 25.3	Rear: 24.9	Front: 26.2	Rear: 26.3	Front: 26.2	Rear: 27.8
	Total ground surface (in²)	2830.1		3179.5		2079.7		2473.7		2738.5	
	Added ground clearance (for vehicle with 26" tires) (in)	7		7		4.4		4.4		4.77	
TRACK	Pitch (in)	3		3		2.77		2.77		2.77	
	Length (in)	Front: 96	Rear: 138	Front: 108	Rear: 144	Front: 97.2	Rear: 100	Front: 100	Rear: 116.2	Front: 100	Rear: 140
	Width (in)	Front: 13.5	Rear: 14	Front: 13.5	Rear: 14	Front: 11.5	Rear: 13	Front: 12.5	Rear: 14	Front: 12.5	Rear: 14
	Lug height (in)	Front: 2	Rear: 2	Front: 2	Rear: 2	Front: 1	Rear: 1.25	Front: 1	Rear: 1.25	Front: 1	Rear: 1.25
FRAME	Material	Comb. Steel-Alu		Comb. Steel-Alu		Comb. Steel-Alu		Comb. Steel/Alu		Comb. Steel-Alu	
TENSIONER	Mechanism	Sliding		Sliding		Eccentric		Eccentric		Eccentric	
ANTI-ROTATION	Mechanism	Enclosed pre-loaded spring and rubbers		Enclosed pre-loaded spring and rubbers		Pre-loaded spring and rubbers		Pre-loaded spring and rubbers		Pre-loaded spring and rubbers	
SPROCKET	Drive	External		External		Internal		Internal		Internal	
	Number of teeth	17 with Large pitch		17 with Large pitch		17		17		17	
PERFORMANCE	Ground pressure ATV of 750 lbs + passenger 200 lbs (lbs/in²)	0.34		N/A		0.46		0.38		0.35	
	Ground pressure ATV of 900 lbs + passenger 200 lbs (lbs/in²)	0.39		N/A		0.53		0.44		0.40	
	Ground pressure SSV of 1600 lbs + passengers 200 lbs each (lbs/in²)	0.71		0.63		N/A		0.81		N/A	

SELECT THE APACHE TRACK SYSTEM THAT BEST FITS YOUR VEHICLE & NEEDS

	TRACK SYSTEM	MODEL YEAR	MODEL	TRACK	TRACK MOUNT	DPS **	PREFILTER WITHOUT SNORKEL
CAN-AM ATV	APACHE BACKCOUNTRY	2018 & Prior	G2, G2S	715003042	715004830	715005243	Air Intake Pre-Filter 715004729 AND CVT Air Intake Pre-Filter (Standard on G2 models) 715003483
		2019 & More	G2, G2S		715004796	715004707 (1000R Models) 715005243 (All other models)	
		All Model Years	G2L		715004830	715005243	
	APACHE 360	2018 & Prior	G2, G2S	715005240	715004829	715005243	
		2019 & More	G2, G2S		715004795	715004707 (1000R Models) 715005243 (All other models)	
		All Model Years	G2L		715004829	715005243	
	APACHE 360 LT	2018 & Prior	G2, G2S	715005103	715004829 PLUS 715003063 (Adaptor)	715005243	
		2019 & More	G2, G2S		715004795 PLUS 715003063 (Adaptor)	715004707 (1000R Models) 715005243 (All other models)	
		All Model Years	G2L		715004829 PLUS 715003063 (Adaptor)		
		2018 & Prior	G2 6x6	715005104	715004991	715005243	
		2019 & More	G2 6x6 & G2L 6x6		715005105		
CAN-AM SSV	APACHE BACKCOUNTRY	All Model Years	Maverick Trail	715005247	715004285	715004707	Engine & CVT Pre-Filter Kit 715004290
		All Model Years	Maverick Sport (Except X mr & X rc)		715004834		
	APACHE BACKCOUNTRY LT MAVERICK <div>Available September 2019</div>	All Model Years	Maverick 64"	715004734	715004397	715004707	Air Intake Pre-Filter 715004266
		All Model Years	Maverick 72"		715004394		
	APACHE BACKCOUNTRY LT TRAXTER <div>Available September 2019</div>	2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition	715005891	715005888	715004707	Air Intake Pre-Filter 715003483 AND CVT Air Intake Relocation Kit 715004183
		2019 & Prior	Traxter XT Cab 2018-2019, Lonestar Edition & X mr		715006196		
		2020	Traxter Base, DPS (HD5 & HD8), XT(HD8), HD8 PRO		715005888		
		2020	Traxter DPS (HD10), XT(HD10), XT-P		715005493		
		2020	Traxter XT Cab, XT Cab Limited, Hunting Edition. Lonestar Edition, X mr		715006196		
	APACHE 360 LT	All Model Years	Commander	715005103	715004756	715004707	Air Intake Pre-Filter 715000953
		2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition		715004831		Air Intake Pre-Filter 715003483 AND CVT Air Intake Relocation Kit 715004183
		2019 & Prior	Traxter XT Cab 2018-2019, Lonestar Edition & X mr		715004832		
2020		Traxter Base, DPS (HD5 & HD8), XT(HD8), HD8 PRO	715004831				
2020		Traxter DPS (HD10), XT(HD10), XT-P	715005492				
2020		Traxter XT Cab, XT Cab Limited, Hunting Edition. Lonestar Edition, X mr	715004832				
All Model Years		Maverick Trail	715004833		Engine & CVT Pre-Filter Kit 715004290		
All Model Years		Maverick Sport (Except X mr & X rc)	715004755				
All Model Years		Maverick 64" *	715004392		Air Intake Pre-Filter 715004266		
All Model Years	Maverick 72" *	715004393					

\*For Maverick, Maverick X ds and Maverick Turbo models, we recommend snow use only.

\*\* DPS module not sold in Europe



# KEN BLOCK

# X

# APACHE

From his success in rally racing to achieving global fame through the viral video series Gymkhana, Ken Block relies on the Apache Backcountry tracks to perform in terrain where nothing else does.

Follow his travels with Can-Am on Instagram [@kblock43](#)



©2019 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, ™ and the BRP logo are trademarks of BRP or its affiliates. In the U.S.A., products are distributed by BRP US Inc. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. BRP highly recommends that all ATV drivers take a training course. For safety and training information, see your dealer or call the ATV Safety Institute at 1-800-887-2887. ATVs can be hazardous to operate. Never carry passengers on any ATV not specifically designed by the manufacturer for such use. All adult model Can Am ATVs are Category G ATVs (General Use Models) intended for recreational and/or utility use by an operator age 16 or older. For side-by-side vehicles (SxS): Read the BRP side-by-side Operator's Guide and watch the Safety DVD before driving. Fasten lateral net and seat belt at all times. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. ATVs and SxS are for off-road use only; never ride on paved surfaces or public roads. For safety reasons, the operator and passenger must wear a helmet, eye protection and other protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. Printed in Canada. P/N: 716001756

A BRP BRAND

