### Side-by-Side Product Spec Book

SSV Accessories and Parts & Maintenance

# TABLE OF CONTENTS

### **CAN-AM TRAXTER**

Accessories

**CAN-AM MAVERICK** 

Accessories

### **CAN-AM MAVERICK R**

Accessories

### CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT

Accessories

### PARTS AND MAINTENANCE

Keep an Eye on These Parts	16
Genuine Parts	16
Tires & Rims	17
Maintenance	17

#### CANAMOFFROAD.COM

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ©, TM and the BRP logo are trademarks of BRP or its affiliates. FAII other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models shown may include optional equipment. Products performance may vary depending on external factors. BRP recommends that all SV drivers take a training course. See your dealer. SSV can be hazardous to operate. Never exceed the SSV's passenger capacity. All SSV models are meant to be used by drivers of aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SSVs are primarily designed for use on unpaved surfaces (off-road); avoid paved surfaces. For your safety, the operator and passenger(s) must wear a helmet, eve protection and applicable protective clothing. Always remember that riding and alcoh/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorised BRP dealer for details and visit https://can-am.brp.com/.



# IF WE SELL IT, WE STAND BY IT.

**BRP Limited Warranty**<sup>\*</sup> for new Parts, Accessories and Riding Gear

#### 2-year limited warranty\*\*

- Genuine BRP Parts and Accessories installed by you or your authorised BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

#### 4-year limited warranty\*\*

Helmets

#### GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

\* Purchased at an authorised BRP dealership/distributor or on a BRP-authorised online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorised dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories. \*\* Unless otherwise stipulated or required by law.

# CUSTONISING MADE EASY 1 2 3

NIAVERICK

Select the model. Select the package. Customize color, engine, and accessories (or accessory bundles) for your vehicle. Click "Save" or "Send to dealer."

4




If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above. BUILD Yours Now



# CAN-AM TRAXTER

### **ACCESSORIES**

Roofs	9
Cabs	10
Windshields & Mirrors	11
Rear Wind Protection	13
Doors	14
Seat Accessories	16
Aluminum Skid Plates	17
Bumpers & Guards	18
LinQ: Easy On, Easy Off Cargo	21
Cargo & Storage	26
Racks & Holders	29
Lights	32
Audio & Communication Systems	35
Electronic Accessories	36
Winches & Hitches	38
Performance	41
Apache Track Systems	43
ProMount Plows	46
Covers & Add-Ons	50





### BUNDLE UP TO GET IT ALL DONE. Your traxter bundles.

### STEP 1: CHOOSE YOUR ESSENTIAL BUNDLE

CHOOSE Y	<b>OUR ESSENTIAL BUNDLE</b>	Traxter	Traxter MAX	Traxter PRO and 6x6
	Sport Roof	715002430	715003038	715002430
	Flip Windshield - Hardcoated	715002442	715002442	715002442
STARTER	Rear Polycarbonate Window	715007081	715007081	715007081
	Side Mirror	715008101	715008101	715008100
	Dash Storage Compartment Nets	715003129	715003129	715003129
	LinQ Tailgate Extension/Divider	715002464	715002464	715005412
	LinQ Cargo Rack for Long Box	715006140	715006140	715006140
ADVANCED	Cargo Bed Protectors & Tie Rails	N/A	N/A	715005415
	LinQ 12 Gal (45 L) Cargo Box	715003879	715003879	715003879
	Rear Accessory Bar	715005450	715005450	715005450
	LinQ Adapter	715003058	715003058	715003058
	Rear View Mirror and Camera Monitor	715009410	715009410	715009410
	LinQ Tool Holder	715007358	715007358	715007358
PEAK	Fender Flares	715006821	715006821	715005409 6x6 715006001 Pro
	Center Underseat Storage Bin	715003446	715003446	715003446

### STEP 2: PICK YOUR ADD-ON BUNDLE

PICK YO	UR ADD-ON BUNDLE	Traxter	Traxter MAX	Traxter PRO and 6x6
	Can-Am Audio Roof	715005206	N/A	715005206
	Can-Am Audio Roof MAX	N/A	715006879	N/A
AUDIO	USB Power Outlet Kit	219400510	219400510	219400510
	Auxiliary Battery Installation Kit	715006035	715006035	715006035
	Dual Gun Holder	715005265	715005265	715005265
HUNT	Rock Sliders	715006671	715006721	715006721
	LinQ 8 Gal (30 L) Cooler Box	715004778	715004778	715004778
	Deluxe Headache Rack	715002423	715002423	715002423
	LinQ Front Rack	715006064	715006064	715006064
WORK	Front Bumper	715005754	715005754	715005754
	LinQ Tool & Gun Holder	715005466	715005466	715005466
	Front Soft Doors	715008059	715008059	715008059
	Rear Soft Doors	N/A	715006318	N/A
WINTER	Defrost, Heat & Ventilation System	715008093 715008095	715008093 715008095	715008093 715008095
	Tonneau Cover	715008306	715008306	N/A

## **ROOFS**

		Traxter	715002430
Sport Roof		Traxter MAX	715003038
	<ul> <li>Robust injection-molded pc</li> <li>Provides added protection f</li> </ul>	lypropylene construction. for rider and passenger from the elements.	
Deluxe Sport Roof		Traxter	715002511
Not illustrated)		Traxter MAX	715003039
	and also diminishes noise v	to the seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner
Chart Doof Cool Kit		Traxter	715003126
Sport Roof Seal Kit		Traxter MAX	715003583
	Necessary when installing i or when installing the Front	individual cab components with Sport Roof : and Rear Roof Liners.	
		Traxter (not compatible for use with soft and rigid full doors)	<b>715003418</b> · Black
Bimini Roof with Sun Visor		Traxter MAX	<b>715003030</b> · Black
	<ul> <li>Heavy-duty canvas made of</li> <li>Soft top comes with a hard</li> <li>Quick and easy installation.</li> </ul>	visor that allows for storage of rolled-up soft top and m	ounting of Light Rack.
Front Roof Liner		Traxter, Traxter MAX	715008226
	•	roof-mounted lights and audio systems. of Windshield Wiper and Washer Kit.	
		Traxter <sup>†</sup>	715006334
Rear Roof Liner		Traxter MAX <sup>‡</sup> (Not illustrated)	715006391
	Quick and easy vehicle enh     Allows better integration of     Seal Kit necessary when ins	other accessories installed on the roof.	,

### CABS

		Traxter (all model years) (except	X mr models)	715007269
Clear Rigid Cab		Traxter MAX 2022 & up (except	X mr models)	715007270
	<ul> <li>Includes:</li> <li>Front Clear Rigid Doors</li> <li>Sport Roof</li> <li>Flip Glass Windshield</li> <li>Rear Polycarbonate Winde</li> <li>Sport Roof Seal Kit</li> </ul>	ow		accessories shown may impact vehicle me regulations. Consult your local dealer
		Traxter (all model years) (except	X mr models)	715007417
Deluxe Cab Enclosure		Traxter MAX 2022 & up (mode January 18, 2021) (except X mr	els produced after r models)	715007425
	<ul> <li>Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.</li> <li>No locking system for the doors.</li> </ul>	<ul> <li>Includes:</li> <li>Deluxe Sport Roof Kit</li> <li>Flip Glass Windshield with Wiper and Washer Kit</li> </ul>		ired (sold Powered Windows Cable

		Traxter (all model years)	Traxter (all model years)		
Soft Cab Enclosure (Not illustrated)		Traxter MAX 2018 & prior, Traxter MAX 2022 & up (models pro 18, 2021)	duced after January	715008064	
	Included:				_
	- Sport Roof - Full Windshield	- Soft Doors - Rear Polycarbonate Window		accessories shown may impact vehicle ome regulations. Consult your local dealer	

- Full Windshield - Hardcoated

compliance with some regulations. Consult your local dealer for information.

Cab Kits	Cab Kits – Reference Chart							
	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Clear Rigid Cab	Clear Rigid Cab MAX	Premium Rigid Cab Enclosure	Premium Rigid Cab Enclosure (Rear Glass Window with sliding panel)	Soft Cab Enclosure	Soft Cab Enclosure MAX
Kit	715007417	715007425	715007269	715007270	715008607	715006330	715008063	715008064
Windshield	715002441	715002441	715002942	715002942	715002441	715002441	715002432	715002432
Rear Window	715007080	715007080	715007081	715007081	715007079	715007080	715007081	715007081
Roof	715002430	715003038	715002430	715003038	715002430	715002430	715002430	715003038
Front Doors	715005214	715005214	715006261	715006261	715006331	715006331	715008059	715008059
Rear Doors	-	715005215	-	715006262	-	-	-	715006318
Others	715004462	715004462	715003126	715003583	710004462	710004462	-	-
	715003094	715003094			715003094	715003094		
	715003126	715003583			715003126	715008226		
	715008226	715008226			715008226	715006334		
	715006334	715006391			715006334	715003126		

## WINDSHIELDS & MIRRORS

### Windshields

windshields				
Powerflip Windshield		Traxter, Traxter MAX		715003885
	<ul> <li>The PowerFlip Windshield is cylinders that allow the ride opening at the touch of a bu</li> <li>Windshield is made of harder rubber seal contour and a ti</li> <li>Allows you to quickly adapt adjusting the windshield as</li> </ul>	r to adjust the windshield itton. coated polycarbonate with a nted top section. to changing conditions by	fully closed for max and in between, you possibilities depend flow preferences.	I for optimal visibility and ventilation, mum protection from the elements, I have an infinite number of opening ling on protection, visibility and air n-Am roofs and windshield wiper and
	Installation of some accessories s	hown may impact vehicle compliand	ce with some regulations. C	Consult your local dealer for information.
Flip Glass Windshield		Traxter, Traxter MAX		715002942
	<ul> <li>Curved and laminated glass in metal frame.</li> <li>Provides excellent optical cl</li> <li>Seals firmly against the cag passenger from the elemen controlled air flow.</li> <li>3-position flip can be set at ful Installation of some accessories si</li> </ul>	larity. e and protects rider and ts while allowing for lly closed, ¼ open, or fully open.	located at the top of Ideal for muddy con Can be used with W Wiper & Washer Kit	ditions. /indshield
Flip Glass Windshield With Wi	iper & Washer Kit	Traxter, Traxter MAX		715002441
	<ul> <li>Curved and laminated glass frame.</li> <li>Provides excellent optical cl</li> <li>Seals firmly against the cag passenger from the elemen controlled airflow.</li> <li>Flip windshield can be set fu according to your preference</li> </ul>	larity. e and protects rider and ts while allowing for ully closed or fully open e.	located at the top of Single-speed wiper Requires Wiper and Sport Roof, Power C required. If equippe 715008781 & 71500 Not EC compliant.	operation and pivots on 2 hinges the windshield. with washer fluid dispenser. Power Cables: If equipped with the cables 710004462 & 715003094 are d with the Audio Roof, Power Cables
lip Windshield – Hardcoated	Installation of some accessories si	Traxter, Traxter MAX	ce with some regulations. C	715002442
	<ul> <li>High-impact-resistant Makr polycarbonate full windshie</li> <li>Provides excellent optical cl resistance.</li> <li>Seals firmly against the cag passenger from the elemen controlled air flow.</li> </ul>	ld in metal frame. larity and better abrasion e and protects rider and ts while allowing for	or fully open. <ul> <li>Gas-shock-assisted</li> <li>Ideal for muddy con</li> </ul>	•
Glass Windshield		Traxter, Traxter MAX		715001303
	Curved and laminated glass frame.     Seals firmly against the cag passenger from the elemen optical clarity.     Installation of some accessories so	e and protects rider and ts while providing excellent	(715001638) to mai riding conditions.	Vindshield Wiper & Washer Kit ntain clear visibility during severe Consult your local dealer for information.
- Full Windshield – Hardcoated		Traxter, Traxter MAX		715002432
	Provides excellent optical cl     Protects driver and passeng     Quick and easy tool-less ins	tallation or removal.	tance.	Consult your local dealer for information.
Full Windshield		Traxter, Traxter MAX		715002431
	High-impact-resistant duration full windshield.     Formulated to be non-yellow non-cracking with excellent optical clarity.	ving, non-crazing, UV resistance and	Quick and easy tool	passenger from the elements. -less installation or removal. Consult your local dealer for information.
			ss some regulatoris. C	

Half Windshield		Traxter, Traxter MAX	7150	02433
	<ul> <li>High-impact-resistant dur half windshield.</li> <li>Formulated to be non-yell non-cracking with excelle optical clarity.</li> <li>Installation of some accessories</li> </ul>	owing, non-crazing, nt UV resistance and	<ul> <li>Features reverse ar</li> <li>Quick and easy tool</li> <li>Not compatible with</li> </ul>	passenger from the elements. Igle lip to deflect air flow. -less installation or removal. In Soft Doors. onsult your local dealer for information.
roVent Windshield		Traxter, Traxter MAX		715005276
	High-impact-resistant Qua polycarbonate full windsh Optimal performance with Controllable vents to man Channels air into the cabi closes to eliminate air flow Installation of some accessories	iield. n Full Cab Enclosure. age air flow. n, defogs windshield, fully v.	<ul> <li>Provides excellent or resistance.</li> <li>Protects driver and</li> <li>Quick and easy tool</li> <li>Not compatible with</li> </ul>	ne upper vent (pre-filter installed). optical clarity and better abrasion passenger from the elements. -less installation or removal. n wiper kits. onsult your local dealer for information.
Vindshield Wiper & Washe	r Kit	Traxter, Traxter MAX		715001638
	<ul> <li>An ideal way to keep your while riding through mud</li> <li>Includes single-speed wip windshields frame mount</li> <li>Must be used with the Glass Windshield (71 Windshield (715003885).</li> </ul>	and water. per, washer fluid dispenser and ass Windshield (715001303) or 5002942) or Powerflip	Sport Roof, Power C required. If equippe 715008781 & 7150 • Not EC compliant.	I Power Cables: If equipped with the Cables 710004462 & 715003094 are d with the Audio Roof, Power Cables 03094 are required. onsult your local dealer for information.
Viper & Power Window Cal	ble	Traxter, Traxter MAX		715008781
				L ccessories: Flip Glass Windshield w ont Full Doors with Power Windows
Viper & Power Windows Ca	able	Traxter, Traxter MAX		710004462
	•	ors with Power Windows (71500 build your own cab enclosure fror		d Wiper & Washer Kit (715001638). s.
IEW Manual Wiper Kit		Traxter, Traxter MAX		715008755
	<ul> <li>Easy to install system that</li> <li>Large ergonomic handle</li> <li>Compatible with glass and</li> </ul>	can be used to clear windshield c requires no electrical hookup. provides a good grip over the enti d hardcoated windshields that us shown may impact vehicle compliance	ire sweeping surface. e top mounted wipers.	onsult your local dealer for information.
ide Wind Deflectors		Traxter, Traxter MAX		715005081
	<ul> <li>Clear polycarbonate air de the cage.</li> <li>Not compatible with Full I</li> <li>Sold in pairs.</li> <li>Compatible with all winds</li> </ul>		for cabin air flow co is installed: 1. Outside deflectio and turbulence.	three different positions introl when a full windshield n to reduce cabin air flow to increase air flow in the cabin. ation to reduce fog.
Mirrors				

cast-aluminum mount.
Dual adjustment (horizontal and vertical) will suit any rider.
Convex optics deliver optimal field of view (FOV).
Spring-loaded pivots let mirrors fold back completely.

Side Mirror		Traxter, Traxter MAX (2022 &		715008101*
Side Mirror	Molded heavy-duty aluminu		Not for road use.	715002459
	<ul> <li>Stays in place on rough trail</li> <li>Ball-joint design for steady r outstanding vision.</li> </ul>		<ul> <li>Fits either side.</li> <li>Sold individually.</li> <li>Not compliant with <sup>1</sup></li> </ul>	T-category.
	Use with or without any roo	f, windshield or doors.	*Not compatible with the	e Half Doors (715006314 & 715006316,
Rear View Mirror & Camera N	lonitor	Traxter, Traxter MAX		715009410
	This unit replaces the stock	hirror and monitor kit. to see with the multiple camera rearview mirror (the screen is ght for night vision capabilities	integrated in the unit's r	
Panoramic Center Mirror		Traxter, Traxter MAX		715003638
	<ul> <li>Wide-angle convex mirror.</li> <li>Offers enhanced visibility.</li> <li>Can be used with or withou</li> </ul>	t roof or windshield and with c	ab enclosures.	
REAR WIND		Traxter, Traxter MAX (except X mr models)		715007080
	<ul> <li>Made of high-strength temp</li> <li>Ideal for preventing backdra environments.</li> <li>Sliding panel for enhanced</li> <li>Quick and easy installation.</li> </ul>	aft of dust or rain in harsh ventilation.	<ul> <li>Sport Roof (715002- for installation.</li> <li>Not compatible with</li> </ul>	430 or 715003038) required 9 Snorkel Kit.
Rear Glass Window		Traxter, Traxter MAX (except X mr models)		715007079
	<ul> <li>Made of high-strength temp</li> <li>Ideal for preventing backdra environments.</li> <li>Quick and easy installation.</li> </ul>	aft of dust or rain in harsh	<ul> <li>Sport Roof (715002- installation.</li> <li>Not compatible with</li> </ul>	430 or 715003038) required for I Snorkel Kit.
Rear Polycarbonate Window		Traxter, Traxter MAX (except X mr models)		715007081
Rear Polycarbonate Window	<ul> <li>High-impact-resistant polyc</li> <li>Ideal for preventing backdra in harsh environments.</li> <li>Quick and easy installation.</li> </ul>	except X mr models) earbonate window. aft of dust or rain	<ul> <li>Sport Roof (715002- for installation.</li> <li>Not compatible with</li> </ul>	430 or 715003038) required
	<ul> <li>Ideal for preventing backdra in harsh environments.</li> </ul>	except X mr models) earbonate window. aft of dust or rain	for installation.	430 or 715003038) required
	<ul> <li>Ideal for preventing backdra in harsh environments.</li> </ul>	(except X mr models) arbonate window. aft of dust or rain Traxter, Traxter MAX ces windshield backdraft for roll cage.	for installation.	430 or 715003038) required n Snorkel Kit.
Rear Polycarbonate Window	<ul> <li>Ideal for preventing backdra in harsh environments.</li> <li>Quick and easy installation.</li> <li>Full rear mesh screen reduc added cabin comfort.</li> <li>Installs quick and easily on</li> </ul>	(except X mr models) arbonate window. aft of dust or rain Traxter, Traxter MAX ces windshield backdraft for roll cage.	for installation.	430 or 715003038) required n Snorkel Kit.

# **DOORS**

Front Deluxe Full Doors		Traxter (all model years) (exc Traxter MAX (all model years	ept X mr models), ) (except X mr models)	715005214
	<ul> <li>Premium doors made from</li> <li>Offer excellent protection fr</li> <li>Easy to remove on hot and s</li> <li>Convenient integrated stora</li> <li>Doors' curved design provid</li> <li>Rear-hinge wide opening fo in the cockpit.</li> <li>Power window delivers add</li> </ul>	om the elements. sunny days. ige areas. des even more room. r ease of ingress/egress ed ventilation.	Roof Power Cable ( • Color Door Trims ar • Hardware to install • No locking system.	BRP windshields. wer Windows Cable (710004462), 715003094) and Seal Kit (715003126 e required (sold separately). the Door Trim is included. onsult your local dealer for information.
Rear Deluxe Full Doors		Traxter MAX 2022 & up (mod January 18, 2021) (except X n	lels produced after nr models)	715005215
	<ul> <li>Premium doors made from</li> <li>Offer excellent protection fr</li> <li>Easy to remove on hot and s</li> <li>Convenient integrated stora</li> <li>Curved design provides eve</li> <li>Rear hinge opens wide for e in the cockpit.</li> </ul>	om the elements. sunny days. ige areas. in more room.	<ul> <li>Require Front Doors Window Cables (71 and Sport Roof Sea</li> <li>Color Door Trims and Sport Roof Sea</li> </ul>	delivers added ventilation. s (715005214), Wiper and Power 0004462), Power Cable (715003094) I Kit (715003583). e required (sold separately). the Door Trim is included.
Front Deluxe Half Doors		Traxter (all model years), Traxter MAX 2022 & up		715007201
	<ul> <li>Premium color matching do polyethylene.</li> <li>Premium fit and finish.</li> <li>Slim with interior pockets.</li> <li>Rear hinge wide opening fo in the cockpit.</li> </ul>	r ease of ingress/egress	Hardware to install	handles. s are required (sold separately). the Door Trim is included. onsult your local dealer for information.
Rear Deluxe Half Doors		Traxter MAX 2022 & up		715007202
	<ul> <li>Premium color matching do polyethylene.</li> <li>Premium fit and finish.</li> <li>Slim with interior pockets.</li> <li>Rear hinge wide opening fo in the cockpit.</li> </ul>			handles. s are required (sold separately). the Door Trim is included.
Front Trims		Front Deluxe Full Doors & Fro	ont Deluxe Half Doors	
		dding color-matched door par 5005214) or Front Deluxe Hal		required.
	Front Left Door Trim		Front Right Door Trin	1
	<ul> <li>705800818 · Liquid Titaniu</li> <li>705800784 · Stone Gray</li> <li>705800810 · Oxford Blue</li> <li>705800814 · Tundra Greer</li> <li>705800812 · Timeless Blac</li> <li>705801118 · Wildland Can</li> <li>705801114 · Fiery Red NE</li> </ul>	sk no <b>NEW</b>	705800819 · Liqui 705800785 · Store 705800811 · Oxfor 705800815 · Tund 705800813 · Time 705801119 · Wild] 705801115 · Fiery	e Gray rd Blue ra Green less Black and Camo <b>NEW</b>

Rear Trims		Rear Deluxe Full Doors & Rear	Deluxe Half Doors		
	Customize your Traxter by adding color-matched door panels.     Rear Deluxe Full Doors (715005215) or Rear Deluxe Half Doors (715007202) are required.				
52. 510.	Rear Left Door Trim		Rear Right Door Trim		
	705800832 · Liquid Titanium           705800820 · Stone Gray           705800822 · Oxford Blue           705800824 · Tundra Green           705800824 · Timeless Black           7058001120 · Wildland Camo NEW           705801116 · Fiery Red NEW		705800833 · Liquid Titanium           705800821 · Stone Gray           705800823 · Oxford Blue           705800827 · Tundra Green           705800825 · Timeless Black           705801121 · Wildland Camo NEW           705801117 · Fiery Red NEW		
Front Clear Rigid Doors		Traxter (all model years) (except Traxter MAX 2022 & up (except	X mr models), X mr models)	715006261	
	<ul> <li>Sturdy and compact steel-froppen field of view.</li> <li>Lower hardcoated polycarbornaximizes visibility around y</li> <li>Upper portion composed of windows for unmatched air</li> </ul>	onate transparent panel your unit. two tempered-glass sliding circulation and versatility.	to remove the stock cabin space. • Sealed contour allo in all weather. • Lockable doors for	mpliant for optimal safety, allowing you side protection bar for increased ws for improved rider comfort peace of mind.	
Rear Clear Rigid Doors		Traxter (all model years) (exce Traxter MAX 2022 & up (exce	pt X mr models), pt X mr models)	715006262	
	<ul> <li>Sturdy and compact steel-fra open field of view.</li> <li>Lower hardcoated polycarbe maximizes visibility around y</li> <li>Upper portion composed of windows for unmatched air</li> </ul>	onate transparent panel your unit. two tempered-glass sliding	to remove the stock cabin space.	mpliant for optimal safety, allowing you side protection bar for increased ws for improved rider comfort in all peace of mind.	
		Traxter (2 doors)		715006314	
Half Doors		Traxter MAX (4 doors)		715006316	
	<ul> <li>Half doors made of plastic.</li> <li>Metal frame for a higher leve</li> <li>Rear hinge wide opening for ingress/egress in the cockp</li> <li>Interior pockets and liners for</li> </ul>	r ease of it. or more protection.	ce with some regulations. C	Consult your local dealer for information.	
		Traxter, Traxter MAX (all mode	el vears)	<b>715008059</b> · 2 front doors	
Soft Doors		Traxter MAX 2018 & prior, Traxter MAX 2022 & up (mode January 18, 2021)	<u> </u>	715006318 · 2 rear doors	
	<ul> <li>Bestop designed soft doors</li> <li>Weather-resistant soft doors offer good protection from t</li> <li>Made of heavy-duty UV-resis resistance to tear and abras</li> <li>Rear hinge wide opening for Installation of some accessories shows</li> </ul>	s reinforced with steel frame he elements. stant canvas for excellent ion. r ease of ingress/egress.	<ul> <li>material for added</li> <li>Easily removable or</li> <li>Compatible with roo</li> <li>Soft Door Installation</li> <li>required for installation</li> <li>Traxter models.</li> </ul>	n hot sunny days.	

# **SEAT ACCESSORIES**

#### **Central Headrest**

#### Traxter, Traxter MAX

#### 715005163

715005164

- Headrest for front-center-seating position on 3-seated models and for rear-center-seating position on MAX models.
- · Front Headrests are available separately for front passengers on MAX models.
- Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.


#### **Front Headrests**

Traxter MAX
Traxter MAX

- Additional headrest for all three front-seating positions on MAX models.
- $\cdot$  Central Headrest is available separately for rear-center-seating positions on MAX models.
- · Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.

# **ALUMINUM SKID PLATES**



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum ¾" (4.5 mm) thick.

Ultimate durability

High strength

### TRAXTER, TRAXTER MAX


	2019 8	2019 & prior		2020 & up		
Offer your Traxter the full protection kit or get parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	62" Base, DPS (HD5, HD7, HD8, HD9), DPS (HD10 T-cat 2020), XT (HD7, HD8, HD9), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat), PRO (HD8)	64" PRO (DPS, XT), DPS (HD10 except T-cat 2020), XT (HD10), XT-P, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)	67" XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr	
Full Protection Kit						
Aluminum Skid Plate Protection Kit	715003711 (except MAX)	<b>715006977</b> (3-up)	<b>715006694</b> (except MAX)	<b>715006696</b> (3-up & 6x6)	<b>715006979</b> (3-up 2020 to 2021 only)	
Aluminum Skid Plate Protection Kit	<b>715003712</b> (MAX only)	<b>715006978</b> (MAX)	<b>715006695</b> (MAX only)	<b>715006697</b> (MAX & PRO)	<b>715006980</b> (MAX 2020 to 2021 only)	
Individual Aluminum Skid Plates						
<ol> <li>Front A-Arm Protectors</li> <li>Extra underside protection for your vehicle's steering mechanism and suspension (A-arm).</li> <li>Sold in pairs.</li> <li>Not compatible with Apache Track Systems.</li> </ol>	715008274	715006975	715008274	715008275	<b>715008275</b> (2022 & up) <b>715006975</b> (2020 to 2021 only)	
<ul> <li>Front Skid Plate</li> <li>Protects the front underside of your vehicle when riding in rough terrain conditions.</li> <li>Adds style to the front of your vehicle.</li> </ul>	715002447	715002447	715002447	715002447	715002447	
<ul> <li>Central Skid Plate</li> <li>Central Skid Plate Kit includes central and lateral skid plates.</li> <li>Ultra-durable protection for the underside of your vehicle.</li> <li>Makes work easy in more demanding terrain.</li> <li>Must be used with Underbelly Skid Plate Kit.</li> </ul>	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	
Underbelly Skid Plate Kit     Ultra-durable protection for the underside of your vehicle.     Makes work easy in more demanding terrain.     Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982	
<ul> <li>Rear A-Arm Protectors</li> <li>Extra underside protection for your vehicle's suspension (A-arm).</li> <li>Sold in pairs.</li> <li>Not compatible with Apache Track Systems.</li> </ul>	715002445	715006976	715002445	715004388	<b>715004388</b> (2022 & up) <b>715006976</b> (2020 to 2021 only)	

## **BUMPERS & GUARDS**

### Bumpers

		Traxter, Traxter MAX (2019 & p	· · · · · · · · · · · · · · · · · · ·	715002418	
Front Bumper		Traxter, Traxter MAX (2020 & u	ldr	715005754	
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia construction.</li> <li>Provides enhanced protecti</li> <li>Inside and outside anti-corr powder coat finish.</li> </ul>	Required to install the Xtreme Front Bumper Plates, F			
		Traxter, Traxter MAX (2019 & p	prior) <sup>†</sup>	715003005	
(treme Front Bumper Plates		Traxter, Traxter MAX (2020 & u	t(dr	715005777	
		18) for installation.	•	on.	
	+nequire From Bumper (7150057	Traxter, Traxter MAX (2019 & p	ariar)t	715002833	
Front Corner Protectors		Traxter, Traxter MAX (2019 & )	· · · · · · · · · · · · · · · · · · ·	715002833	
bo ed	Inside and outside anti-corrosion coating with durable powder coat finish.     Sold in pairs.     //Require Front Bumper (715002418) for installation     #Require Front Bumper (715005754) for installation.				
ancher Front Bumper	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Traxter, Traxter MAX		715005410	
	<ul> <li>The low front-end protection and plates allow you to use your vehicle within cattle herds and guard the safety of both the vehicle and the animals.</li> <li>The flat front portion facilitates gently prodding cattle or pushing light objects e.g. closing a fence</li> </ul>		Traxter, Traxter MAX Improved approach Compatible with fro tire and track kits, w Not compliant with	angle. nt rack, snow plows, rinches.	
(T Front Bumper		Traxter, Traxter MAX (2019 & p	orior)	715004407	
	<ul> <li>1.5" (3.8 cm) diameter steel</li> <li>Provides light-duty protection</li> <li>Inside and outside anti-corr powder coat finish.</li> <li>Light-kit compatible.</li> </ul>	on.		XT Cab models 2018 and 2019. n Xtreme Front Bumper Plates, Front r LinQ Front Rack.	
( mr Front Bumper		Traxter, Traxter MAX		<b>715006143</b> · Black	
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia construction.</li> <li>Inside and outside anti-corr finish.</li> <li>Provides additional front bo</li> <li>Integrated winch support pl higher position for easier act for auxiliary lights.</li> </ul>	osion coating with durable dy protection.	<ul> <li>Includes a front tow</li> <li>Standard on X mr m</li> <li>Winch sold separate</li> </ul>	odels.	

#### **Cargo Bed Protectors & Tie Rails**



RN

Traxter 6x6 & PRO models

#### 715005415

- Anti-corrosion coating with durable powder coat finish.
- construction.Reliable cargo box protection and tie-down attachment point to secure large loads.

Heavy-duty 1.5" (3.8 cm) diameter steel-tube

 Designed to stay in place when cargo bed side walls are removed.

Rear Bumper	Traxter, Traxter MAX		715008109
	<ul> <li>Heavy-duty 1.5" (3.8 cm) diameter steel construction and integrated tubular design.</li> <li>Increased protection of rear box and lower box corner while allowing normal tailgate function.</li> </ul>	powder-coat finish.	nti-corrosion coating with durable ear Body Side Protector (715003055).

Rear Bumper Adapter (Not illustrated)	Traxter 6x6& PRO models	715006060			
Required to install the Rear Bumper on Traxter models with the long box.					

Rear Body Side Protectors		Traxter, Traxter MAX (except	6x6 & PRO)	715003055
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia construction.</li> <li>Reliable cargo box protectio</li> <li>Inside and outside anti-corre powder coat finish.</li> </ul>	on.	<ul> <li>Compatible with fem</li> <li>Integrated brush and</li> <li>Require Rear Bumpe</li> <li>Sold in pairs.</li> </ul>	l low-lying branch deflector.

#### **Body Side Protectors**

Front	Body	/ Side	Protectors
-------	------	--------	------------



	Traxter, Traxter MAX
<ul> <li>Heavy-duty 1.25" (3.2 cm) di construction.</li> </ul>	ameter steel-tube

- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.

Sold in pairs.

• Require Front Bumper (715002418 or 715005754) with Front Corner Protectors (715002833 or 715005774) and Rock Slider (715002569 or 715003040 for MAX models) for installation.

715003450

Front Rancher Body Side Protectors			Traxter, Traxter MAX	
		<ul> <li>Heavy-duty 1.25" (3.2 cm) d</li> </ul>	iameter steel-tube	<ul> <li>Inside and outside</li> </ul>




- Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.
- Front side protection for farm, ranch and forestry applications.
- Offer complete front body protection.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Sold in pairs.
- Require Rancher Bumper and Rock Sliders for installation.

715003617

Fender Flares		
	Traxter (except 6x6 & PRO), Traxter MAX	715006821
	Traxter 6x6	715005409
Fender Flares	Traxter PRO	715006001

- Robust injection-molded polypropylene construction.
- Perfect for keeping mud and debris outside the vehicle.
- Include front and rear extension, and all mounting hardware.
- Ideal for track equipped vehicles.



Sport Fender Flares	Traxter (except 6x6 & PRO), Traxter MAX	715003898

Sleek fender flares just the right size to reduce mud and debris kick-up from your tires.

Robust injection-molded polypropylene construction.

• Include front and rear extension, and all mounting hardware.

#### **Rock Sliders**

		Traxter	<b>715006671</b> · Black
ock Sliders		Traxter MAX, Traxter PRO	<b>715006721</b> · Black
	Heavy-duty rock sliders made with an integrated step for e	de of painted ¾°" (5 mm) aluminum elevated cargo box access.	
	<ul> <li>Protect vehicle's sides and u</li> </ul>	undercarriage against large obstacles.	
	<ul> <li>Lodge tight up against vehicle body for better clearance from obstacles.</li> </ul>		
	<ul> <li>Not compatible with other readers</li> </ul>	ock sliders.	
1	<ul> <li>Sold in pairs.</li> </ul>		
•	<ul> <li>Standard on Traxter X mr, Tr</li> </ul>	axter MAX X mr and Traxter XT-P models.	

Rock Sliders		Traxter, Traxter 6x6 Traxter MAX, Traxter PRO	715002569 715003040
	<ul> <li>Protect vehicle's sides and u</li> <li>Made of heavy-duty 1.5" (3.8)</li> </ul>	indercarriage against large obstacles. 8 cm) diameter steel tubing.	

- Inside and outside anti-corrosion coating with durable powder coat finish.
  - Integrated step for easy cargo box access.

Sold in pairs.

#### Mud Flaps

Mud Flaps		Traxter, Traxter MAX	715003041
	<ul> <li>Keep mud and debris out of or vehicles behind you.</li> </ul>	cargo area and protect trailer	
	- Add agethetic appeal to you	ruchiele	

Add aesthetic appeal to your vehicle.

Made of EPDM rubber.

- Require Rear Bumper for installation.
- Sold in pairs.

# LINQ: EASY ON, EASY OFF CARGO

### **TRAXTER'S LINQ ACCESSORIES**

#### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack 715006140	Adventure Roof Rack 715003870 / 715004391
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	nches apart, center-to-center. n the LinQ with 36" base acce: V and SxS vehicles, Can-Am S -Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black		LinQ Base Installation Kit <b>715008125</b>	No compatibility
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit <b>715008125</b>		No further requirements
LinQ 4.5 Gal (17 L) Sport Bag 860202447		No further requirements	
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	-		
LinQ Roll-Top Bag 715008110			No compatibility
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce 0 ORV vehicles.	
	<ul> <li>Higher loading capacity that</li> </ul>	an the LinQ with 16" base acce	
with 36" Base LinQ 12 Gal (45 L) Cargo Box	<ul> <li>Higher loading capacity that</li> </ul>	an the LinQ with 16" base acce	
with 36" Base Ling 12 Gal (45 L) Cargo Box 715003879 Ling 23 Gal (86 L) Trunk Box	<ul> <li>Higher loading capacity that</li> </ul>	an the LinQ with 16" base acce	essories.
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box	<ul> <li>Higher loading capacity that</li> </ul>	an the LinQ with 16" base acce	essories.
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box           715003018           LinQ 8 Gal (30 L) Cooler Box           715004778 · Black	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	essories. No further requirements
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box           715003018           LinQ 8 Gal (30 L) Cooler Box           715004778 • Black           715004698 • Gray           LinQ Premium Storage Bag by OGIO <sup>†</sup>	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	essories. No further requirements
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box           715003018           LinQ 8 Gal (30 L) Cooler Box           715004778 • Black           71500498 • Gray           LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black           LinQ Heavy Duty Basket	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box           71500318           LinQ 8 Gal (30 L) Cooler Box           715004698 · Gray           LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 · Black           LinQ Heavy Duty Basket           715001215           LinQ Low Profile Basket	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements
With 36" Base           LinQ 12 Gal (45 L) Cargo Box           715003879           LinQ 23 Gal (86 L) Trunk Box           715004923           LinQ 11.5 Gal (43 L) Audio Cargo Box           715003018           LinQ 8 Gal (30 L) Cooler Box           715004778 • Black           71500498 • Gray           LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black           LinQ Heavy Duty Basket           715001215           LinQ Low Profile Basket           715004282	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	No further requirements

LinQ Accessories wit	h 16" Base			
				<b>715005494</b> · (10 L)
				715007112 · (20 L)
LinQ Modular Box		Traxter, Traxter MAX		715006830 · (30 L)
	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box si</li> <li>Can be installed on any Lind</li> <li>See table for installation loc</li> </ul>	a base with a 16" width.	right gear accessible.	
Thermal Insert for LinQ Modu	lar Box (10 L)	Traxter, Traxter MAX		219401110
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ Mo</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> <li>Interior dimensions: 9" L x 1</li> </ul>	ans.		
LinQ Tool Box		Traxter, Traxter MAX		715008111
	<ul> <li>High precision injected HDF</li> <li>5 gal (19 L) maximum capace</li> <li>Weather-resistant, sealed and</li> <li>Easy one-second on/off too</li> <li>All the benefits of LinQ—sin</li> <li>See table for installation loc</li> </ul>	nd lockable cover. I-less system. nple, fast and secure.	y and durability.	
LinQ Tool Kit		Traxter, Traxter MAX		715006829
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> <li>Socket 8 mm %" drive</li> </ul>	<ul> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> </ul>	18 mm         %" drive           15 mm         - Socket Torx T30           13 mm         %" drive           10 mm         %" drive
LinQ 4.2 Gal (16 L) Cooler		Traxter, Traxter MAX		<b>219400964</b> · Black <b>295100698</b> · White
	<ul> <li>All the benefits of LinQ—sin</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul- ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	r exceptional rigidity ation for optimal	Interior dimensions:	355 ml cans. nree days. s: 13" L x 20" W x 10" H.
LinQ SR 5.5 Gal (21 L) Bag		Traxter, Traxter MAX		860202449
	<ul> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>See table for installation loc</li> </ul>	ation and requirements.		
LinQ 4.5 Gal (17 L) Sport Bag		Traxter, Traxter MAX		860202447
	<ul> <li>4.5 gal (17 L) capacity.</li> <li>Rigid bottom, semi-rigid top</li> <li>See table for installation loc</li> </ul>			

LinQ Roll-Top Bag		Traxter, Traxter MAX		715008110
	<ul> <li>LinQ mounted using heavy-</li> <li>High capacity storage solut</li> <li>Bottom foam liner for additi</li> </ul>	ion (40 L). onal equipment protection. ransportation on/off the vehicle « adjustable H.		
inQ Explorer Bag		Traxter, Traxter MAX		295101016
	<ul> <li>26 gal (100 L) of watertight</li> <li>Installs in seconds with too</li> <li>Dedicated essentials complicense, insurance and more</li> <li>Exclusive D.E.S.S. key stora</li> <li>External quick-access pock and wallets.</li> </ul>	lless LinQ accessory system. artment for registration, e. ge.	<ul> <li>Collapsible if not full</li> </ul>	ck when you get off your machine. ly packed with straps on both side: Cargo Rack for installation. 18" W x 14" H.
LinQ Accessories wit	h 36" Base			
inQ 12 Gal (45 L) Cargo Box		Traxter, Traxter MAX		715003879
	<ul> <li>Holds cargo safely and sect</li> <li>See table for installation loc</li> </ul>			
inQ 23 Gal (86 L) Trunk Box		Traxter, Traxter MAX		715004923
CIT	Lockable and weather-resis     Holds cargo safely and secu     See table for installation loc	urely while riding.		
inQ 11.5 Gal (43 L) Audio Ca	rgo Box	Traxter, Traxter MAX		715003018
	The rear installation does n Mounts on/off easily to hold The Bluetooth enabled rece	0 0	lows easy listening at an ly. 's are smartly concealed	and integrated in the cover.
inQ 8 Gal (30 L) Cooler Box		Traxter, Traxter MAX		■ 715004698 · Gray ■ 715004778 · Black
		rovides exceptional rigidity and ation for optimal ice retention. compartment protects food. the cover tightly closed.	durability.	
inQ Premium Storage Bag by	OGIO	Traxter, Traxter MAX		<b>715002923</b> · Black
	• 17.2 gal (65 L) capacity sem	al bag organization.		

LinQ Heavy-Duty Basket		Traxter, Traxter MAX	715001215		
	<ul> <li>Made of high-strength, low</li> </ul>	v-alloy steel.			
	<ul> <li>See table for installation lo</li> </ul>	ocation and requirements.			
in can-ant					
LinQ Low Profile Basket					
Ling Low Prome Basket		Traxter, Traxter MAX	715004282		
	Low profile, open basket in				
	Multiple bungee cord and	tools, rope, winch and plow accessories.			
	<ul> <li>Made of impact-resistant i</li> </ul>				
	See table for installation lo				
		Traxter, Traxter MAX			
		(except 6x6 and PRO models)	715002464		
LinQ Tailgate Extension		Traxter 6x6 & PRO	715005412		
	<ul> <li>Adds rear cargo capacity v</li> </ul>	when the tailgate is open.			
	<ul> <li>Steel-tubing-system-style</li> </ul>	barrier mounts on top of the bed walls using the easy,	tool-less LinQ system.		
		as cargo divider at different locations along the bed w	all while preventing larger items from		
	falling off the back.				
1001-01	<ul> <li>Stores nearly out of the wa bed wall as a mini headacl</li> </ul>	y and offers additional cab area protection since it ca he rack.	n be mounted upside down on the from		
	<ul> <li>Anti-corrosion coating wit</li> </ul>	h durable powder coat finish.			
	<ul> <li>Not compatible with hard</li> </ul>	rear windows on Traxter MAX produced before Janua	ry 2021.		
LinQ Tire Holder		Traxter (except 6x6 & PRO models), Traxter MAX	715003448		
	- Cargo box apara tiro haldo				
	Cargo box spare-tire holder.     Heavy-duty steel construction.				
	<ul> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> </ul>				
		walls using the easy, tool-less LinQ system.			
	Compatible with Bed Wall	Extender.			
am	<ul> <li>Uses BRP standard wheel</li> </ul>	bolt pattern to mount tire (nuts included).			
EBIT.		up to 28" (wheel not included).			
	Quickly allows installation	in multiple positions thanks to the LinQ system.			
LinQ Cargo Rack		Traxter, Traxter MAX	715006140		
		,	/1000140		
	<ul> <li>Strong, durable steel rack.</li> <li>Easy and tool-less installat</li> </ul>	tion thanks to the LinQ system.			
	Allows the installation of L	,			
	2 racks can be installed at				
	Allows multi-level storage	on cargo bed, accommodates 5 gal (19 L) bucket.			
	<ul> <li>Helps keep cargo securely</li> </ul>	in place.			
0	Multiple bungee cord and tie-down anchor points.				
	<ul> <li>Kit includes LinQ Base.</li> </ul>				
	Provides more usable space	0			
	Extends vehicle cargo opti	ions.			
LinQ Front Rack		Traxter, Traxter MAX	715006064		
	Rugged looking front rack	mounts on top of vehicle hood and provides addition	al storage.		
	<ul> <li>Heavy-duty 1.25" (3.2 cm)</li> </ul>	diameter steel-tube construction.			
		rrosion coating with durable powder coat finish.			
		des easy access to service area.			
		inQ accessories (especially for use with LinQ Low Pro	ofile Basket [715004282]).		
	Kit includes LinQ Base.     Multiple bungee cord and	tie-down anchor pointo			
	Multiple bungee cord and     Bequires Bancher Bumper	tie-down anchor points. 7 (715005410) or Front Bumper (715002418 or 715005	5754) for installation		
	A great place to store tools	• • •			
	Allows the installation of L	-			

Allows the installation of LinQ Low Profile Basket.

LinQ Tool Holder		Traxter, Traxter MAX	715007358
	<ul> <li>Suitable for installation or Loadout Rack.</li> </ul>	llows tools to be stored in any orientation.	k, Bed Wall Extender, Adventure Roof Rack and Lin LinQ Adapter is required for installation.
inQ Gear Grips		Traxter, Traxter MAX	715005340
ŶŶ	<ul> <li>Heavy-duty design for car</li> <li>Quick-release button ope</li> <li>Heavy-duty base system I</li> </ul>	provide a custom fit for a variety of items rying bows, fishing poles, rakes, farm tools ns grip quickly for easy access to gear. built for the toughest adventures. bols a snap by combining the Gear Grips w	
LinQ Mounting			
LinQ Adapter		Traxter, Traxter MAX	715003058
	Allows the installation of Adventure roof rack or the Sold in pack of 4.	1	· 
-inQ Lock		Traxter, Traxter MAX	860201968
	<ul> <li>Simple way to securely loci</li> <li>Lock cover protects lock free</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys.</li> <li>Not compatible with LinQ 4</li> </ul>		Q Tool Holder or LinQ Gear Grips.
LinQ Base Installation Kit		Traxter, Traxter MAX	715008125
	Unique mounting fastene     Included: 2 LinQ Cargo Ba	r usable on any LinQ system accessory. ases and hardware.	
LinQ Replacement Part		Traxter, Traxter MAX	715001707
	<ul> <li>Unique mounting fastene</li> <li>Tool-less installation and</li> <li>Sold in pairs.</li> </ul>	r usable on any LinQ system accessory. removal.	

# **CARGO & STORAGE**

Loadout Rack		Traxter, Traxter MAX	715005447
	<ul> <li>Adjustable height that goes</li> <li>Modular basket adapts to d</li> <li>Multiple hooks and holes to</li> <li>Basket accommodates multiple</li> </ul>	create a hanging storage net below the basket for add Traxter Pro & Traxter 6x6.	1
Hanging Storage Box Kit		Traxter, Traxter MAX	715005449
	along the sidewall, and outs <ul> <li>Includes Can-Am branded s</li> </ul>	an be tailored to hold the crates in multiple positions: I side the box along the side wall.	•
Can-Am Storage Box			
(Not illustrated)		Traxter, Traxter MAX	708303237
	<ul> <li>Conventional 13" x 13" plas</li> <li>Perforated bottom allows w</li> </ul>	tic storage box with Can-Am branding. ater and debris to escape.	
Exterior Corres Deinforcom	nt Danal		
Exterior Cargo Reinforceme (Not illustrated)	ent Panel		715006198
		ed side to further support and protect bed wall when i nanging storage box and/or gun and tool holder when	·
Deluxe Headache Rack		Traxter, Traxter MAX	715002423
	<ul> <li>Protects cab components f</li> <li>Increases box capacity whe</li> <li>Required to install the Bed</li> <li>Compatible with gear rail.</li> </ul>	en used in tandem with the Bed Wall Extender (71500	2421).
Headache Rack		Traxter, Traxter MAX	715003873
	and the load in your cargo b • Compatible with gear rail. • Rack's open design helps n		etween your head or cab's components
		Traxter, Traxter MAX (except Traxter 6x6 & Traxter PRO)	715002421
Bed Wall Extender		Traxter 6x6 & PRO models	715005411
	<ul> <li>Increases box capacity.</li> <li>Quick and easy tool-less me Easily removable rear door</li> <li>Variable full or half height s</li> <li>Foldable top panels come of</li> </ul>	can be latched open. ettings.	

Fonneau Cover		Traxter 2018 & up (except Mossy Oak Break-Up Country Camo models), Traxter MAX (except 6x6 and PRO models)	715008306
caring to the	<ul> <li>Prevents splash from enteri</li> <li>Rolls up to the front.</li> <li>Easily removable for quick a</li> </ul>		
Removable Storage Bin		Traxter, Traxter MAX	715004344
	Provides 1.7 gal (6.3 L) of st	tool box will make sure you have your critical equipme orage and clips on and off in a snap. our contents remain safe and dry. ept Base.	nt where you need it.
Removable Storage Bin – Pass	senger	Traxter, Traxter MAX	715003314
		underseat storage. gal (14 L) storage capacity bin. a snap and comes with an integrated handle.	
Driver Underseat Storage Bin		Traxter, Traxter MAX	715003399
	moment's notice.	sistant items, such as ropes, tow straps and winch acc	1
Center Underseat Storage Bin	Polypropylene-injected 2 ga	Traxter, Traxter MAX	715003446
	Watertight design keeps ice	e and drinks cold. emoving it with integrated handle.	
Cargo Bed Rails		Traxter (except 6x6 & PRO), Traxter MAX	715003444
cian-ami	<ul> <li>Added cargo box protection</li> <li>Inside and outside anti-corr</li> <li>Heavy-duty 1" (2.5 cm) diam</li> <li>Add height to the bed side to</li> </ul>	a to your cargo box while enhancing the look. n. rosion coating with durable powder coat finish. neter steel-tube construction. wall and serve as a tie-down anchor for ropes, straps o 'all Extender and Headache Rack (715003873).	r bungees.
Cargo Bed Net		Traxter (except 6x6 & PRO), Traxter MAX	715003445
	<ul> <li>Solid net designed to hook</li> <li>Keeps items tightly against</li> </ul>	to the bottom of the cargo box for secure and compact the bed floor.	t confinement of your cargo.
Dash Storage Compartment No	et for Heating System	Traxter, Traxter MAX (2019 & prior)	715003544
	<ul> <li>Perfect for securing items in</li> <li>To be installed when Lower</li> </ul>	, n the dash storage area. Dashboard for Heating System is installed.	·

Lower Dashboard for Heatin	g System	Traxter, Traxter MAX (2019 & prior)	715003441
	passenger to conveniently • To be installed when the D	nat comes stock with the vehicle, and features a tablet store small items in the dash. Defrost, Heat & Ventilation System is installed. h Storage Compartment Net for Heating System (7150 ment from falling.	
Dash Storage Compartment	Nets	Traxter, Traxter MAX (except Limited models)	715003129
	<ul> <li>Perfect for securing items</li> <li>Not compatible with Defro</li> <li>Sold in pairs.</li> </ul>	in the dash storage area. st, Heat & Ventilation System.	
Sed Tool Box		Traxter, Traxter MAX	715003028
	<ul> <li>Rotomolded construction</li> <li>Features cup holders and</li> <li>Sized to give you the optio</li> </ul>	unction weather-resistant tool box designed for cargo provides exceptional rigidity and durability. integrated groove for pipe or 2x4 cutting. n of installing 2 tool boxes in the cargo bed (quick bolt n lockable covers and rubber latches.	
Soft Storage Bag		Traxter, Traxter MAX	715003759
	<ul> <li>11.8 gal (45 L) capacity sof</li> <li>3 sections.</li> <li>Weatherproof.</li> </ul>	ft cargo bag designed with vehicle's rear in mind to ma	aximize potential storage.
Backrest Rear Storage		Traxter MAX	715003019
	<ul> <li>Netting installs easily.</li> <li>Made from polyester that to</li> <li>Sold in pairs.</li> </ul>	won't discolor.	
Storage 2.6 Gal (10 L) Bag		Traxter, Traxter MAX	269502121
0	Roll-top dry bag for fully pr	otecting your cargo from the elements.	
NEW Passenger Storage Se	at Bag	Traxter, Traxter MAX	715008080
	<ul> <li>Bag settling on the passer</li> <li>This bag features a 14.5 ga</li> <li>The top compartment is in</li> <li>Additional pocket inside for</li> <li>The bottom compartment</li> </ul>	g holds your gear safely and securely while you ride. ager seat to increase the vehicle's cargo capacity. al (55 L) storage capacity and is divided into two comp isulated to keep your beverages cold and includes two or additional storage, such as a cell phone. is accessible from both sides and serves as a large po the front of the bag can be used as a garbage bag.	o cup holders.

# RACKS & HOLDERS

#### **Rear Accessory Bar**

#### Traxter, Traxter MAX

715005450

- Strong accessory bar allowing installation or hanging items off the back.
- Holes for carabiners, duck decoy hangers or other items.
- - LinQ anchors allow installation of many LinQ accessories.

		Traxter Loads of up to 40 lb (18 kg).	715003870	
Adventure Roof Rack		Traxter MAX Loads of up to 75 lb (34 kg).	715004391	
	Ideal cargo solution for pac	king everything you need to live your off-road experien	ice fully and completely.	
	, , ,	(3.2 cm) diameter steel tubing.		
		es allow for installation of most LinQ cargo accessories	3.	
0		for lights can hold up to 8 pod-type LED lights (99 cm) LED bar (front)—see table for compatibility.		
	Features anchor points for a			
	Spare Tire Tie-Downs sold s	separately.		
	Add the Cargo Box Net or			
	<ul> <li>to secure and confine your</li> <li>Not compatible with Bimini</li> </ul>	-		
Spare Tire Ratchet Tie-Downs		Traxter, Traxter MAX	280000955	
	<ul> <li>3-way ratcheting tie-down s</li> </ul>	strap with loop ends.		
M =	Designed to securely hold s	spare tires on accessories equipped with integrated sp	pare tire attachment points.	
	Adjustable to accommodate most common UTV tire sizes.			
	<ul> <li>Ratchet and junction ring made of durable zinc-plated steel.</li> </ul>			
	Required for spare tire attack	Required for spare tire attachment on Adventure Roof Rack.		
LinQ Tool & Gun Holder		Traxter, Traxter MAX	715005466	
		used both on the job or on the hunt.		
Comments and the second s	<ul> <li>2-in-1 holding rack can be u</li> </ul>			
	Includes 5 locations to secu	urely hold tools and guns using rubber grips and retent	tion straps at the top and a rubber r	
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom.	tion straps at the top and a rubber r	
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system.		
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system. a positions along the cargo bed walls, facing inside or c	butside the bed.	
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system.	butside the bed.	
LinQ Gun Case	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system. a positions along the cargo bed walls, facing inside or c	butside the bed.	
LinQ Gun Case	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> <li>Recommended to use with</li> </ul>	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198)	outside the bed. when installed outside the bed wal 715004968	
LinQ Gun Case	Includes 5 locations to secu with gunstock shaped mold Easy to remove, install or re Can be attached at multiple Recommended to use with Practical design allows you	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system. e positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations.	
LinQ Gun Case	Includes 5 locations to secu with gunstock shaped mold Easy to remove, install or re Can be attached at multiple Recommended to use with Practical design allows you Adapts to different weapon	urely hold tools and guns using rubber grips and retent ling at the bottom. position using our simple and secure LinQ system. e positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned.	
LinQ Gun Case	Includes 5 locations to secu with gunstock shaped mold Easy to remove, install or re Can be attached at multiple Recommended to use with Practical design allows you Adapts to different weapon LinQ-mounted for efficient a	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned.	
	Includes 5 locations to secu with gunstock shaped mold Easy to remove, install or re Can be attached at multiple Recommended to use with Practical design allows you Adapts to different weapon LinQ-mounted for efficient a	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned.	
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> <li>Recommended to use with</li> <li>Practical design allows you</li> <li>Adapts to different weapon</li> <li>LinQ-mounted for efficient a</li> <li>LinQ Gun Case Mounting K</li> </ul>	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	
	<ul> <li>Includes 5 locations to secu with gunstock shaped mold</li> <li>Easy to remove, install or re</li> <li>Can be attached at multiple</li> <li>Recommended to use with</li> <li>Practical design allows you</li> <li>Adapts to different weapon</li> <li>LinQ-mounted for efficient a</li> <li>LinQ Gun Case Mounting K</li> </ul>	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation. Traxter, Traxter MAX Gun Case on a Traxter and Traxter MAX.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	
	Includes 5 locations to secu- with gunstock shaped mold     Easy to remove, install or re     Can be attached at multiple     Recommended to use with     Practical design allows you     Adapts to different weapon     LinQ-mounted for efficient a     LinQ Gun Case Mounting K      Required to install the LinQ	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation. Traxter, Traxter MAX Gun Case on a Traxter and Traxter MAX.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	
	Includes 5 locations to secu- with gunstock shaped mold     Easy to remove, install or re     Can be attached at multiple     Recommended to use with     Practical design allows you     Adapts to different weapon     LinQ-mounted for efficient a     LinQ Gun Case Mounting K      Required to install the LinQ     Allows you to install up to tw	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation. Traxter, Traxter MAX Gun Case on a Traxter and Traxter MAX.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	
	Includes 5 locations to secu- with gunstock shaped mold     Easy to remove, install or re     Can be attached at multiple     Recommended to use with     Practical design allows you     Adapts to different weapon     LinQ-mounted for efficient a     LinQ Gun Case Mounting K      Required to install the LinQ     Allows you to install up to tw	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation. Traxter, Traxter MAX Gun Case on a Traxter and Traxter MAX.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	
LinQ Gun Case LinQ Gun Case Mounting Kit	Includes 5 locations to secu- with gunstock shaped mold     Easy to remove, install or re     Can be attached at multiple     Recommended to use with     Practical design allows you     Adapts to different weapon     LinQ-mounted for efficient a     LinQ Gun Case Mounting K      Required to install the LinQ     Allows you to install up to tw	urely hold tools and guns using rubber grips and retenting at the bottom. position using our simple and secure LinQ system. positions along the cargo bed walls, facing inside or of the Exterior Cargo Reinforcement Panel (715006198) Traxter, Traxter MAX to store shotguns and rifles up to 52" (132 cm) even w shapes and features with foam cushions that can be r and secure storage, locked in place with only a quarter it (715006443) is required for installation. Traxter, Traxter MAX Gun Case on a Traxter and Traxter MAX.	outside the bed. when installed outside the bed wal 715004968 ith most optic configurations. epositioned. turn.	

Gun Boot 6.0 <sup>†</sup> Impact by Kolpi	in <sup>†</sup>	Traxter, Traxter MAX	715001419
	Extra room for pistol-grip-ty	pe weapons and small bipods.	
	Easily fits firearms up to 51	" (1.3 m) in total length.	
Mer Color	<ul> <li>Provides ample room for 2.4</li> </ul>	4" (60 mm) scopes.	
	<ul> <li>Hatchback design allows earlies</li> </ul>	asy access.	
	<ul> <li>Snap-close cover with lock</li> </ul>	ing capability.	
	<ul> <li>Ergonomically designed hat</li> </ul>	ndle and molded attachment points for sling.	
	<ul> <li>Designed to accommodate</li> </ul>	eleft- and right-hand bolt-action rifles and shotguns.	
	<ul> <li>Requires Gear Rail and Gur</li> </ul>	n Boot Mount by Kolpin for installation.	
	<ul> <li>Includes removable, shock-</li> </ul>	-absorbing foam and nylon Impact liner	
	for superior interior protect	ion.	
	Compatible for dual mount	with additional Gun Boot Mount.	
Stronghold Gun Boot Impact <sup>†</sup>	by Kolpin⁺	Traxter, Traxter MAX	705011442
	<ul> <li>Compact low-profile design with optics.</li> </ul>	n with Kolpin Stronghold styling securely holds up to 52	" (132 cm) long rifles and shotguns
an an a	•	k absorbing foam Impact† liner.	
		h an attached lid for quick access along with an integra	ated closure strap.
	For use with the Kolpin Stro	onghold Auto Latch Mount System.	
-			
Stronghold Auto-Latch Moun	t by Kolpin	Traxter, Traxter MAX (except X mr models)	715003899
7 10 126 100 1		des quick and secure gun boot attachment to your vehi	cle.
	••	ed high impact, reinforced nylon and coated steel.	
	For use with Stronghold Gu		
	<ul> <li>Requires Gear Rail for Stror</li> </ul>	nghola (715004089).	
all a liter			
Gear Rail for Stronghold		Traxter, Traxter MAX	715004089
	Designed for the Otrephel		
	<ul> <li>Designed for the Stronghol</li> </ul>	d Auto-Latch Mount by Kolpin.	
7		d Auto-Latch Mount by Kolpin. hold Gun Boots (two Latch Mounts required).	
	Can hold up to two Strongh		
	Can hold up to two Strongh	old Gun Boots (two Latch Mounts required).	
	Can hold up to two Strongh	old Gun Boots (two Latch Mounts required).	
	Can hold up to two Strongh	old Gun Boots (two Latch Mounts required).	
Gun Boot Mount by Kolpin	Can hold up to two Strongh	old Gun Boots (two Latch Mounts required).	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required. Traxter, Traxter MAX 0 Impact. durable.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required. Traxter, Traxter MAX 0 Impact. durable. he use of any tools.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely     Easily adjustable without th	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required. Traxter, Traxter MAX 0 Impact. durable. he use of any tools. adjustability.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely     Easily adjustable without th     Offers precision gun angle	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required. Traxter, Traxter MAX 0 Impact. durable. he use of any tools. adjustability.	715001420
Gun Boot Mount by Kolpin	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely     Easily adjustable without th     Offers precision gun angle	hold Gun Boots (two Latch Mounts required). 5002423) or Gear Rail Adapter (715003392) required. Traxter, Traxter MAX 0 Impact. durable. he use of any tools. adjustability.	715001420
	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely     Easily adjustable without th     Offers precision gun angle     Requires Gear Rail for insta	Image: State of the state	
	Can hold up to two Strongh     Deluxe Headache Rack (71     Fits one Kolpin Gun Boot 6.     Lightweight and extremely     Easily adjustable without th     Offers precision gun angle     Requires Gear Rail for insta     Accommodates shotguns,	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> </ul>	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> </ul>	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> </ul>	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> <li>Anti-corrosion coating with</li> </ul>	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> <li>Anti-corrosion coating with</li> <li>Comes with all hardware for</li> </ul>	Image: State of the state	
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> <li>Anti-corrosion coating with</li> <li>Comes with all hardware fo</li> <li>Keeps your weapons withir</li> </ul>	Image: State of the state	715005265
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instance</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> <li>Anti-corrosion coating with</li> <li>Comes with all hardware fo</li> <li>Keeps your weapons withir</li> </ul>	Image: State of the state	715005265
	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation</li> <li>Accommodates shotguns,</li> <li>Mounts in the cab, on floor</li> <li>Rubber pads provide gun p</li> <li>Can be removed to allow a</li> <li>Anti-corrosion coating within</li> <li>Comes with all hardware for</li> <li>Keeps your weapons within</li> </ul>	Image: State of the state	715005265
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation of the strength of the stre</li></ul>	Image: Second	715005265 chase. 715003391
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation of the strength of the stre</li></ul>	Image: State of the state	715005265 chase. 715003391
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation of the strength of the stre</li></ul>	Image: State of the state	715005265 chase. 715003391
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation of the strength of the stre</li></ul>	Image: State of the state	715005265 chase. 715003391
Dual Gun Holder	<ul> <li>Can hold up to two Strongh</li> <li>Deluxe Headache Rack (71)</li> <li>Fits one Kolpin Gun Boot 6.</li> <li>Lightweight and extremely</li> <li>Easily adjustable without th</li> <li>Offers precision gun angle</li> <li>Requires Gear Rail for instation of the set of th</li></ul>	Image: State of the state	715005265 chase. 715003391 ersal Saw Press.

Gear Rail Adapter		Traxter, Traxter MAX (except X mr models)	715003392
	Allows the installation of ge	ar rails directly onto the cargo box without the need fo	r a headache rack.
Gear Rail Mount by Kolpin		Traxter, Traxter MAX	715001422
	Accessory bracket for mour     Includes C-clamp and meta	nting additional accessories to the Gear Rail. I mounting brackets.	
Double Gun Bag		Traxter (except XT Cab, X mr models), Traxter MAX (except XT Cab and Limited package)	<b>715003133</b> · Black
Part and	<ul> <li>while the thick interior pade</li> <li>Fits perfectly on rear cage, a</li> <li>Design features include a restorage pockets for hunting</li> <li>Solid, quick installation.</li> </ul>	-	icle.
	•	nd protection, headache racks and gear rails. nction of the Traxter 6x6 or Traxter PRO models' bed.	
Jniversal Saw Press by Kolpin	May interfere with the tilt fu		715001423
Jniversal Saw Press by Kolpin	May interfere with the tilt fu     Specially crafted for transpo Heavy-duty, black powder-co Rubber pads provide cushic Hinged design for quick rem	Traxter, Traxter MAX (except X mr models) rting your chainsaw securely and safely aboard your so oated metal bracket designed to attach any chainsaw in and tight fit.	ide-by-side vehicle.
Universal Saw Press by Kolpin	May interfere with the tilt fu     Specially crafted for transpo Heavy-duty, black powder-co Rubber pads provide cushic Hinged design for quick rem Holds saw in vertical positio Requires Gear Rail.	Traxter, Traxter MAX (except X mr models) rting your chainsaw securely and safely aboard your so oated metal bracket designed to attach any chainsaw on and tight fit. noval.	ide-by-side vehicle.

- Guick release button opens grip quickly to easy access to geat.
  Heavy-duty base system built for the toughest adventures.
  Easy installation on tubular racks, extension racks, brackets or bumpers.
  Sold in pairs.

# **LIGHTS**

1 Choose your	2 Find your		<b>3</b> C	hoose your li	ghts	
mount point	platform	10" (25 cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)
Front Bumper Rancher Bumper XT Front Bumper	Traxter Traxter MAX 2019 & prior	<b>715002933</b> PLUS <b>715002454</b> (Light Power Cable)	715002934 PLUS 715002454 (Light Power Cable)	N/A	715002935 715003665 0 715003666 PLU 715002454 (Lig	(3.5" Flood) (3.5" Spot) JS
X mr Front Bumper (w/o winch) X-TP Front Bumper	Traxter Traxter MAX 2020 & up	<b>715002933</b> PLUS <b>715006034</b> (Light Power Cable)	<b>715002934</b> PLUS <b>715006034</b> (Light Power Cable)	N/A	715002935 715003665 0 715003666 PLU 715006034 (Lig	(3.5" Flood) (3.5" Spot) JS
<b>Light Rack</b> or Light Bars *Roof Power Cable and Front Roof Liner may not be required if already installed with other	Traxter & Traxter MAX (except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner)	715002935 715003665 0 715003666 PLU 715003094 (Ro 8 715008226 (Fr	(3.5" Flood) r (3.5" Spot) JS of Power Cable)
it already installed with other accessories.	Traxter Traxter MAX XT Cab Limited	715002933	715002934	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 715003665 0 715003666	(3.5" Flood)
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Traxter & Traxter MAX (except XT Cab LImited)	N/A	Front only: <b>715002934</b> PLUS <b>715003417</b> (Power Cable) & <b>715003094</b> (Roof Power Cable) & <b>715008226</b> (Front Roof Liner)	Front only: <b>715004007</b> PLUS <b>715005822</b> (Power Cable) & <b>715003094</b> (Roof Power Cable) & <b>715008226</b> (Front Roof Liner)	Front o 715002935 715003666 PLL 715003417 (I 8 715003417 (Ro 8 715003094 (Roc 8 715008226 (Fr	(4" Round), (3.5" Flood) r (3.5" Spot) JS Power Cable) 5 of Power Cable)
	Traxter, Traxter MAX XT Cab Limited	N/A	Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front o 715002935 715003665 0 715003666 PLU 715003417 (I	(4" Round), (3.5" Flood) r (3.5" Spot) JS
4 Order		*Note: When ins	Order all part	numbers in int ght kit, additional light p	ersecting box	g kit is required.
Roof Power Cable	Required for insta	Traxter, T	raxter MAX rical accessories.		715003094	
· · · · · · · · · · · · · · · · · · ·	Brings power from		routor MAY (2010 S	rior)	715002454	
Light Kit Power Cable			raxter MAX (2019 & p raxter MAX (2020 & u		715002454 715006034	

Power cable for installation of compatible Can-Am light kits at front bumper location.

10" (25 cm) Double Stacked LED Light Bar (60 W)	Traxter, Traxte	r MAX					715	00293	715002933		
TRAFER	5,400 lumens	20 m 0 -20	100	200	300	400	500	600	700	800 m	
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed on front bumpers, sport roof and Bimini roof with sun visor.	<ul> <li>Requires lig</li> <li>Lights up to wide on eac</li> <li>Not EC com</li> <li>See table fo</li> </ul>	more tha h side. pliant.	n 1,500 <sup>-</sup>	ft (460 r	n) in fro			icle and	d aroun	d 65 ft (20 m	
5" (38 cm) Double Stacked LED Light Bar (90 W)	Traxter, Traxte	r MAX					715	00293	4		
Equipped with 18 5 W Cree LEDs. 8,400 lumens.	8,400 lumens • Lights up to wide on eac	h side.	100 n <b>1,900</b>	200 ft (580 r	300 n) in frc	400 ont of th	500 e vehi	600 icle and	700 d aroun	800 m d 65 ft (20 m)	
Complements the Light Racks and most bumpers. Rugged and waterproof.	<ul> <li>Not EC com</li> <li>See table fo</li> </ul>		on locat	ion and	require	ements					
39" (99 cm) Double Stacked LED Light Bar (270 W)	Traxter, Traxte	r MAX					715	00400 <sup>°</sup>	7		
	24,300	20 m									
24,300 lumens.	24,300 lumens • Compatible • Compatible • See table fo • Not EC com	0 -20 on the Ad with Flip V r installati	Nindshi	elds an	d Full W			600	700	800 m	
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible     Compatible     See table fo	on the Ad with Flip r installati pliant.	venture Nindshi	Roof Ra	ack. d Full W	/indshi	elds.	600 600		800 m	
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible     Compatible     See table fo     Not EC com	o -20 on the Ad with Flip V r installati pliant. r MAX	venture Nindshi	Roof Ra	ack. 3 Full W require	/indshi	elds.				
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and	Compatible     Compatible     Compatible     See table fo     Not EC com      Traxter, Traxte      1,800	on the Adwith Flip V r installati pliant. r MAX 20 m -20 d ht power of s. pliant.	venture Windshi on locat	Roof Rando	ack. J Full W require	/indshie ements	elds. 7150		5		
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. 4" (10 cm) Round LED Lights (2 x 25 W) 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch. Can-Am branded grill.	Compatible     Compatible     Compatible     See table fo     Not EC com      Traxter, Traxte      1,800     lumens      Requires lig     Sold in pairs     Not EC com	o -20 on the Ad with Flip V r installati pliant. r MAX 20 m 0 -20 tht power of s. pliant. r installati	venture Windshi on locat	Roof Rando	ack. J Full W require	/indshie ements	- <b>715</b>		200 n		
<ul> <li>Equipped with 54 5W Cree LEDs.</li> <li>24,300 lumens.</li> <li>Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.</li> <li>4" (10 cm) Round LED Lights (2 x 25 W)</li> <li>25 W LED spotlights.</li> <li>1,800 lumens.</li> <li>Rugged and waterproof.</li> <li>Includes basic wiring and switch.</li> </ul>	Compatible     Compatible     Compatible     See table fo     Not EC com     Traxter, Traxte      Insoo     Iumens      Requires lig     Sold in pairs     Not EC com     See table fo	on the Ac with Flip 1 r installati pliant. r MAX 20 m 0 -20 m th power s. pliant. r installati r MAX r MAX	venture Windshi on locat	Roof Raelds and	ack. J Full W require	/indshie ements	eids. - 7150 - - -	00293	200 n		

3.5" (9 cm) LED Flood Light	ts (2 x 14 W)	Traxter, Traxter MAX	715003665			
		1,260 lumens -15 0 15 30 45 60	75 90 105 m			
4 W LED lights producing 1,260 lumens each. Flood lens for a wide light beam spread, ideal for working pplications like plowing or cornering. Suitable for dusty or foggy iding conditions. Equipped with six high-power LEDs in a heavy-duty die-cast luminum housing.		<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>CE certified.</li> <li>See table for installation location and requirements.</li> </ul>				
Light Bar Support		Traxter, Traxter MAX	715006226			
	Mounting Bracket that allo Low and forward mounting Compatible with all windst		004007).			
₋ight Rack		Traxter, Traxter MAX	715002456			
	<ul> <li>Lights not included.</li> <li>Front Roof Liner is require</li> </ul>	d for installation on the roof (except Cab models or v	vith Deluxe Sport Roof).			
Rear Cargo Light	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> </ul>	d for installation on the roof (except Cab models or v Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products.	• •			
Rear Cargo Light	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> <li>Integrates elegantly and some set of the set of t</li></ul>	Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products. Traxter, Traxter MAX (2020 & up) tion for rear cargo area.	r installation.			
	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> <li>Integrates elegantly and some set of the set of t</li></ul>	Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products. Traxter, Traxter MAX (2020 & up) tion for rear cargo area. h.	r installation.			
	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> <li>Integrates elegantly and set</li> <li>Powerful 55W H3 illumina</li> <li>Convenient in-dash switch</li> <li>Wiring included.</li> <li>Sport Roof (715002430) or</li> <li>Not EC compliant.</li> <li>Not compatible with head</li> </ul>	Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products. Traxter, Traxter MAX (2020 & up) tion for rear cargo area. A r Sport Roof for MAX (715003038) is required for inst ache rack on Traxter Pro and Traxter 6x6.	r installation. 715007077 tallation. 710005423			
RAM <sup>†</sup> LED Spotlight	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> <li>Integrates elegantly and set</li> <li>Powerful 55W H3 illumina</li> <li>Convenient in-dash switch</li> <li>Wiring included.</li> <li>Sport Roof (715002430) or</li> <li>Not EC compliant.</li> <li>Not compatible with heads</li> <li>540 lumen (9 watt) heavy-ball and socket system.</li> </ul>	Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products. Traxter, Traxter MAX (2020 & up) tion for rear cargo area. n. r Sport Roof for MAX (715003038) is required for ins ache rack on Traxter Pro and Traxter 6x6. Traxter, Traxter MAX (2019 & prior)	r installation. 715007077 tallation. 710005423			
Rear Cargo Light	<ul> <li>Front Roof Liner is require</li> <li>Power Cable, Sport Roof, I</li> <li>Integrates elegantly and set</li> <li>Powerful 55W H3 illumina</li> <li>Convenient in-dash switch</li> <li>Wiring included.</li> <li>Sport Roof (715002430) or</li> <li>Not EC compliant.</li> <li>Not compatible with heads</li> <li>540 lumen (9 watt) heavy-tball and socket system.</li> <li>Not EC compliant.</li> <li>Not EC compliant.</li> <li>Not EC compliant.</li> <li>LED array integrates perfet</li> <li>Wiring included.</li> </ul>	Deluxe Sport Roof or Sport Roof for MAX required fo eamlessly into our roof products. Traxter, Traxter MAX (2020 & up) tion for rear cargo area. r Sport Roof for MAX (715003038) is required for ins ache rack on Traxter Pro and Traxter 6x6. Traxter, Traxter MAX (2019 & prior) duty LED spotlight standard-equipped with 1" (2.5 cr Traxter, Traxter MAX ctly with vehicle. pr roof, with or without roof liner.	r installation. 715007077 tallation. 710005423 n) diameter rubber-coated double			



- ng its aggr
- Included on Limited and Lone Star models. • Not EC compliant.

# **AUDIO & COMMUNICATION SYSTEMS**

Can-Am Audio Roof		Traxter		715005206	
	<ul> <li>Full roof with sleek built-in a</li> <li>Fully sealed and waterproof</li> <li>Easy to install: one wire con electronics.</li> <li>Four 8" speakers, one 280 v weatherproof source unit si Speakers include LED lightid designed to uniformly illum</li> <li>A 3" full-color LCD display, lighting themes for visibility</li> <li>AM/FM tuner.</li> </ul>	f. nects the roof to the vehicle's vatt amplifier, and one upplied by JL Audio <sup>†</sup> . ng integrated into the grille, inate with an RGB glow. with separate day/night	<ul> <li>To install the Audio Roof with the following accessories, the Power Harnesses 715003094 &amp; 715008781 are required:</li> <li>Flip Glass Windshield With Wiper &amp; Washer Kit (715001638), Front Full Doors With Power Windows (715006331), Front Deluxe Full Doors (715005214), Rear Deluxe Full Doors (715005215).</li> <li>Not compatible with Adventure Roof Rack and Headache Rack.</li> <li>Not compatible with 39 in. (99 cm) Double Stacked LED Light Bar (270 W) (715004007) &amp; Light Bar Support (715006226).</li> </ul>		
Can-Am Audio Roof MAX		Traxter MAX		715006879	
	Full roof with premium JL A	udio system	<ul> <li>Designed to not dra</li> </ul>	in the battery.	
	for Traxter MAX.		Specific to the type	•	
	<ul> <li>vehicle's electrical system.</li> <li>Weatherproof components: watt amplifier and 70 watt M</li> <li>AM/FM tuner.</li> </ul>	ctor connects the roof to the Six 7.7" coaxial speakers, 280 Addiamaster® source unit.	<ul> <li>To install the Audio Roof with the following accessories, the Power Harnesses 715003094 &amp; 715008781 are required:</li> <li>Flip Glass Windshield With Wiper &amp; Washer Kit (71500244 Windshield Wiper &amp; Washer Kit (715001638),</li> <li>Front Full Doors With Power Windows (715006331),</li> <li>Front Deluxe Full Doors (715005214), Rear Deluxe Full Doors (715005215)</li> </ul>		
		nal sound on the move in your		n Adventure Roof Rack.	
	<ul> <li>Traxter MAX.</li> <li>Speakers include adjustable controlled via an app on you</li> <li>Mediamaster<sup>®</sup> source unit of LCD display, with day/night</li> </ul>	equipped with 3" full-color	<ul> <li>Not compatible with</li> </ul>	n 39 in. (99 cm) Double Stacked LED 15004007) & Light Bar Support	
Wetsound Stealth XT 6 Can	Am Edition Sound Bar	Traxter, Traxter MAX		715008282	
	Built-in Bluetooth connectiv	rity with source control.	• 4 marine-rated 3" fu	ll range drivers.	
State of the	Built-in Broadcast mode.		<ul> <li>2 marine-rated 1" tw</li> </ul>	•	
	<ul> <li>Backlit control panel with In lights.</li> <li>Integrated LED Dome.</li> </ul>	-	<ul> <li>Operating voltage: 1</li> <li>IP rated: IP67.</li> <li>Length: 21.31"</li> </ul>		
	IP67 rated RF wireless remo	ote control.	<ul> <li>Width: 4.04"</li> </ul>		
	3.5 aux input/output.		<ul> <li>Height: 3.85"</li> </ul>		
	Built-in 300 W Class D Amp	lifier.	Sound Bar Mounting	g Kit required for installation.	
Sound Bar Mounting Kit		Traxter, Traxter MAX		715007840	
	Required to install the Wets	ound Stealth XT 6 Can-Am Editi	ion Sound Bar on a Trax	kter and Traxter MAX.	
Overhead Audio System					
	<ul> <li>Rugged waterproof Jensen<sup>†</sup></li> </ul>	Bluetooth Stereo Audio	<ul> <li>30 programmable A pre-set scan.</li> </ul>	M/FM stations with auto-store/	

	<ul> <li>Rugged waterproof Jensen' System offers multi-source i (iPod® and iPhone® ready).</li> <li>Convenient white LED-back</li> <li>Stream from any Bluetooth-o MP3 player).</li> <li>Powerful 4x40W amplifier w</li> <li>Voice-control of AVRCP-acti</li> </ul>	input: AM/FM/WB and USB lit LCD display and buttons. enabled device (smartphone, /ith remote turn-on.	pre-set scan. • Separate RCA audio • UV-resistant finish/c • Requires Sport Roof	output and input. output and input. orrosion-resistant components. (715002430) or Front Roof Liner wer Cable (715003094).	
Complete Overhead Audio Sy	ystem	Traxter, Traxter MAX		715002019	
	Complete with 4 ultra-sturdy	y outdoor speakers (2 front and	2 rear) and 4 black spea	aker boxes.	
Overhead Front Audio System		Traxter, Traxter MAX 715003095			
Complete with 2 u		y front outdoor speakers and bla	ack speaker box.		

# **ELECTRONIC ACCESSORIES**

Back-Up Monitor and Came	ra Kit	Traxter, Traxter MAX	715003834
	<ul> <li>The camera is one mm lens with 130</li> <li>Features 18 infrare to light intensity cl</li> <li>7" (17.78 cm) digit</li> <li>The camera can be cargo box for hitch</li> </ul>	<sup>2</sup> viewing angle. ed lights that allow up to 50 ft. (15.24 m) visibility nanges and an adjustable sunshade. al TFT LCD color monitor comes with power har e roof mounted to monitor your cargo load or to	arket, with 250,000 pixel image resolution and a 2.1 y in complete darkness, an auto iris sensor that adap rness and can support up to two camera inputs. see farther behind, and it can be mounted under the C.
		Traxter (except 6x6), Traxter MAX (2020 & up), Traxter PRO	715007096
Power Tilt Bed		Traxter 6x6	715007204
	-	x tilter with dash-integrated switch. I hydraulics for a strong and quick tilting system	
C-TEK charger			860200997
3-Mode Switch	Ask your dealer for	Traxter, Traxter MAX	715004445
		and conveniently between Normal / Work / Eco ced throttle sensitivity for smoother acceleratior sed fuel economy. olay mount.	modes.
NEW Cellphone Holder		Traxter, Traxter MAX	715008786
	<ul> <li>Features capacitiv</li> <li>Spring system in b</li> <li>Fits all cellphones</li> <li>Works with almost</li> <li>Does not include c</li> </ul>	cellphone or charging wires.	nm) dimensions. dashboard for the Cellphone Holder to be supported
RAM GPS Mount			715003325
		egration onto vehicle. ole pattern for Garmin Cradle.	

	<ul> <li>Ton-security anti thaft prote</li> </ul>	action for your vehicle	3 programmable ~	odes:
-	<ul> <li>Top-security anti-theft prote</li> <li>Encrypted chip technology vehicle's electronic ignition</li> </ul>	restricts access to your	<ul> <li>3 programmable n</li> <li>Work mode: Limi</li> <li>but does not limi</li> </ul>	ts vehicle speed to 40 kph (25 mph)
20-1	One vehicle/one code.			mits vehicle speed to 70 kph (44 mph)
	<ul> <li>A vibration/shock-resistant ensures a reliable connecti</li> </ul>		and 50% torque i - Performance mo	reduction. de: No restrictions.
<b>50</b>				
JEW Digitally Encoded Se D.E.S.S.™) Keys	curity System	Traxter,	·	
D.E.3.3.") Keys		Traxter MAX 2024 (with HD7 e	•	715009300
	<ul> <li>Top-security anti-theft prote</li> <li>The encrypted chip techno unit's electronic ignition system</li> <li>One code per vehicle.</li> <li>Features a vibration/shock- design that ensures a reliable</li> </ul>	logy restricts access to the stem. resistant ball-and-socket	<ul> <li>Work key: configu 30 kph (18 mph) not limit engine t</li> <li>Normal key: limit 10% torque redu</li> </ul>	s vehicle speed to 70 kph (44 mph) an ction on Traxter models.
		1	- Performance key	no restrictions.
Auxiliary Battery Installatio	n Kit	Traxter, Traxter MAX (2019 & p		003758 006035
tuxinary battery instantio		,	F7	
NO TO	<ul> <li>Allows you to add a second battery setup that will give y to power auxiliary electrical system or winch.</li> <li>Additional battery sold sepander</li> </ul>	you the extra juice you'll need I components like a sound	<ul><li>will prevent your a draining your start</li><li>Kit includes an add</li></ul>	integrated smart battery isolator that uxiliary electrical components from ing battery. ditional battery junction block, all and the battery holder.
JSB Power Outlet Kit		Traxter, Traxter MAX (2020 & u	lb)	219400510
	<ul> <li>Recharges your electronic</li> <li>Dual port USB connectors.</li> </ul>	devices while riding* (smartpho	ne, MP3, heating gear	, etc.).
( Lines) S	" I ne power outlet is not capaple		statter as	
AL CIEB		of recharging all device types while r	riding.	
Defrost, Heat & Ventilation		Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot	rior	715004917
Defrost, Heat & Ventilation		Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot	rior	
Defrost, Heat & Ventilation	System • Best integrated system on t speed and in-dash adjustab	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature.	rior orization) • Easy-service air fil • Once installed, you	L ter. u might want to add storage space wit
Defrost, Heat & Ventilation	System • Best integrated system on t	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature. S.	rior orization) • Easy-service air fil • Once installed, you the Lower Dashbo	ter.
Defrost, Heat & Ventilation	System  • Best integrated system on t speed and in-dash adjustab • Adjustable/directional vent	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and	rior orization) • Easy-service air fil • Once installed, you the Lower Dashbo	L ter. u might want to add storage space wit ard for Heating System and Dash
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and	rior corization) • Easy-service air fil • Once installed, you the Lower Dashbo Storage Compartn	L ter. u might want to add storage space wit ard for Heating System and Dash
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models)	rior corization) • Easy-service air fil • Once installed, you the Lower Dashbo Storage Compartn	ter. u might want to add storage space wit ard for Heating System and Dash nent Net for Heating System. 
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de	Traxter, Traxter MAX 2019 & p (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models)	rior corization) • Easy-service air fil • Once installed, you the Lower Dashbo Storage Compartn	ter. u might want to add storage space wit ard for Heating System and Dash nent Net for Heating System. — <b>715005904</b>
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de Traxter, Traxter MAX 2020 (ex Traxter, Traxter MAX (2022 & d)	Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ad for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models) up, XU models only)	rior corization) • Easy-service air fil • Once installed, you the Lower Dashbo Storage Compartn	ter. ard for Heating System and Dash nent Net for Heating System.  715005904 715008093
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/def Traxter, Traxter MAX 2020 (exc Traxter, Traxter MAX (2022 & 0) Traxter, Traxter MAX (2022 & 0) Traxter, Traxter MAX (2021 exc Best integrated in-dash sys speeds and adjustable tem	Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ad for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models) up, XU models only) cept models with ABS & HD5) tem on the market with 3 fan perature.	rior orization) • Easy-service air fil • Once installed, you the Lower Dashbo Storage Compartn Storage Compartn • Easy-to-service air • Includes the replace	ter. u might want to add storage space wit ard for Heating System and Dash hent Net for Heating System. 715005904 715008093 715008095 715007353 filter. cement lower dashboard compartmer
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de Traxter, Traxter MAX 2020 (exc Traxter, Traxter MAX 2020 (exc Traxter, Traxter MAX (2022 & c Traxter, Traxter MAX (2022 & c Traxter, Traxter MAX (2021 exc Best integrated in-dash sys	Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models) up, XU models only) cept models with ABS & HD5) tem on the market with 3 fan perature. s can be closed to	rior orization) • Easy-service air fili • Once installed, you the Lower Dashbo Storage Compartn Storage Compartn • Easy-to-service air • Includes the replay for the heating sys	ter. ard for Heating System and Dash hent Net for Heating System. 715005904 715008093 715007353 filter. cement lower dashboard compartmer tem.
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de Traxter, Traxter MAX 2020 (exe Traxter, Traxter MAX (2022 & 0) Traxter, Traxter MAX (2022 & 0) Traxter, Traxter MAX (2021 exe Best integrated in-dash sys speeds and adjustable tem Adjustable/directional vent concentrate heat at specific	Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models) up, XU models only) cept models with ABS & HD5) tem on the market with 3 fan perature. s can be closed to	rior orization) • Easy-service air fili • Once installed, you the Lower Dashbo Storage Compartn Storage Compartn • Easy-to-service air • Includes the replay for the heating sys	ter. u might want to add storage space with ard for Heating System and Dash hent Net for Heating System. 715005904 715008093 715007353 filter. cement lower dashboard compartmer
Defrost, Heat & Ventilation	System  Best integrated system on t speed and in-dash adjustat Adjustable/directional vent 10 vents specially positione side windows defrosting/de Traxter, Traxter MAX 2020 (exx Traxter, Traxter MAX 2022 & 0 Traxter, Traxter MAX (2022 & 0 Traxter, Traxter MAX (2022 & 0 Traxter, Traxter MAX (2021 exx Best integrated in-dash sys speeds and adjustable tem Adjustable/directional vent concentrate heat at specific A total of 8 vents specially p	Traxter, Traxter MAX 2019 & pi (not compatible with HD5 Mot he market with 3-ventilation ole temperature. s. ed for better windshield and eicing, foot and hand heat. cept Traxter PRO & HD5 models) up, except XU models) up, except XU models) up, XU models only) cept models with ABS & HD5) tem on the market with 3 fan perature. s can be closed to c areas.	rior orization) • Easy-service air fill • Once installed, you the Lower Dashbo Storage Compartn • Easy-to-service air • Includes the replay for the heating sys • Dash Storage Com	ter. ard for Heating System and Dash hent Net for Heating System. 715005904 715008093 715007353 filter. cement lower dashboard compartmer tem.

#### **Radiator Winter Front**

Traxter, Traxter MAX (2019 and prior)

· Allows you to get higher heating temperature out of the Defrost, Heat & Ventilation System in extremely cold conditions.

715005108

710005757

Heated Seat		Traxter, Traxter MAX		715006112
	<ul> <li>25 W seat heater delivers ch</li> <li>High/low temperature settin desired degree of warmth.</li> <li>This kit includes one carbor and in-dash switch.</li> <li>Installs directly in the original</li> </ul>	ngs allow you to control the n fiber seat heater, foam sheet	<ul> <li>required for installa</li> <li>Heated Accessorie required for installa Limited models.</li> <li>Heated Accessorie</li> </ul>	s Wiring Harness (710005757) is tion on front seat. s Wiring Harness (715006036) is tion on Traxter XT Cab, PRO and s Wiring Harness (715006004) is tion on rear seats on MAX models.
Heated Seat Harness for (Not illustrated)	MAX Model	Traxter MAX		715006004

· Electric harness required to hook up and operate rear heated seats.

Heated Visor Outlet	Traxter, Traxter MAX	715001246
· Op • Qu • So	gically positioned on vehicle to maintain your agility. al visor outlet that delivers fog-free riding. and easy installation. ndividually. d Visor not included.	
	Traxter, Traxter MAX (models with defrost, heat & ventilation system), All Traxter PRO models	715006036

	All Traxter PRO models
Heated Accessories Wiring Harness (Not illustrated)	Traxter, Traxter MAX (models without defrost, heat & ventilation system)

· Electric harness required to hook up and operate heated accessories.

· Power up to 4 accessories: 2 hand accessories (grab bar/steering wheel) and 2 seat covers.

### WINCHES & HITCHES

#### Can-Am HD Winches

Can-Am HD 4500 Winch		Traxter, Traxter MAX		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bus durability.</li> <li>Automatic 100% load-holding b Sealed solenoid for all-weather</li> <li>Weather sealed corded remote</li> <li>EC compliant.</li> </ul>	brake. r protection.	<ul> <li>43' of <sup>15</sup>/<sub>64</sub>" (13.1 m of Heavy-duty 4-way roll</li> <li>Winch Electrical Harr installation on a Traxt</li> </ul>	ness (715007078) is required for er 2021 and prior. Winch Electrical ) is required for installation on a
Can-Am HD 4500-S Winch		Traxter, Traxter MAX		715006417

# Ergonomic clutch handle. Rugged all-steel gears and bushings for more torque and durability. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. Weather sealed corded remote and dash mounted switch. Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15.2 m of 6.35 mm) synthetic rope. Corrosion-proof aluminum hawse fairlead. Winch Electrical Harness (715007078) is required for installation on a Traxter 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Traxter Base and DPS 2022 & up.

WARN VRX 45 Winch		Traxter, Traxter MAX (except XT Cab 2018-2019, Lo Limited, DPS Cab & Hunting E		715006110
	<ul> <li>Extreme IP68-rated waterprovelements out.</li> <li>Durable all-metal constructions of the second s</li></ul>	on. and stainless steel fasteners ased on 70+ years of -how. t control.	<ul> <li>(electrical).</li> <li>Pulling strength cap</li> <li>50' of ¼" (15 m of 6.3</li> <li>Roller fairlead.</li> <li>Winch Electrical Hai installation on a Tray</li> </ul>	er control. ranty (mechanical), 3-year warranty ability of 4,500 lb (2,041 kg). 3 mm) wire steel cable. rness (715007078) is required for cter 2021 and prior. Winch Electrical 2) is required for installation on a
WARN VRX 45-S Winch		Traxter, Traxter MAX (except XT Cab 2018-2019, Lo Limited, DPS Cab & Hunting E	ne Star Edition, X mr, dition 2020 & up)	715006111
WARN WARN	<ul> <li>Extreme IP68-rated waterpro- elements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish i for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know-</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-meta train.</li> </ul>	on. and stainless steel fasteners ased on 70+ years of -how. t control.	<ul> <li>(electrical).</li> <li>Pulling strength cap</li> <li>50' of ¼" (15 m of 6.3)</li> <li>Cast aluminum haw</li> <li>Winch Electrical Hai installation on a Tray</li> </ul>	ranty (mechanical), 3-year warranty ability of 4,500 lb (2,041 kg). 3 mm) synthetic rope.
Cargo Bed Winch		Traxter, Traxter MAX		715006355
	<ul> <li>Allows you to pull heavy load</li> <li>Perfect for hunting applicati</li> <li>Includes support base made tubing, winch and weather-s</li> <li>750 lb (340 kg) maximum put</li> </ul>	ons, i.e., loading game. e of heavy-duty 2" (5 cm) steel sealed corded remote.	that could occur if Ic gross weight rating. • Adapter Kit (715004 Gear Rail Adapter.	nodule to prevent vehicle damage paded vehicle exceeds manufacturer 709) required for installation with ped for Traxter 6x6 and PRO. ppe.
Synthetic Winch Cable*		With WARN winch		715007783
				mage and premature wear of the
Synthetic Winch Cable*		With Can-Am HD winch		715006430
				d premature cable damage and wear
			1	

- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
  4,500 lb (2,041 kg) single line capacity.

S

Replacement Wire Rope*		With WARN winch	715006699		
	55' of 14" (16.8 m of 6.35 mm) wire rope for WARN winch kit.				
~		4,500 lb (2,041 kg) pulling strength.     Ask your dealer or visit canamoffroad.com for price details.			
Replacement Wire Rope*		With Can-Am HD winch	705014978		
	<ul> <li>43' of <sup>15</sup>⁄<sub>64</sub>" (13.1 m of 6.3 mi</li> <li>4,500 lb (2,041 kg) pulling s</li> </ul>				
~	*Ask your dealer or visit canamof.				
WARN Hawse Fairlead*		With WARN winch	715007785		
	<ul> <li>Double-powder-coated cor</li> <li>Required to use the Synthe</li> <li>To be used with synthetic w</li> </ul>	tic Winch Cable (715007783) on WARN winches.			
Can-Am HD Hawse Fairlead		With Can-Am HD winch	715006426		
		ur winch with a synthetic cable, this corrosion-proof a a corner of a roller fairlead and from wearing premati c cables only.			
Roller Fairlead		With Can-Am HD winch	710007082		
	Suggested when changing     Heavy-duty replacement fa				
Wired Remote Control		With Can-Am HD winch	715006504		
	<ul> <li>Works in conjunction with t</li> </ul>	rs to add the hand-held remote to vehicles with a stoc he mini-rocker switch. ction socket are included with Can-Am HD winch.	sk winch.		
Wireless Remote Control		With WARN winch (Traxter 2019 & prior)	715002542		
	mounting hardware.	sy to install, thanks to a wiring harness with an integr winch from anywhere within a 50' (15.2 m) radius, inc arproof.			
Lower Front Receiver Hitch		Traxter, Traxter MAX	715002519		
	Expand and enhance funct	g) towing capacity 2" (5 cm) receiver hitch. ionality by pairing it with Higher Front Receiver Hitch m its standard mounting position).	and Removable Winch Mounting Kit		

Higher Front Receiver Hitch		Traxter, Traxter MAX (except Limited models)	715003109
		) towing capacity 2" (5 cm) receiver hitch. from its standard mounting position.	
Winch Electrical Harness		Traxter, Traxter MAX (2019 & prior) Traxter, Traxter MAX (2020 & 2021) Traxter, Traxter MAX 2022	715003093 715007078 715008152
	Required to install a winch	on a Traxter without a factory-installed winch.	
Front and Rear Hitch Drawba	r	Traxter, Traxter MAX	715008350
	<ul> <li>Standard on 2" (5 cm) recei</li> <li>It offers 1,650 lb (750 kg) of</li> <li>Hitch ball not included.</li> <li>Forged steel.</li> <li>Not compliant with T-categ</li> </ul>	towing capacity.	
Rubber Receiver Plug			705204503
RITIERITIE	• Rubber cap for 2" (5 cm) Re	ceiver Hitch.	
<u>PERFORMAN</u>	CE		

Performance Half Shaft	Traxter and Traxter MAX (2019 & prior –except X mr, XT-P and XT CAB 2018-2019) Traxter, Traxter MAX XT Cab 2018-2019, Lone Star Edition 2019 & prior	705402353 705402575
High-performance design i     desert riding.	deal for off-road use, with superior wheel power and ac	celeration for racing, dunes and



Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.

Brake Holding Mechanism	Traxter, Traxter MAX	715004733
the tr	tains constant pressure on the brake pedal to keep the vehicle from movir ansmission in P (park). lard on T-category models.	ng on sloped terrain, without having to put
Heavy-Duty Spring Kit	Traxter (Base, DPS (HD5, HD7, HD8 & HD9), XT (HD HD8 & HD9) & PRO (HD8)). (Except Traxter MAX, 6x and Traxter PRO).	7, 6 <b>715005084</b>

This set of heavy-duty springs will stiffen your suspension.

Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.

Complete kit of 4 springs.

Not compatible with Traxter HD5, XT CAB, Mossy Oak Edition & X mr models and Traxter MAX.

#### 850 W Magneto Kit

Traxter, Traxter MAX (2020 & up except HD5 & HD7)

715007122



• Increases the magneto output to 850 W.

Includes rotor, stator and regulator.

### Emergency Kit Traxter, Traxter MAX 715006102 • Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in. • Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations



Includes: jumper cables, air compressor, tire repair kit, first aid kit, ratchet tie-down, duct tape, tow strap 3,300 lb (1,500 kg), zip-ties, cloth rags.

#### Air Intakes & Exhaust

Snorkel Kit		Traxter, Traxter MAX (except Traxter HD5, HD7 and Traxter PRO)	715003727	
	the engine. • Not compatible with Heada Washer Kit. • Snorkel Extension Kit is ava	CVT air intakes so vehicle can be semi-submers che Racks, Gear Rail equipment, DragonFire Ca ilable for roof level air intake and CVT exhaust. 004414) and Sealed Air Box (707801033) are re odels.	argo Bed Roll Bar and Windshie	ld Wiper &
Snorkel Extensions		Traxter, Traxter MAX	715004415	
	<ul> <li>Add aggressive look to your conditions.</li> <li>Not compatible with all rear</li> </ul>	oof engine and CVT air intake. r vehicle and help keep your intakes clear from i r panels and windows, Rear Cargo Light and roc required, except for X mr models.		riding
Adapter for Snorkel Kit (Not illustrated)		Traxter and Traxter MAX 2017 & prior	715004414	
	<ul> <li>Required for the installation</li> <li>Includes rear firewall for Sn</li> <li>Standard on Traxter 2018 &amp;</li> </ul>		d prior models.	
Sealed Air Box (Not illustrated)		Traxter, Traxter MAX 2017 & prior	707801033	
	<ul> <li>Required when installing th</li> <li>Standard on Traxter 2018 &amp;</li> </ul>	e Snorkel Kit (715003727) on Traxter and Traxte up models.	er MAX 2017 and prior models.	<u>.</u>
Snorkel Pre-FILTER		Traxter, Traxter MAX (except Traxter PRO)	715005597	
	<ul> <li>Helps keep air filter cleaner</li> <li>Filter blocks particles larger</li> <li>Necessary to maintain vehice</li> </ul>	ur engine in harsh riding conditions. :		715008651 or
Air Intake Pre-Filter		Traxter (except X mr models), Traxter MAX	715003483	
	<ul> <li>Helps keep air filter cleaner</li> <li>Filter blocks particles larger</li> <li>Easy, tool-less installation.</li> <li>Necessary to maintain vehice</li> </ul>	r than 0.007" (0.19 mm). cle warranty when tracks are installed. che and Backcountry Track Systems.		

Foam Air Filter by Twin AIR <sup>†</sup>	Traxter, Traxter MAX	715003630		
The best choice for the     Multiple stored sile of fil		ikh hinh ninflaur		
<ul> <li>Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.</li> </ul>				

-

 NEW CVT Air Intake Relocation Kit
 Traxter, Traxter MAX (without Snorkel Kit)
 703501210

 With Snorkel Kit)
 Traxter, Traxter MAX (X mr models or models)
 703501211"



The CVT air intake relocation kit is MANDATORY for track-equipped 2020 to 2022 and some 2023' Traxter and Traxter HD10 models used in snow conditions and highly recommended for other models.

This kit is sold separately.

· Washable and reusable.

\*Comes from the factory on some MY23; inspect the vehicle to confirm.

Mandatory on all MY20 and up Traxter and Traxter HD10 models equipped with a snorkel.

\*\*When installed, it temporarily relocates CVT air intake to the standard factory location.

### **APACHE TRACK SYSTEMS**

Winter Tracks			Limited W	arranty*
Apache BackCountry LT Trac	sk Kit	Traxter, Traxter MAX (except 6x6)		715005891
	<ul> <li>the market with unmatched snow surface.</li> <li>Large contact patch, 37% b</li> <li>Impressive added ground c keep the vehicle over the sr</li> <li>Lightweight snowmobile-in</li> <li>Aggressive track design wit maximum traction on snow.</li> <li>Apache Backcountry LT Mo and Engine Pre-Filter are re</li> </ul>	now. spired rail design. th 2" (5 cm) lug height for , unting Kit, Track DPS Module quired and sold separately.	The CVT air intake relocation kit is MANDA track-equipped 2020 to 2022 and some 202 Traxter HD10 models and highly recommen models. This kit is sold separately.     For winter use only.     Track installation will affect vehicle width a     Fine-tune your track system using extra Idle Sliders with Vespel Inserts and Rail Ice Scre *Comes from the factory on some MY23, inspect th confirm. Mandatory on all MY20 & up Traxter and Traxter HE equipped with a snorkel.  with some regulations. Consult your local dealer for	23 <sup>°</sup> Traxter and nded for other nd length. er Wheels, atcher. e vehicle to D10 models
Apache Backcountry LT Mount Kit		See table for fit, compatibility	and requirements.	715005888 715005493 715006196
	DPS Module and Engine Pr     The CVT air intake relocatio     HD10 models and highly re	the Apache Backcountry Track e-Filter are required and sold so on kit is MANDATORY for track- commended for other models. MY23, inspect the vehicle to confir	eparately. equipped 2020 to 2022 and some 2023* Traxter This kit is sold separately.	<sup>r</sup> and Traxter
	Mandatory on all MY20 & up Trax	ter and Traxter HD10 models equip		information.
Rail Ice Scratchers		Apache Backcountry and Bac	kcountry LT Track Systems	860201728
	Rail mounted, small, light.	on in hard and icy conditions ar neept to allow reversing without se.		
Extra Wheel Kit		Apache Backcountry LT Whee	el Kit	715006293
1. 6. 1	Extends slider life in hard sr	esistance in hard snow conditio now conditions.	ons or when transporting heavier loads.	

- Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.
- Up to two kits per rear track can be installed.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

#### Apache Backcountry LT Tracks Fitting Guide

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715005888			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr	67"	-	715006196	-		
2020 & Up	Traxter Base, DPS (HD5, HD7, HD8, HD9), DPS (HD10 T-cat 2020), XT (HD8, HD9), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat)	62"	-	715005888	-		
2020 & Up	Traxter DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XU, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)	64"	715005891	715005493	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715005597 (w/ Snorkel Kit) 715003483 (w/o Snorkel Kit)
2020 to 2022	Traxter XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715006196	-		
2023 & Up	Traxter XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715005493			
2024	Traxter HD7	62"		715005888	715006266		

Year-Round Tracks			Limited Wa	arranty*
Apache 360 LT Track System		Traxter, Traxter MAX (except 6	x6)	715005103
	<ul> <li>Multifunctional tracks designed to support heavy loads and to fit on most Can-Am off-road vehicles.</li> <li>Extra contact patch adjustment for better performance over rough terrain.</li> <li>Contact patch is 7 to 9% bigger than the Apache 360's.</li> <li>Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.</li> <li>EC compliant.</li> <li>Apache 360 LT Mounting Kit, Track DPS Module and Engine Pre-Filter Kit are required and sold separately.</li> </ul>		<ul> <li>The CVT air intake relocation kit is MANDA track-equipped 2020 to 2022 and some 202 Traxter HD10 models used in snow condition recommended for other models. This kit is a separately.</li> </ul>	23 <sup>*</sup> Traxter and ons and highly
			*Comes from the factory on some MY23, inspect the confirm. Mandatory on all MY20 & up Traxter and Traxter HD equipped with a snorkel.	
	Installation of some accessories sho	own may impact vehicle compliance	e with some regulations. Consult your local dealer for i	information.
Apache 360 LT Mounting Kit		See table for fit, compatibility a	and requirements.	715004832 715004831 715005492

(NOL IIIUSITALEO)	See table for ht, compatibility a	See table for ht, compatibility and requirements.		
	Required for installation of the Apache 360 LT Track System.	This kit is sold separately		
	<ul> <li>DPS module and Engine Pre-Filter not included.</li> <li>The CVT air intake relocation kit is MANDATORY for</li> </ul>	*Comes from the factory on some MY23, inspect the vehicle to confirm. Mandatory on all MY20 & up Traxter and Traxter HD10 models equipped with a snorkel.		
	track-equipped 2020 to 2022 and some 2023' Traxter and Traxter HD10 models used in snow conditions and highly recommended for other models.			
	Installation of some accessories shown may impact vehicle compliance	e with some regulations. Consult your local dealer for	r information.	
Track DPS Module (Not illustrated)			715007338	

An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.

Required to install the Apache and Backcountry Track Systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

## Apache 360 LT Tracks Fitting Guide

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715004831			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr	64"	-	715004832	-		
2020 & Up	Traxter Base, DPS (HD5, HD7, HD8, HD9), DPS (HD10 T-cat 2020), XT (HD8, HD9), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat)	62"	-	715004831			
2020 & Up	Traxter DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XU, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)	64"	715005103	715005492	715007338	703501210 (w/o Snorkel Kit) 703501211 (w/ Snorkel Kit)	715005597 (w/ Snorkel Kit) 715003483 (w/o Snorkel Kit)
2020 to 2022	Traxter XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715004832	-		
2023 & Up	Traxter XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"		715005492			
2024	Traxter HD7	62"		715004831	715006266		

### **PROMOUNT PLOWS**

#### Can-Am ProMount Flex2 Plow Kit

#### Can-Am ProMount Flex2 72" (183 cm) Blade Plow Kit Traxter, Traxter MAX




- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Plate

#### Can-Am ProMount Flex2 Blades

Can-Am ProMount Flex2 66"	(168 cm) Blade	Fits ProMount Push Frame		715006265
	<ul> <li>Plow blade made of UHMWI absorbing material prevents accidental impact occurs.</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point.</li> </ul>	damaging your plow when blade rotation to eliminate	<ul> <li>Clears 60" (152 cm)</li> <li>Blade height of 17" (</li> </ul>	n-Am ProMount Blade accessories to
		1		1

Fits ProMount Push Frame

#### Can-Am ProMount Flex2 72" (183 cm) Blade



- Replaceable wear blade. Large pin designed for easy blade rotation to eliminate
- snow buildup at pivot point.
- d impact
  Blade design provides best snow roll-off at any angle.
  Clears 66" (168 cm) when plow is fully angled.
  Blade height of 17" (43 cm).
  Compatible with Can-Am ProMount Blade accessories to
  - Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

715008172 · Black
 715008171 · Yellow

715004485

715008170

#### **Can-Am ProMount Steel Plow Kit**

Can-Am ProMount Steel 72" (183	cm) Blade Plow kit	Traxter, Traxter MAX
--------------------------------	--------------------	----------------------



- These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

#### **Can-Am ProMount Steel Blades**

Can-Am ProMount Steel 60	6" (168 cm) Blade	Fits ProMount Push Frame		<ul> <li>715006337 · Black</li> <li>715006338 · Yellow</li> </ul>
GELL-BLU	<ul> <li>Plow blade made from 12</li> <li>Replaceable wear blade.</li> <li>Large pin designed for eason buildup at pivot poi</li> </ul>	asy blade rotation to eliminate	Blade height of 17	an-Am ProMount Blade accessories to
2 . *	Blade design provides best snow roll-off at any angle.		Not compatible wit	h S3 High Clearance Front A-Arm.
Can-Am ProMount Steel 7	2" (183 cm) Blade	Fits ProMount Push Frame		■ 715004474 · Black ■ 715006021 · Yellow

- Plow blade made from 12-gauge steel.
   Replaceable wear blade.
   Large pin designed for easy blade rotation to eliminate
   Clears 66" (168 cm) when plow is fully angled.
   Blade height of 17" (43 cm).
   Compatible with Can-Am ProMount Blade accessories to
  - snow buildup at pivot point.Blade design provides best snow roll-off at any angle.
- further enhance plow versatility.
- Not compatible with S3 High Clearance Front A-Arm.

ProMount Plow Kits - Reference Charts							
	66" Black Steel	66" Yellow Steel	66" Flex2	72" Black Steel	72" Yellow Steel	72" Flex2	
Plow Kit	-	_	-	715008172	715008171	715008170	
Blade	715006337	715006338	715006265	715004474	715006021	715004485	
Push Frame	715008116	715008116	715008116	715008116	715008116	715008116	
Mounting Plate	715007745	715007745	715007745	715007745	715007745	715007745	

#### Can-Am ProMount Angle Plows

Can-Am ProMount 66" (16 State Blade	8 cm) Steel Oneway	Fits ProMount Push Frame		715007263	
	and make the task easier l out of the way.	• Wing end of plow measures 26" (67 cm) high and tapers		<ul> <li>One-way "winged" state plow designed to throw snow higher.</li> <li>Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).</li> <li>Can-Am branded.</li> </ul>	
Can-Am ProMount 72" (18 State Blade	3 cm) Steel Oneway	Fits ProMount Push Frame		715007264	
	<ul> <li>Make the job easier with t</li> </ul>	he right tools, clear long alleys	One-way "winged"	state plow designed to throw	

snow higher.

Can-Am branded.

Rubber flap (715007299) designed to keep snow away

from the driver is offered as accessory (sold separately).



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).

#### **Can-Am ProMount Plow Accessories**

# Can-Am ProMount Edge Markers Traxter, Traxter MAX 715004206 • Help locate the edges of your plow. • Height: 24" (60 cm). • Sold in pairs. • Sold in pairs. • Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades). • Compatible with Can-Am ProMount Steel Stemsions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount 66" (168 cm) Plastic Wear Blade	Traxter, Traxter MAX	715004482
Can-Am ProMount 72" (183 cm) Plastic Wear Blade	Traxter, Traxter MAX	715004483

To help prevent scratches on smooth driveways and markable surfaces.



Can-Am ProMount Drift Cutters		Traxter, Traxter MAX	715006258
	<ul> <li>Help keep snow in the plow.</li> <li>Dimensions: 17" x 13" (43.2</li> <li>Sold in pairs.</li> <li>Compatible with Can-Am Pr blades with or without Blade the Can-Am ProMount Stee</li> </ul>	cm x 33 cm). oMount Steel and Flex2 e Extensions (except for	

Can-Am ProMount Blade Exte	ensions	Traxter, Traxter MAX		<ul> <li>715004205 · Black</li> <li>715005319 · Yellow</li> </ul>
	Longer Wear Blade can be	roMount Blades (except for Can installed to further extend the ex roMount Steel and Flex2 Blades	ktra length already prov	vided by the extensions.
Back Drag Blade		ProMount Plows (60" and more	e)	715007794
	<ul> <li>¼ thick steel swivel scraper</li> <li>Lifts up when the vehicle is affect the scraping.</li> <li>Increased capacity to pull s</li> <li>More aggressive scraping i</li> </ul>	moving forward so as not to now.	<ul> <li>Adjustable in lengtl 72" blades.</li> </ul>	f the ground so that it scrapes evenly h for compatibility with 60", 66" and oMount blades (Flex and Steel).
Can-Am ProMount Push Fran vith Quick-Attach System	ne	Traxter, Traxter MAX		715008116
	traction. <ul> <li>Designed for maximum plo</li> </ul>	es ultimate push strength and w lift height. ck-attach system, an easy foot	lifespan. • Can-Am ProMount installation. • Blade swivels left o	for easy blade rotation to eliminate
an-Am ProMount Push Fran	ne Extension	Traxter, Traxter MAX		715006257
Con Am Dan Mount Mounting	Plate			
an-Am ProMount Mounting	<ul> <li>Required to install the Can-</li> <li>Mounting plate precision-d</li> <li>Comes with the Plow Roller</li> </ul>	Traxter, Traxter MAX (2021 & p Am ProMount Push Frame with esigned to stay on year round w Fairlead. nt High Clearance A-Arm (7150	Quick-Attach System. ithout compromising g	715007743 ground clearance.
an-Am ProMount Mounting	Plate	Traxter, Traxter MAX (2022 & u	p)	715007745
	<ul> <li>Mounting plate precision-d</li> <li>Comes with the Plow Roller</li> </ul>	Am ProMount Push Frame with esigned to stay on year round w · Fairlead. nt High Clearance A-Arm (7150	ithout compromising g	ground clearance.
Can-Am ProMount Plow Ang	ing System	Traxter, Traxter MAX		715009241
	<ul> <li>Allows you to have full up/d</li> <li>Using one hand to control a</li> <li>Compatible with the SxS Pr</li> <li>Not compatible with Apach</li> </ul>	into an easy-to-control unit from own and left/right plow control II plow motions allows you to ea oMount Push Frame and Blade. e Backcountry LT Track System. 006257) is required for installat ately.	at your fingertips with asily concentrate and n	nanage your plowing tasks.

ProMount Plow Limit Switch		Traxter, Traxter MAX		715006259
	For controlling the cable to	ension when over-raising your plow	v system.	
		h frame and vehicle damage.		
	Sensor relocated for optin	nal lift height.		
Plow Roller Fairlead		Traxter, Traxter MAX		715001223
	Cylindrical roller fairlead     Larger diameter lower roll     Can be used with all ProN	er reduces wear on wire rope for pl lount plows.	ow application.	
Super-Duty Plow Syst	em			
Super-Duty 72" (183 cm) Blad	e Plow Kits	Traxter, Traxter MAX		715003416
Can-ant	<ul> <li>A comprehensive plow system with manual lift and angling.</li> <li>Ultra-durable 72" (183 cm) blade made of 12-gauge steel with integrated reinforcement and heavy-duty push tubes to tackle the most demanding jobs.</li> <li>Requires a winch for raising and lowering.</li> <li>Convenient disconnect system for quick and easy installation or removal.</li> <li>Front mount provides minimum 11" (28 cm) lift distance.</li> </ul>			
	Traxter, Traxter MAX (2019 & prior) 715002840			
Super-Duty Plow Hydraulic Ai	ngling Kit	Traxter, Traxter MAX (2020 & up)		715006038
	<ul> <li>Pre-assembled, it comes with driver's seat.</li> <li>Using one hand to control your plowing tasks.</li> <li>With this commercial grad.</li> </ul>	(down and left/right plow control at with everything you need to turn you all plow motions with the supplied de kit, you will send snow exactly wh	ur Super-Duty Plow in joystick will allow you	to easily concentrate and manage
	Winch and plow sold sepa	arately.		
Super-Duty Plow Push Frame Not illustrated)	Extension	Super-Duty Plow		715001221
	Comes with Plow Magnet	r-Duty Plow with the Apache 360 L ic Switch and Plow Pulley. Front Accessory Bar for installation	-	
		Super-Duty Plow		715001217
Plow Blade Extensions			a a sela stata	
Plow Blade Extensions	<ul> <li>Side extensions for widen</li> <li>Include rubber flaps for ex</li> <li>Sold in pairs.</li> </ul>	ing your plow blade by 6" (15 cm) o ktension parts.	n each side.	

Allows you to work closely around objects.

Plow Drift Cutter
(Not illustrated)

 Keeps snow securely in the plow.
 Allows you to cut a cleaner pass.
 Sold individually.

Plow Rubber Flap (Not illustrated)		Super-Duty Plow	715001219		
	Keeps snow away from the driver and helps snow to roll in front of the plow.				
Plow Pulley (Not illustrated) Super-Duty Plow 715002042					
	<ul> <li>For use with the Super-Duty Plow.</li> <li>Helps winching efficiency.</li> <li>Requires Front XT Bumper.</li> </ul>				
Plow Magnetic Switch (Not illustrated)		Super-Duty Plow	715001995		
	<ul> <li>Magnetic switch that stops the winch to prevent cable, winch and frame damage.</li> <li>For use with Super-Duty Plow.</li> </ul>				

### **COVERS & ADD-ONS**

T	-	Fraxter, Traxter 6x6, Traxter PF	80	715004453
Frailering Cover		Fraxter MAX		715004454
5	polyester. <ul> <li>Inner soft liner protects winds from abrasion.</li> </ul>	<ul> <li>Inner soft liner protects windshield and colored panels from abrasion.</li> <li>All high-abrasion areas are reinforced with a double</li> </ul>		ailering cover protects your vehicle rransportation. allation. ly fit your vehicle with or without s. venture Roof Rack (715003870).
Bolt-On <sup>†</sup> Retractable Rate	cheting Tie-Downs			295101072
	<ul> <li>Perfect for transporting your p securing loads.</li> <li>Mounts easily: Bolts on any fla frame).</li> <li>1" x 6' (2.5 cm x 1.8 m) tie-dow stitching that delivers a 500 lb strength and 1,500 lb (680 kg)</li> </ul>	t surface (e.g., truck bed or n strap with heavy-duty (226 kg) working load	slackens, spools and mechanism tightens vehicle or load into p • Rubber ratcheting h	ble push button automatically d stores away strap, while the ratchet s the strap snugly to secure your place. andle provides firm grip, and the hool otect whatever surface it hooks into.
Ratchet Tie-Downs				715008309 · Black/Gray
	<ul> <li>400 lb (181 kg) safe working lo</li> <li>1" x 10' (2.5 cm x 3 m) strap wi</li> <li>Deluxe ratchet with rubber har</li> <li>Coated S hooks.</li> <li>Pack of 2.</li> </ul>	th Sea-Doo, Ski-Doo and Ca	n-Am logos.	
Heavy-Duty Ratchet Tie-I	Down			715008308
	<ul> <li>1,000 lb (454 kg) safe working</li> <li>1.5" x 6' (38 mm x 1.8 m) strap</li> <li>Deluxe ratchet with rubber har</li> <li>Black-coated clip hooks.</li> <li>12" (300 mm) webbing include</li> <li>Pack of two.</li> </ul>	with BRP brands. ndle.		



## CAN-AM MAVERICK

### ACCESSORIES

Roofs	55
Soft Cab Enclosure	56
Windshields & Wind Protection	56
Mirrors	58
Doors	59
Seat Accessories	60
HMWPE Skid Plates	61
Bumpers & Guards	62
LinQ: Easy On, Easy Off Cargo	65
Racks & Storage	69
Lights	71
Audio & Communication Systems	75
Electrical & Electronic Accessories	76
Winches & Hitches	78
Performance	80
Apache Track Systems	83
ProMount Plows	85
Cover & Trailering	88





### **BUNDLE UP TO GET AFTER IT. YOUR MAVERICK BUNDLES.**

#### **STEP 1**: **CHOOSE YOUR ESSENTIAL BUNDLE**

CHOOSE YOU	UR ESSENTIAL BUNDLE	Maverick	MAX	
	Sport Roof	715005521	715003750	
	Tinted Half Windshield	715004291	715004291	
STARTER	Rear Wind Screen	715006701	715006701	
SIANIEN	Rally Side Mirrors	715005262	715005262	
	Front Lower Door Panels	715002903	715002903	
	Rear Lower Door Panels	N/A	715003751	
	Electronic Device Holder	715002874	715002874	
ADVANCED	Shoulder Storage Bag	715004277	715004277	
	LinQ 8 Gal (30L) Cooler Box	715004778	715004778	
	Rear View Mirror and Camera Monitor	715009410	715009410	
	Front Pre-Runner Bumper	715002878	715002878	
PEAK	Fender Flares	715002973	715002973	
	LinQ Tool Kit	715006829	715006829	
	Adventure Roof Rack	715006225	715003868	

Maverick

Maverick

#### **STEP 2**: AN VUID VUU-UN BIINULE

PICK TUUK AI	UN-ON BOUNTE	Maverick	MAX
	Can-Am Audio Roof	715007130	715006709
	Can-Am Audio Roof Flip Kit	715007131	715007131
AUDIO	Can-Am Subwoofer	715004956	715004956
	Can-Am Amplifier Kit	715007227	715007227
	Light Support Bar	715003529	715003529
	Light Power Cable	715007117	715007117
LIGHT	40" Baja Designs OnX6 Arc LED Light Bar	710006818	710006818
	Chase Lights	715009887	715009887
	4-Point Harness (Driver)	715005021	715005021
RIDER	4-Point Harness (Passenger)	715005022	715005022
	Lonestar Racing Fire Extinguisher Support	715007320	715007320
	Overhead Storage Bag	715004275	715004275
	Upper Door Storage Bags	715004276	715004276
CABIN STORAGE	Lower Door Panel Storage Bags	715004355	715004355
	Front Storage Bag	N/A	715004888

### <u>ROOFS</u>

		Maverick		715005521
Sport Roof		Maverick MAX		715003750
	<ul> <li>Impact-resistant injected p</li> <li>Excellent protection from t</li> <li>Provides excellent downhil</li> <li>Windshield compatible.</li> </ul>	he elements.		odel. Ilation and removal with quick- ners and Velcro straps.
ProVent Roof Module Kit		Maverick, Maverick MAX		715005279
	<ul> <li>Provides fresh air in the ca</li> <li>Optimal performance with</li> <li>4 vents provide infinite adjuant passenger.</li> <li>Filter and pre-filter to limit of Easy cleaning of filter and patent pending water many out of cabin while maintain</li> </ul>	full cab enclosure. ustment of air flow for driver dust intrusion. pre-filter. agement system to keep water	weather. <ul> <li>Sport Roof requires</li> <li>Not compatible with</li> </ul>	ir intake completely for winter or heavy ProVent Module Adapter Kit. h roof mounted LED bars, roof racks 3868) or roof liners, Lonestar Roof, and
		Maverick		715006199
ProVent Roof Module Adapte Not illustrated)	er Kit for Sport Roof	Maverick MAX		715006371
	Adapter for fitting ProVent onto Maverick X3.	Roof Module Kit	<ul> <li>Includes roof adapt</li> <li>Requires ProVent R</li> </ul>	er and hardware. oof Module Kit (715005279).
Aluminum Roof		Maverick		<ul> <li>715004224 · Black</li> <li>715002900 · Silver</li> </ul>
	<ul> <li>Formed aluminum roof 0.0</li> <li>Durable and lightweight.</li> <li>Sporty look.</li> <li>Windshield compatible.</li> <li>Easy and tool-less installat</li> </ul>			
		Maverick		715002901
Bimini <sup>†</sup> Roof with Sun Visor		Maverick MAX		715003749
	<ul> <li>Innovative soft top comes</li> </ul>	f UV-resistant solution-dyed po with a hard visor that allows for and removal with quick-release.	storage of rolled-up soft	•
Tinted Sun Visor		Maverick, Maverick MAX		715007098
	<ul> <li>Tinted polycarbonate cons</li> <li>Extra protection for driver a</li> <li>Not compatible with Alumi</li> </ul>			
		Maverick produced after Janu	arv 1. 2017	715005507 · Black
Lonestar Racing Aluminum F	Roof	Maverick MAX	- 1 -	<b>715005515</b> · Black
		ing appearance thanks to an bined with unique graphics.	<ul> <li>Not compatible with Bar and Full Windsh</li> <li>"Lonestar Racing for</li> </ul>	

Lower profile than other roofs.

### **SOFT CAB ENCLOSURE**

Soft Cab Enclosure	Maverick (except X mr model: Maverick MAX (except X mr m	,	715003754 715003755
	<ul> <li>Protection for rider and passenger from the elements.</li> <li>For added cabin comfort, complete your cab enclosure with Cab Seal Kit.</li> </ul>	<ul> <li>Includes:</li> <li>Bimini roof with s</li> <li>Full windshield –</li> <li>Upper soft door p</li> <li>Front lower door</li> <li>Soft rear window</li> </ul>	- hardcoated panels panels
Cab Seal Kit	Maverick		715004433
(Not illustrated)	Maverick MAX		715004434

· Prevents dirt, dust and wind infiltration in the cab area.

Improves cabin comfort for driver and passenger.

Recommended with Soft Cab Enclosures.

### **WINDSHIELDS & WIND PROTECTION**

#### Windshields

PowerFlip Windshield		Maverick, Maverick MAX		715007097
	opening at the touch of a • Windshield is made of har rubber seal contour and a	der to adjust the windshield button. rdcoated polycarbonate with a tinted top section. ot to changing conditions by	fully closed for max and in between, you	I for optimal visibility and ventilation, imum protection from the elements, I have an infinite number of opening ding on protection, visibility and air n-Am roofs.
Windshield Wiper for Po	werFlip Windshield	Maverick, Maverick MAX		715006310
	<ul> <li>An ideal way to keep your while riding through mud</li> <li>Wiper from the top allows single-speed wiper and w</li> </ul>	and water. windshield pivoting. Includes	concealed within th	and washer-fluid dispenser perfectly le vehicle. ith the PowerFlip Windshield (sold
Provent Windshield		Maverick, Maverick MAX		715005277
	<ul> <li>High-impact-resistant Qua polycarbonate full windsh</li> <li>Controllable vents to man</li> <li>Optimal performance with</li> <li>Channels air into the cabi closes to eliminate air flow</li> <li>One upper vent and one low</li> <li>Formed polycarbonate com</li> </ul>	ield. age air flow. n full cab enclosure. n, defogs windshield, fully v.	<ul> <li>Quick and easy tool</li> <li>Not compatible with 6 Ultra HD Can-Am</li> <li>Upper vent channel</li> <li>Lower vents defog values</li> </ul>	s air into the cabin. windshield. optical clarity and better
Glass Windshield		Maverick, Maverick MAX		715008859
	Curved and laminated gla	ss full windshield		

• Recommended to use with rear wind protection to maximize comfort for passenger.

Glass Windshield with Wipe	r & Washer Kit	Maverick, Maverick MAX	715008858
	dispenser. • Seals firmly against the • An ideal way to keep yo	des a curved and laminated glass windshield with a single cage and protects rider and passenger from the element ur windshield clear in rain, or while riding through mud a with rear wind protection to maximize comfort for passen	ts. nd water.
Full Windshield		Maverick, Maverick MAX	715002907
	<ul> <li>Formed polycarbonate</li> <li>Formulated to be non-y</li> <li>Protects driver and pas</li> <li>Quick and easy tool-les</li> </ul>	lurable polycarbonate full windshield. construction for enhanced rigidity. ellowing, non-crazing, non-cracking with excellent UV res senger from the elements. s installation or removal. with rear wind protection to maximize comfort for passen	
Full Windshield – Hardcoate	d	Maverick, Maverick MAX	715004417
	<ul> <li>Formed polycarbonate</li> <li>Provides excellent option</li> <li>Protects driver and pase</li> <li>Quick and easy tool-les</li> <li>Recommended to use of the second sec</li></ul>	Quantum hardcoated polycarbonate full windshield. construction for enhanced rigidity. cal clarity and better abrasion resistance. senger from the elements. s installation or removal. with rear wind protection to maximize comfort for passen <i>l</i> indshield Wiper and Washer Kit (715004762).	ger.
Half Windshield		Maverick, Maverick MAX	☐ 715002909 · Clear 715004291 · Tinted
	<ul><li>Formed polycarbonate</li><li>Formulated to be non-y</li></ul>		sistance and optical clarity.
		Maverick, Maverick MAX Fit with Full Windshield Hardcoated (715004417)	715004762
Windshield Wiper & Washer	Kit	Maverick, Maverick MAX Fit with Glass Windshield (715008859)	715003282
1. 9	Includes single-speed	ur windshield clear in rain, or while riding through mud a wiper and washer fluid dispenser. washer fluid dispenser perfectly concealed within the ve	
NEW Manual Wiper Kit		Maverick, Maverick MAX	715009424
	<ul> <li>Easy to install system th</li> <li>Large ergonomic handl</li> </ul>	at can be used to clear windshield of debris. nat requires no electrical hookup. le provides a good grip over the entire sweeping surface. and hardcoated windshields that use top mounted wipers	

#### **Rear Wind Screen**



Maverick, Maverick MAX (except X mr models)

715006701

715006702

· Full rear mesh screen reduces windshield backdraft for added cabin comfort.

Installs quickly and easily on roll cage.

Large white Can-Am logo on black mesh.

Rear Polycarbonate Window		Maverick, Maverick MAX (except X mr models)	715006387
	<ul> <li>High-impact-resistant polyc</li> <li>Blocks windshield backdraft</li> <li>Quick and easy tool-less ins</li> </ul>	t or dust and rain from entering for added cabin	comfort.

Ready for MTX Audio System Rear Speakers.

#### Soft Rear Window

	Maverick, Maverick MAX (except X mr models)
Clear flexible window made	from transparent vinvl



	· Clear, nexible window made norm transparent vinyi.
9	<ul> <li>Resists cold-cracking to -4°F (-20°C).</li> </ul>
5	<ul> <li>Ideal for preventing backdraft of dust or rain in harsh environments.</li> </ul>

· Quick tool-less installation.

### **MIRRORS**

NEW Aluminum Side Mirrors		Maverick, Maverick MAX	715007363
	The convex surface provide     Can be installed at any heig     Possibility to install the Inte     Adjustable ball-joint mirrors	mirrors (fold-away mechanism).	
EW Side Mirrors		Maverick, Maverick MAX	715007188
Carl Freinig	<ul> <li>Can be installed at any heig</li> <li>Adjustable ball-joint mirrors</li> </ul>	es a wider field of view and better visibility arour ht on the cage A-pillar for optimized rider visior s. mirrors (fold-away mechanism).	

			<b>715004236</b> • For stock quarter doors	
Side Mirrors		Maverick, Maverick MAX	715005315 • For aluminum doors	
	<ul> <li>Rugged cast aluminum mout</li> </ul>	int with black nylon cover.		

- Multi-position adjustable ball-joint mounted mirrors.
- Convex optics for a wide viewing angle.
- Spring-loaded pivots let mirrors fold back completely.
- Door mounted.
- Compatible with Upper Soft Door Panels.
- Sold in pairs.

Racing Side Mirrors		Maverick, Maverick MAX	715002898
	<ul> <li>Dual adjustment provide</li> <li>Multi-position adjustabl</li> <li>Flat optics deliver impro</li> <li>Spring-loaded pivots let</li> </ul>	atures rugged black nylon % construction wi es optimal field of view (FOV). e ball-joint mounted mirrors. wed distance perception. mirrors fold back completely. nestar Racing Light Racks, Upper Soft Door P	
Rally Side Mirrors		Maverick, Maverick MAX	715005262
	<ul> <li>Sleek design with unique racing style.</li> <li>High-quality black molded aluminum for extreme durability.</li> <li>4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.</li> <li>Can be installed at any height on the cage A-pillar for optimized rider vision.</li> <li>Multi-position adjustable ball-joint-mounted mirrors.</li> <li>Spring-loaded pivots let mirrors fold back completely.</li> <li>Sold in pairs.</li> <li>Not compatible with Glass Windshield.</li> </ul>		
Rear Mirror & Camera Mo	onitor	Maverick, Maverick MAX	715009410
	Fully waterproof rearvie	w mirror and monitor kit.	

	<ul> <li>See exactly what you need to see with the multiple camera feeds from the rear view camera.</li> <li>This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).</li> <li>The camera uses infrared light for night vision capabilities.</li> </ul>
Contraction of the second seco	

### DOORS

		Maverick, Maverick MAX		715007971 · Front
Aluminum Half Doors		Maverick MAX		715007972 · Rear
	<ul> <li>Lightweight half doors made of formed <sup>5</sup>/44" (2 mm) thick aluminum.</li> <li>Smooth finish.</li> <li>Engineered for maximum rigidity and durability.</li> <li>Designed for a perfect fit and seamless integration with the vehicle's lines.</li> <li>Contoured with a thick seal for better protection from the elements.</li> </ul>		<ul> <li>Easy installation using the standard door frame.</li> <li>Includes the easy-to-operate Deluxe Door Handles.</li> <li>Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags.</li> <li>Not compatible with the Lower Door Panel Storage Bag</li> <li>Sold in pairs.</li> </ul>	
		Maverick, Maverick MAX		715004758 · Front
Deluxe Door Handles		Maverick MAX		715004860 · Rear
	<ul> <li>Convert the standard door straps into easy-to-access door handles.</li> <li>Include inside and outside handles for each door.</li> <li>Greatly facilitate door opening.</li> <li>Standard on accessory Aluminum Half Doors.</li> <li>Sold in pairs.</li> </ul>			
				715002903 · Front
Lower Door Panels		Maverick, Maverick MAX		715003751 · Rear
	•	lypropylene construction desig m to protect and seal cab area	•	

	Maverick	715006693 · Front
	Maverick MAX	715004694 · Front
Window Nets	Maverick MAX	715006700 · Rear



• Window mesh screen for added protection from wind.

- Can be easily lowered in seconds.
- Sold in pairs.
- Not compatible with Can-Am Audio Roof.

#### **Upper Soft Door Panels**

Maverick MAX (except X mr models) 715008092 · 4 doors

715008091 · 2 doors

- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.

   Extend stack support of the ten
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.


Maverick (except X mr models)

- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

### **SEAT ACCESSORIES**

			715008033 · Driver	
4-Point Harness		Maverick, Maverick MAX	715008034 · Passenger	
V		ending.		
			715005021 · Driver	
Retractable 4-Point Harness		Maverick, Maverick MAX	715005022 · Passenger	
Retractor Protector (Not illustrated)	Retractor Protector (707900     Compatible with rear passe     Standard on select Maveric	-	t seats of MAX models.	
	<ul> <li>Protective pad required for t</li> <li>Protects the passengers fro</li> <li>Sold individually.</li> </ul>		nt Harness on front seat of MAX models.	
Seat Belt Shoulder Pads		Maverick, Maverick MAX	715002894	
Ganan	•	ded.		

### **HMWPE SKID PLATES**



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed %" (10 mm) thick High Molecular Weight Polyethylene (HMWPE). · Lighter than aluminum.

Superior stress crack resistance.

High-impact strength.

#### **MAVERICK, MAVERICK MAX**

HMWPE Skid Plates are standard on Maverick X rc models.	Maverick 64" models	Maverick Max 64" models	Maverick, Maverick Max 72" models (except Base models)	Maverick Base 72" models	Maverick Max Base 72" models	
HMWPE Skid Plate Protection Kit						
	715003713	715003747	715003718	715006767	715006769	
Individual HMWPE Skid Plat	es					
(1) HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552	
2 HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933	
③ HMWPE Central Skid Plate	_	715003731	Standard on X rc models only	_	715003731	
(4) HMWPE Underbelly Plate	715004904	715004904	Standard on X rc models only	715004904	715004904	

### **BUMPERS & GUARDS**

#### Bumpers

Front Pre-Runner Bumper		Maverick, Maverick MAX	<ul> <li>715002878 · Black</li> <li>715003433 · Can-Am Red</li> </ul>
	<ul> <li>Inside and outside anti-corr</li> <li>Added heavy-duty protection</li> </ul>	eter steel tubing with a ¼" (3 mm) aluminum plate for e rosion coating with durable powder coat finish. on in extreme driving conditions. plate and mount points for lights.	xtra durability.
Rear Pre-Runner Bumper		Maverick, Maverick MAX	<ul> <li>715002880 · Black</li> <li>715003436 · Can-Am Red</li> </ul>
		tible.	ð.
une Front Bumper		Maverick, Maverick MAX	<b>715002961</b> · Black <b>715003432</b> · Can-Am Red
	<ul> <li>Inside and outside anti-corr</li> <li>Provides added protection v</li> </ul>	eter aluminum tubing with a ½" (3 mm) aluminum plate osion coating with durable powder coat finish. without sacrificing the agility and performance advant ad attack angle and integrated mounting points for ligh	ages of a lighter weight design.
		Maverick, Maverick MAX 2021 & prior	<ul> <li>715002962 · Black</li> <li>715003437 · Can-Am Red</li> </ul>
une Rear Bumper		Maverick, Maverick MAX 2022 & up	<b>715009242</b> · Black
	<ul> <li>Inside and outside anti-corr</li> <li>Provides added protection v</li> <li>Protects vehicle bodywork a</li> <li>Rear hitch compatible.</li> </ul>	eter aluminum tubing with a ½" (3 mm) aluminum plate rosion coating with durable powder coat finish. without sacrificing the agility and performance advant and exhaust system. age Extension and Lonestar Racing Spare Tire Holder	ages of a lighter weight design.
rc/X mr Front Bumper		Maverick, Maverick MAX	<b>715004788</b> · Black
	<ul> <li>Made of 1.5" (3.8 cm) diameter steel tubing with a ¼" (3 mm) aluminum plate.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.</li> <li>Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook.</li> <li>Standard on Maverick X rc and X mr models.</li> <li>Not compatible with winches with steel cable.</li> </ul>		
	<ul> <li>Inside and outside anti-corr</li> <li>Offers all the essential featurinstallation and integrated to</li> <li>Standard on Maverick X rc at</li> </ul>	rosion coating with durable powder coat finish on stee ures required for technical driving: low front-end prote ow hook. and X mr models.	•
Conestar Racing Front Bumpe	<ul> <li>Inside and outside anti-corr</li> <li>Offers all the essential featurinstallation and integrated to</li> <li>Standard on Maverick X rc a</li> <li>Not compatible with winches</li> </ul>	rosion coating with durable powder coat finish on stee ures required for technical driving: low front-end prote ow hook. and X mr models.	-

Lonestar Racing Rear Bumper		Maverick, Maverick MAX 2021 & prior	<ul> <li>715005512 · Hyper Silver</li> <li>715005511 · Black</li> <li>715004162 · Can-Am Red</li> </ul>
			me driving conditions.
S3 <sup>†</sup> Front Bumper		Maverick, Maverick MAX	<b>715004867</b> · Black
	<ul> <li>Inside and outside anti-corr</li> <li>Added heavy-duty protectio</li> <li>Integrated winch support pl</li> </ul>	ter steel tubing with a ½" (3 mm) aluminum plate for e osion coating with durable powder coat finish. on in extreme driving conditions. late and mount points for lights. s you to keep the winch hook within easy reach when	
S3 Rear Bumper		Maverick, Maverick MAX 2021 & prior	<b>715004869</b> · Black
Rock Sliders	<ul> <li>Inside and outside anti-corr</li> <li>Added heavy-duty protectio</li> <li>Permits installation of a win</li> <li>"S3 for Can-Am" branded.</li> <li>Engineered to sustain heavy</li> <li>Compatible with Can-Am HI on the bumper.</li> </ul>	(3.8 cm) diameter steel tubing. rosion coating with durable powder coat finish. on in extreme driving conditions—protects vehicle boo ich at a higher location to improve accessibility in muc y winch loads without damaging the vehicle's frame. D and WARN VRX winches—Rear Winch Harness (71) hook to facilitate vehicle recovery.	ldy conditions.
		Maverick (except X rc)	<ul> <li>715002963 · Black</li> <li>715003438 · Can-Am Red</li> </ul>
Rock Sliders		Maverick MAX	<b>715003730</b> · Black <b>715003888</b> · Can-Am Red
		osion coating with durable powder coat finish. undercarriage against large obstacles.	
X rc UHMWPE Rock Sliders		Maverick	715004730
		and brackets for installation. undercarriage against large obstacles. cle body for better clearance from obstacles.	

- Slide smoothly over obstacles.Sold in pairs.

		<ul> <li>715005514 · Hyper Silver</li> <li>715008845 · Black</li> </ul>
	Maverick (except X rc models)	<b>715008846</b> · Can-Am Red
		<b>715008847</b> · Black
Lonestar Racing Rock Sliders	Maverick MAX	<b>715008848</b> · Can-Am Red
· Bace-engineer	ed to Lonestar Bacing's trademark standards for tough	ess, these stylishly crafted accessories will also

	<ul> <li>Nace-engineered to be balance and a standards for oughness, these stylising clared accessories will also enhance your vehicle with visual impact.</li> <li>Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.</li> </ul>
	Essential protection for your vehicle's sides from large obstacles.
	Sold in pairs.
ALLER ALLER	Maverick MAX: Not compatible with the Rear Aluminum Half Doors (715007972).

Intrusion Bars		Don	
	ision		5

#### **Front Intrusion Bar**

#### Maverick, Maverick MAX

715002889 · Black 715003435 · Can-Am Red

**715003918** · Black

715002973

Matches vehicle styling.



- Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility.
- Not compatible with windshields and Lonestar Racing Aluminum Roof.

Lonestar Racing Front Intrusion Bar		Maverick, Maverick MAX	■ 715003916 · Black
Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.			

- Enhances the racing look of the vehicle.

- Compatible with Lonestar Racing Aluminum Roof only.
- Not compatible with windshields.

#### **Lonestar Racing Rear Intrusion Bar**

Made of 1 E" (2.9 am) diameter steel tubing with durable newder east finish	

Maverick (except X mr models), Maverick MAX




	- Made of 1.5 (5.5 cm) diameter steel tubing with durable powder coat mish.
T	<ul> <li>Sleek styling enhances the vehicle's race-inspired look.</li> </ul>
and the second s	

- Required for the installation of the Lonestar Racing Spare Tire Holder.
- Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.

#### **Other Accessories**

#### **Fender Flares**

Maverick, Maverick MAX



Lonestar Racing Spare Tire H	lolder	Maverick, Maverick MAX 2021 & prior (except X mr models)	<b>715003922</b> · Black
<ul> <li>Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.</li> <li>Adjustable height to fit Can-Am tires up to 30 in.</li> <li>Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.</li> <li>Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.</li> <li>Wheel not included.</li> <li>Not compatible with the S&amp;B Particle Separator and LinQ accessories intended for the rear of the vehicle.</li> </ul>			
Lonestar Racing Number Pla	te Holder	Maverick, Maverick MAX	715003943
	<ul> <li>Not compatible with LinQ Pi</li> <li>Numbered decals are availa</li> </ul>	5	vehicle rear.
			715004870 · Black

#### S3

3 Rear Pull Plate		Maverick, Maverick MAX 2021 & prior	<b>715004870</b> · Black <b>715005233</b> · Can-Am Red
	Offers a solid place to hook     Allows you to attach most st     "S3 for Can-Am" branded.	onto in case towing is needed. raps and hooks.	

### LINQ: EASY ON, EASY OFF CARGO

#### **MAVERICK'S LINQ ACCESSORIES**

#### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Standard Cargo Bed	LinQ Pivoting Rack 715008295/715008296	Adventure Roof Rack 715003868/715006225	
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	nches apart, center-to-center. n the LinQ with 36" base acce IV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.	
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black			LinQ Base Installation Kit 715008125	
LinQ Tool Kit 715006829			No further requirements	
LinQ Tool Box 715008111				
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Base Installation Kit 715008125	
<b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447				
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			No further requirements	
LinQ Roll-Top Bag 715008110			LinQ Base Installation Kit 715008125	
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce 1 ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	No compatibility			
LinQ 23 Gal (86 L) Trunk Box 715004923	No further requirements			
LinQ 32 Gal (121 L) Trunk Box 715001748	*Not compatible if the LinQ Pivoting Rack is installed.			
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018				
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray	No further requirements	No further requirements	No compatibility	
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black	No further requirements			
LinQ Heavy Duty Basket 715001215	No further requirements			
LinQ Low Profile Basket 715004282	No further requirements			
LinQ Holders				
LinQ Gear Grips 715005340			Side wall installation	
LinQ Tool Holder 715007358	No further requirements	No further requirements	LinQ Adapters 715003058	

				<b>715005494</b> · (1	0 L)
				<b>715007112</b> · (2	0 L)
LinQ Modular Box		Maverick, Maverick MAX		<b>715006830</b> · (3	0 L)
	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box si</li> <li>Can be installed on any Lind</li> <li>See table for installation loc</li> </ul>	Q base with a 16" width.	e right gear accessible.		
Thermal Insert for LinQ Modu	lar Box (10 L)	Maverick, Maverick MAX		219401110	
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ Mo</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> <li>Interior dimensions: 9" L x 1</li> </ul>	ans.			
LinQ Tool Box		Maverick, Maverick MAX		715008111	
	<ul> <li>High precision injected HDI</li> <li>5 gal (19 L) maximum capace</li> <li>Weather-resistant, sealed at</li> <li>Easy one-second on/off too</li> <li>All the benefits of LinQ—sir</li> <li>See table for installation loce</li> </ul>	nd lockable cover. I-less system. nple, fast and secure.	ıty and durability.		
LinQ Tool Kit		Maverick, Maverick MAX		715006829	
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> </ul>	<ul> <li>Socket 8 mm %" driv</li> <li>Combined wrench 1</li> <li>Combined wrench 8</li> <li>Socket Torx T40 %"</li> </ul>	9 mm 8 mm 5 mm 3 mm 0 mm 8 mm	<ul> <li>Socket Torx T30 %" drive</li> <li>Socket Torx T20 %" drive</li> <li>Breaker bar %" drive</li> <li>See table for installation location and requirements</li> </ul>
LinQ 4.2 Gal (16 L) Cooler		Maverick, Maverick MAX		219400964 295100698	
	<ul> <li>All the benefits of LinQ—sir</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	or exceptional rigidity ation for optimal	<ul> <li>Easy one-second on</li> <li>Can contain twenty</li> <li>Keeps ice cold for th</li> <li>Exterior dimensions</li> <li>Interior dimensions:</li> <li>See table for installation</li> </ul>	355 ml cans. hree days. : 13" L x 20" W x <sup>-</sup> 9" L x 17" W x 7"	10" H. H.
LinQ 4.5 Gal (17 L) Sport Bag		Maverick, Maverick MAX		860202447	
	<ul> <li>17-liter (4.5 US gallon, 1,037</li> <li>Rigid bottom, semi-rigid top</li> <li>See table for installation loc</li> </ul>				
SR 5.5 Gal (21 L) LinQ Bag		Maverick, Maverick MAX		860202449	
	<ul> <li>All the benefits of LinQ—sir</li> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting systemers and the systemers of the s</li></ul>	em (Patent US 8777531 and U I-less system.	S 8875830).		

LinQ Accessories with 16" Base

inQ Roll-Top Bag	Ν	Maverick, Maverick MAX	715008110
	<ul> <li>Fully waterproof roll-top dry ba</li> </ul>	ag will securely store and confine your equipment.	
the The	LinQ mounted using heavy-duty rigid plastic base.		
	High capacity storage solution (40 L).		
Ling	<ul> <li>Bottom foam liner for additional</li> </ul>	al equipment protection.	
	<ul> <li>Integrated handle for easy transportation on/off the vehicle.</li> </ul>		
1	Dimensions: 14" L x 19" W x ac	diustable H.	

Dimensions: 14" L x 19" W x adjustable H.
See table for installation location and requirements.

#### LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box	Μ	Naverick, Maverick MAX	715003879
	· LinQ mounted for easy-on, easy	y-off installation.	

- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box		Maverick (except X mr models), Maverick MAX	715004923
	LinQ mounted for easy-on, e	asy-off installation.	

- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box	Maverick (except X mr models), Maverick MAX	715001748 · (No rear tail light)	
Equipped with the LinO system, the rear trunk have pluge in and out in eccande			

- Equipped with the Ellig syste	eni, me rear trunk box plugs in and out in seconds.	
<ul> <li>32 gal (121 L) load capacity w</li> </ul>	with unobstructed space to maximize storage room and access to the trunk's interio	or.

- Made of injection-molded polyethylene, double walled in critical areas.
- The fully sealed lid protects your belongings from dust, moisture and the elements.
- No rear tail light.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- See table for installation location and requirements.

	· Depelo	Fit with LinQ 32 Gal (121 L) Tru		
LinQ 32 Gal (121 L) Trunk Box	Color panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle.     No rear tail light			
	715001397 · Black 715001398 · Yellow 715002483 · White 715006121 · Can-Am Red		715006122 · Mani 715006123 · Oran 715006124 · Viper	ge Crush
LinQ 8 Gal (30 L) Cooler Box		Maverick, Maverick MAX		■ 715004778 · Black 715004698 · Gray
		vovides exceptional rigidity and ation for optimal ice retention. compartment protects food. the cover tightly closed.	durability.	
LinQ 11.5 Gal (43 L) Audio Ca	rgo Box	Maverick, Maverick MAX		715003018
	<ul> <li>An affordable and quick solution for adding music and storage to your next ride.</li> <li>The rear installation does not use up any cab space and allows easy listening at an average speed.</li> <li>Mounts on/off easily to hold/carry cargo safely and securely.</li> <li>Backlit control panel perfect for night riding.</li> <li>Water-resistant speakers.</li> <li>The Bluetooth<sup>+</sup> enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.</li> <li>Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.</li> </ul>		d and integrated in the cover.	

See table for installation location and requirements.

LinQ	Heav	y-Duty	Basket
------	------	--------	--------

Maverick, Maverick MAX

715001215

715008125

- Made of high-strength, low-alloy steel.
- LinQ mount for easy-on, easy-off installation.
- See table for installation location and requirements.

LinQ Premium Storage Bag	by OGIO	Maverick, Maverick MAX	<b>715002923</b> · Black
	<ul> <li>Tool-less installation and removal thanks to the LinQ system.</li> <li>17.2 gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.</li> <li>Buckle and elastic closure with a rubber seal that protects dust from entering the bag.</li> <li>3-section lid for partial or full access to your bag.</li> <li>Inside separators for optimal bag organization.</li> <li>See table for installation location and requirements.</li> </ul>		
inQ Low Profile Basket	Maverick, Maverick MAX 715004282		
	<ul> <li>Low profile, open basket increases cargo space.</li> <li>Perfect for easy access to tools, rope, winch and plow accessories.</li> <li>Multiple bungee cord and tie-down anchor points.</li> <li>Made of impact-resistant injected polypropylene.</li> </ul>		

· See table for installation location and requirements.

LinQ Holders			
LinQ Tool Holder		Maverick, Maverick MAX	715007358
	Ultra-versatile tool holder.		

Ultra-versatile tool holder.
Convenient swivel-latch allows tools to be stored in any orientation.



LinQ Gear Grips		Maverick, Maverick MAX	715005340
en le en le		ole grips provide a custom fit for a variety of item n for carrying bows, fishing poles, rakes, farm too	. ,
	, , ,	ton opens grip quickly for easy access to gear.	
	Heavy-duty base system built for the toughest adventures.     Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.		
សុវា សុវា	<ul> <li>360° orientation.</li> </ul>		

Sold in pairs.

Sold in pairs.

#### LinQ Mounting

LinQ Anchor Adapter Kit		Maverick, Maverick MAX	715004960
	<ul> <li>Allows the installation of Lin</li> <li>Tool-less installation and read</li> </ul>	Q accessories with 16" base on LinQ racks. moval.	

#### LinQ Base Installation Kit

- Allows installation of compatible LinQ accessories.
- Included: 2 LinQ Cargo bases and hardware.

# Tube LinQ Adapter Maverick, Maverick MAX 715004292 Cage mounted LinQ receiver. Included in the LinQ Pivoting Rack assembly. Allows the installation of single LinQ mounted accessory. Diameter: 1.85" (47 mm).

LinQ Lock	Ν	Maverick, Maverick MAX	860201968
	<ul> <li>Simple way to securely lock m</li> <li>Lock cover protects lock from</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys.</li> <li>Not compatible with LinQ 4.2 0</li> </ul>		r or LinQ Gear Grips.
LinQ Replacement Part	Ν	Maverick, Maverick MAX	715001707
	Unique mounting fastener usa     Tool-less installation and remo     Sold in pairs.	ble on any LinQ system accessory. wal.	
LinQ Adapter (Not illustrated)	Ν	Naverick MAX	715003058
	<ul> <li>Allows the installation of the Li</li> <li>Sold in pack of 4.</li> </ul>	inQ Tool Holder on the Adventure Roof Rack.	
Cargo Box Net	Ν	Maverick, Maverick MAX	715001371
	Solid net designed to secure a	nd ensure the compact confinement of your Advent	ure Roof Rack.
Spare Tire Ratchet Tie-Downs	Ν	Maverick, Maverick MAX	280000955
E M B	<ul> <li>Adjustable to accommodate m</li> <li>Ratchet and junction ring mad</li> </ul>	re tires on accessories equipped with integrated sp nost common UTV tire sizes.	are tire attachment points.


Required for spare tire attachment on Adventure Roof Rack.

### **RACKS & STORAGE**

#### Racks

LinQ Pivoting Rack	Maverick, Maverick MAX (except X mr models)	<b>715008295</b> · Black <b>715008296</b> · Can-Am Red
	inQ latched rack allows for extra LinQ mounted accessories or for includes custom tie-down strap for fast spare tire installation or rem as-cylinder pivot action, locks in the raised position. Frunk Boxes over 20 gal (74 L) do not fit on the vehicle when the rac lot compatible with Rear Intrusion Bars, Rear Cage Extension and I	noval (tire not included). ok is installed.

Adventure Roof Rack	Maverick Maverick MAX	715006225 715003868			
Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.					



- Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tire attachment.
- LinQ anchor on both sides.
- Spare Tire Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

NEW Adventure Roof Rack	Maverick			715007186			
	<ul> <li>The ideal cargo solution. Pack all the gear you need to take on any off-road experience.</li> <li>Built using lightweight 1.25" (3.2 cm) diameter steel tubing.</li> <li>Supports loads of up to 75 lb (34 kg).</li> <li>This roof rack features a height adjustment setting to precisely accommodate a stock roof.</li> <li>Integrated mounting points for lights.</li> <li>Features anchor points for a spare tire attachment.</li> <li>LinQ anchor on both sides.</li> <li>The Spare Tire Tie-Downs sold separately.</li> <li>Sport roof or Aluminum roof is required for installation.</li> </ul>						
Storage							
Shoulder Storage Bag		Maverick (except X mr models Maverick MAX (rear only)	),	715004277			
	Bag attaches in unused spa     Installs between the rear se	ace between the seats to increa eats only on MAX models.	se your vehicle's cargo	capacity.			
Front Shoulder Storage Bag		Maverick MAX		715004888			
	<ul> <li>Opens on each side so that both front and rear passengers can access the bag's content.</li> <li>Installs between the driver and passenger seats on MAX models.</li> </ul>						
Overhead Storage Bag		Maverick, Maverick MAX		715004275			
	<ul> <li>Weather-resistant bag, holds your gear safely and securely while riding.</li> <li>Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 gal (10 L).</li> <li>Semi-rigid construction renders it flexible enough to fit odd-shaped loads.</li> <li>Touchscreen-compatible clear front pocket allows for easy access to your smartphone.</li> <li>Not compatible with the Bimini Roof.</li> </ul>						
Upper Door Storage Bags		Maverick, Maverick MAX		715004276			
	<ul> <li>Weather-resistant, they'll hold your gear safely and securely while riding.</li> <li>Bags attach on stock quarter doors to increase your vehicle's cargo space.</li> <li>Each bag is designed as a 1.3 gal (5 L) capacity pocket also equipped with inner netting compartments.</li> <li>Semi-rigid construction renders them flexible enough to fit odd-shaped loads.</li> <li>Sold in pairs.</li> </ul>						
Lower Door Panel Storage Ba	igs	Maverick, Maverick MAX		715004355			
	securely while riding.       fit odd-shaped loads.         Bags attach on Lower Door Panels to increase your       Sold in pairs.			aluminum doors and Off-Road			
Soft Storage Bag		Maverick, Maverick MAX		715003759			
	<ul> <li>11.8 gal (45 L) capacity soft</li> <li>3 sections.</li> <li>Weatherproof.</li> </ul>	cargo bag designed with vehic	le's rear in mind to may	ximize potential storage.			
Storage 2.6 Gal (10 L) Bag		Maverick, Maverick MAX		269502121			
-	Roll-top dry bag for fully pro	tecting your cargo from the ele	ments.				

- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
  - The top compartment is insulated to keep your beverages cold and includes two cup holders.
  - Additional pocket inside for additional storage, such as a cell phone.
  - The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
  - The detachable pocket at the front of the bag can be used as a garbage bag.

### <u>LIGHTS</u>

	2 Choose your lights									
1 Choose	<b>BAJA DESIGNS<sup>+</sup> LIGHTS</b>		CAN-AM LIGHTS							
your mount point	10" (25 cm) LED Light Bar	40" (102 cm) Baja Design OnX6 Arc LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-Runner or Dune Bumpers	<b>710006819</b> + <b>715007049</b> (Power Cable)	<b>710006818</b> + <b>715007117</b> (Power Cable)	<b>710006821</b> + <b>715002884</b> (Power Cable)	<b>710006820</b> + <b>715002884</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	<b>715002933</b> + <b>715003417</b> (Power Cable)	715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable)			3.5" Flood) or 5 (3.5" Spot) +
Lonestar Racing Front Bumper	NA	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)				715002935 715003665 ( 715003666 715003417 (	3.5" Flood) or 5 (3.5" Spot) +
Light Support Bar or Adventure Roof Rack	<b>710006819</b> + <b>715007049</b> (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	<b>715002933</b> + <b>715003417</b> (Power Cable)	715002934 + 715003417 (Power Cable)	715004007 + 715005822 (Light Mounting Kit)	71500366	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Lonestar Racing 40" (102 cm) LED Light Bar Rack	NA	<b>710006818</b> + <b>715007117</b> (Power Cable)	NA	NA	NA	NA	NA	NA	NA	NA
Lonestar Racing Light Rack	NA	NA	<b>710006821</b> + <b>715002884</b> (Power Cable)	NA	710005041 + 715007049 (Power Cable)	NA	NA	NA	NA	NA
<b>3</b> Order		Order all part numbers in intersecting box								

\*Note: When installing more than one light kit, additional light power cable or mounting kit is required.

\*All lights are intended for off-road use only.

		715003417			
		715007049			
Lights Power Cable		715002884			
(Not illustrated)	Maverick, Maverick MAX	715007117			
Required for installation of Baja Designs LED lights onto roof or bumper.					

• 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).

Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).

• 40" (102 cm) Arc LED Light Bar ONX6 (715007117).

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick, Ma	verick MAX	710006818
Contraction of Contraction	29,000 lumens	50 m 0 -50 0 100 200 300 4	00 500 600 700 800 900 m
<ul> <li>252 W light bar producing 29,000 lumens.</li> <li>Equipped with 24 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Requires Lig</li> </ul>	or installation onto Light Support ght Power Cable and Light Suppo r installation location and require	ort Bar.
aja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick, Ma	verick MAX	710006819
	12,460 lumens	50 m 25 0 -25 -50 0 100 200 300	400 500 600 m
<ul> <li>108 W light bar producing 12,460 lumens.</li> <li>Equipped with 6 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Requires Ba</li> </ul>	ty (high/low) settings. ja Designs Light Power Cable. r installation location and require	ements.
Baja Designs XL80 LED Lights	Maverick, Ma	verick MAX	710005041
	9,500 lumens	50 m 25 0 -25 -50 0 100 200 300	0 400 500 600 m
<ul> <li>80 W per spot producing 9,500 lumens.</li> <li>Equipped with 4 Cree XHP50 LEDs per spot.</li> <li>Dual intensity (high/low) settings.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul><li>Sold in pairs</li><li>Dimensions</li></ul>	a Designs Light Power Cable. s. : 4.5" x 4.5" (11.4 cm x 11.4 cm). r installation location and require	ements.
Baja Designs Squadron Sport LED Lights	Maverick, Ma	verick MAX	710006820
	3,150 lumens	25 0 -25 0 100 200 300	400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.</li> </ul>	<ul><li>Sold in pairs</li><li>Dimensions</li></ul>	a Designs Light Power Cable. 3. : 3" x 3" (7.6 cm x 7.6 cm). r installation location and require	ements.
Baja Designs XL Sport LED Lights	Maverick, Ma	verick MAX	710006821
	3,150 lumens	50 m 25 0 -25 -50 0 100 200 300	400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>High Speed Spot features a longer and narrower beam focus for illumination farther down.</li> </ul>	<ul><li>Sold in pairs</li><li>Dimensions</li></ul>	a Designs Light Power Cable.	

0" (25 cm) Double Stacked LED Light Bar (60 W)	Maverick, M	averick MA	x			-	715	00293	3		
ERRER.	5,400 lumens	20 m 0 -20	100	200	300	400	500	600	700	800 m	
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Requires light power cable for installation.	<ul> <li>Lights up t wide on ea</li> <li>See table t</li> </ul>	ach side.		-				nicle an	d arou	nd 65 ft. (;	20 m)
5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick, M	laverick MA	x				715	00293	4		
	8,400 lumens	20 m 0 -20	100	200	300	400	500	600	700	800 m	
Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof.	<ul> <li>Lights up t wide on ea</li> <li>See table t</li> </ul>	ach side.		-				nicle an	d arou	nd 65 ft. (i	20 m)
9" (99 cm) Double Stacked LED Light Bar (270 W)	Maverick, M	laverick MA	x				715	004007	,		
Equipped with 54 5 W Cree LEDs.	24,300 lumens • Compatibl		lventure			400	500	600	700	800 m	
24,300 lumens. Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.	Requires li	gni power		rinsta	iation.						
" (10 cm) Round LED Lights (2 x 25 W)	Maverick, M	averick MA	х				715	002935	5		
(Canada)	1,800 lumens	20 m 0 -20	<b>•</b>			100		•	200 1	 n	
25 W LED spotlights.       • Rugged and waterproof.         1,800 lumens.       • Includes basic wiring and s	witch.	Can-Am bra Requires lig Sold in pair	ght pow		e.					ht power	cable
	Maverick, M	laverick MA	x				715	003666	6		
5" (9 cm) LED Driving Lights (2 x 14 W)						1 1	1				
9 cm) LED Driving Lights (2 x 14 W)	1,260 lumens	15 m 0 -15	0 15	30	45 6	0 75	90	105 m	-		

3.5" (9 cm) LED Flood Lights	(2 X 14 W)	Maverick, Maverick MAX		715003665
		1,260 lumens 0 -15 0 1	5 30 45 60 75	90 105 m
<ul> <li>14 W LED lights producing 1,260 lum</li> <li>Flood lens for a wide light beam spreapplications like plowing or cornering riding conditions.</li> <li>Equipped with six high-power LEDs in a laluminum housing.</li> </ul>	ad, ideal for working J. Suitable for dusty or foggy	<ul> <li>Features two attachment p the next channel point and</li> <li>Sold in pairs.</li> <li>CE certified</li> <li>Requires light power cable</li> </ul>	I remount the light.	t point fails due to a collision, rotate t
Can-Am LED Signature Light	S	Maverick, Maverick MAX		715003673
	<ul> <li>Add style with a more aggre</li> <li>Use bright and energy effici</li> <li>Do not give additional lighti</li> </ul>	ient LEDs.		
Dome Light		Maverick, Maverick MAX		715002455
C.	<ul> <li>LED array integrates perfec</li> <li>Wiring included.</li> <li>Can be installed on cage, S</li> </ul>	tly with vehicle. port Roof or All-Terrain Trunk C	Cover.	
onestar Racing 40" (102 cm	h) LED Light Bar Rack	Maverick, Maverick MAX		715003920
Lonestar Racing Light Rack	<ul> <li>Enhances the vehicle's race</li> <li>Compatible with Aluminum</li> </ul>	102 cm) Baja Designs OnX6 Ar 9-inspired look. Roof, Lonestar Racing Alumin 1 Side Mirrors and PowerFlip W	um Roof and Sport Roo	f. 715003948
	Designed for use with Baia	Designs XL80 LED Light and E	Paia Designs XI, Sport I	
	<ul> <li>Accommodates up to two p</li> <li>Not compatible with Racing</li> </ul>	• •	Vindshield.	-
Chase Lights		Maverick, Maverick MAX		715002887
	<ul> <li>Designed by Can-Am to ma riding behind you, especiall conditions.</li> <li>Feature in-dash switches to modes and to choose amor colored light patterns (blue,</li> <li>Trail Mode: Serves as a tail</li> </ul>	y in dusty or harsh activate one of the two ng 11 different high-visibility red and yellow).	light (brake light fu applications).	ys light patterns and serves as a brak nction can be deactivated for racing Istallation with rear roll cage mounte Illation.
NEW LED Chase Lights		Maverick, Maverick MAX		715009887
		ke you visible to vehicles	<ul> <li>Modular to allow in</li> </ul>	stallation with rear roll cage mounted

#### **Light Support Bar**

#### Maverick, Maverick MAX



- · Required for light installation on vehicle's roof.

- Accommodates light bars and spotlights with or without any roof and windshield combination.

Sleekly styled rugged aluminum construction.

- Full vehicle width to allow the installation of any large LED light bar.
- Not compatible with Lonestar Racing Aluminum Roof.
- · Lights sold separately.

Mounting Kit for 39" (99 (Not illustrated)	cm) LED Light Bar	Maverick, Maverick MAX	715005822
	<ul> <li>Required for installatic</li> <li>Includes wiring and su</li> <li>Light Support Bar requ</li> </ul>		ked LED Light Bar.
Light Power Cable (Not illustrated)		Maverick, Maverick MAX	715003417
		on of 10" (25 cm), 15" (38 cm) and (10 cm) Round LED Lights. nounting locations.	Double Stacked
NEW Integrated LED Si	de Mirror Lights	Maverick, Maverick MAX	715007185
	<ul> <li>Light up corners.</li> <li>Increase the width of t wheels for increased v</li> <li>Wide flood beam.</li> </ul>	he beams and illuminate the isibility.	<ul> <li>Electric Harness (715008212) required to hook up and operate the Integrated LED Side Mirror Lights (715007185) for on/off function when ACM is not installed.</li> </ul>

- Wide flood beam.
- 3,000 lumens for each light.
- Require Aluminum Side Mirrors (715007363).
- Wiring Harness (715008212) is required for installation.

# **AUDIO & COMMUNICATION SYSTEMS**

Can-Am Audio Roof		Maverick		715007130
	<ul> <li>Full roof with sleek built-in a</li> <li>Fully sealed and waterproof.</li> </ul>		<ul> <li>Multi-colored RGB L each speaker.</li> </ul>	ED accent lighting around
2 3 8	Easy to install: one wire connects the roof to the vehicle's electronics.		<ul> <li>2.7" color display wit Pandora connectivity</li> </ul>	
2	• Four 8" speakers, one 400 R	MS and 800 peak watt	<ul> <li>Flip Kit-compatible.</li> </ul>	
	amplifier, and one Head Unit supplied by Rockford Fosgate Audio.		<ul> <li>Not compatible with the Adventure Roof Rack if the Flip Kit is installed.</li> <li>Not compatible with the Upper Soft Door Panels.</li> </ul>	
Can-Am Audio Roof		Maverick MAX		715006709
~	Full roof with built-in audio.		Multi-colored RGB LED accent lighting around	
a) and a	<ul> <li>Fully sealed and waterproof.</li> </ul>		each speaker.	
Con the Con	<ul> <li>Easy to install, one wire connects the roof to the vehicle's electric system.</li> <li>Six 8" speakers, one 400 RMS and 800 peak watt amplifier, one Head Unit calibrated by Rockford Fosgate Audio.</li> </ul>		<ul> <li>2.7" color Display with Pandora connectivity</li> </ul>	
OF C			<ul> <li>Not compatible with Flip Kit is installed.</li> </ul>	the Adventure Roof Rack if the
			Not compatible with the Upper Soft Door Panels.	
Can-Am Audio Roof Flip Kit		Maverick, Maverick MAX		715007131
6957		715007130 or 715006709) for sing Side Mirrors (715002898).		

MTX Central Speakers	Maverio	ck MAX		715004748
	<ul> <li>Top mounted central speaker case he two 6.5" (16.5 cm)/100W speakers.</li> <li>Designed to be Can-Am-tough in the riding conditions.</li> </ul>	0	7-speaker system or	Complete MTX Audio System for a as a stand-alone system by plugging rectly into your music device. Lonestar roofs.

Complete MTX Audio System		Maverick, Maverick MAX		715002873
	<ul> <li>Bluetooth 5<sup>†</sup> equipped 400 V system by MTX.</li> <li>Designed to be Can-Am-tou riding conditions.</li> </ul>		speakers and head u subwoofer. • Add the Electronic	oard and rear-roll-cage mounted stereo nit with an integrated 6.5" (16.5 cm) Device Holder to securely hold your ady to play your favorite tunes.
Can-Am Subwoofer		Maverick, Maverick MAX		715004956
C.	<ul> <li>Powerful Rockford Fosgate speaker box.</li> <li>Easy plug-and-play connect</li> <li>Sturdy construction tough e environments and sealed age</li> </ul>	ions to Audio Roof system. enough to withstand harsh	2 subwoofers.	Kit (715007227) for 1 or : under driver or passenger seat.
Can-Am Amplifier Kit		Maverick, Maverick MAX		715007227
	A powerful 400 W amplifier     Easy plug-and-play connect     Installation plate and wiring	ions to Audio Roof system an		
Electronic Device Holder		Maverick, Maverick MAX		715002874
	<ul> <li>A great in-ride entertainment system platform.</li> <li>Robust injected-polypropylene construction allows for right fit and easy installation.</li> <li>Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).</li> </ul>		<ul> <li>Combines seamlessly with Complete MTX Audio Syste and Rugged Radios Intercom System.</li> <li>Allows the installation of Garmin Montana 680T GPS.</li> <li>Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12V outlet for device charging.</li> </ul>	

# Rugged Radios Helmet Headset Kit for Rear Passengers

With Rugged Radios Intercom System

715004380 · US ONLY



<ul> <li>Additional 12</li> </ul>	(3.7 m	) cables and	d Helme	et Speaker/Mic Kits to	o upgrade

your 2-person intercom system to a 4-person system.

Power Cable is required for installation on MAX models.

# **ELECTRICAL & ELECTRONIC ACCESSORIES**

Electrical					
Seat Heater	Maverick, Maverick MAX	715006112			
High,     This     Insta     Heate	<ul> <li>25 W seat heater delivers chill-free riding comfort.</li> <li>High/low temperature settings allow you to control the desired degree of warmth.</li> <li>This kit includes one carbon fiber seat heater, foam sheet and in-dash switch.</li> <li>Installs directly in the original seat cushion.</li> <li>Heated Accessories Wiring Harness (710005757) is required for front seat installation.</li> <li>Heated Accessories Wiring Harness (715006004) is required for rear seat installation.</li> </ul>				
Heated Visor Outlet	Maverick, Maverick MAX	715001246			
Optic     Quicl     Sold	gically positioned on vehicle to maintain your agility. Ial visor outlet that delivers fog-free riding. and easy installation. Idividually. d Visor not included.				

Heated Accessories	Wiring Harness
(Not illustrated)	-

Maverick, Maverick MAX

710005757

Electric harness required to hook up and operate front heated seats, heated steering wheel and heated grab bar.
Heated Accessories Wiring Harness (715006004) is required for rear seat installation.

Auxiliary Battery Installation Kit	Maverick, Maverick MAX		715006315
battery setup necess components such as • Equipped with an IP6 module that will prev	econd 18Ah battery for a dual ary to power auxiliary electrical sound systems or winches. 7-rated waterproof electronic ent your auxiliary electrical aining your starting battery.	necessary wiring ar • Both batteries are p behind the passeng	110301203), plus battery hardware

NEW Cellphone Holder		Maverick, Maverick MAX		715008786
	<ul> <li>Features capacitive and res</li> <li>Spring system in back plate</li> <li>Fits all cellphones within 7.2</li> <li>Works with almost all charg</li> <li>Does not include cellphone</li> </ul>		y. mess. .6" (15 mm) dimensions.	e bolted on its door.
ighted Whip Flag		Maverick, Maverick MAX		715002886
	<ul> <li>A must for riding the dunes.</li> <li>5 W Cree LED.</li> <li>5 colored lenses to allow pe</li> <li>Glow-through whip, quickly pole.</li> <li>Increases vehicle's visibility</li> </ul>	ersonalization. removable and replaceable	<ul> <li>Includes mounting I</li> <li>4' (1.2 m) flag moun</li> </ul>	base, acetal hand nut.
igitally Encoded Securit reen Key	y System (D.E.S.S.)	 Maverick (Turbo/TurboR/Turbo RR mo	torization)	710005232
30	<ul> <li>One vehicle/one code.</li> <li>A vibration/shock-resistant</li> <li>3 programmable modes:</li> <li>Work mode: Limits vehicle</li> </ul>	ection for your vehicle. restricts access to your vehicle ball-and-socket design that en espeed to 40 kph (25 mph) but cle speed to 70 kph (44 mph) a	sures a reliable connect	ion. rque.

- Performance mode: No restrictions.

# **WINCHES & HITCHES**

# **Can-Am HD Winches**

Can-Am HD 4500 Winch		Maverick, Maverick MAX		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings for more torque and durability.</li> <li>Automatic 100% load-holding brake.</li> <li>Sealed solenoid for all-weather protection.</li> <li>Weather sealed corded remote and dash mounted switch.</li> </ul>		<ul> <li>EC compliant.</li> <li>Pulling strength capability of 4,500 lb (2,041 kg).</li> <li>43' of <sup>15</sup>/<sub>44</sub>" (13.1 m of 6.3 mm) wire steel cable.</li> <li>Heavy-duty 4-way roller fairlead.</li> <li>Winch Electrical Harness (715003585) and winch compatible front bumper are required.</li> </ul>	
Can-Am HD 4500-S Winch		Maverick, Maverick MAX		715006417
10 (x) 2 3933	Ergonomic clutch handle.     Rugged all-steel gears and bushings for more torque			bability of 4,500 lb (2,041 kg). 6.35 mm) synthetic rope.

Corrosion-proof aluminum hawse fairlead.

compatible front bumper are required.

Winch Electrical Harness (715003585) and winch

Real Provide Land	•
can-am	
	•

# Rugged all-steel gears and bushings for more torq and durability.

- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.

# WARN<sup>†</sup> VRX Winches

WARN VRX 45 Winch		Maverick, Maverick MAX		715006110
WART WART	<ul> <li>Extreme IP68-rated waterprelements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know</li> <li>Load-holding brake for greating structures and reliable all-metal to the structure structure structures.</li> </ul>	ion. and stainless steel fasteners ased on 70+ years of -how. t control.	(electrical). • Pulling strength cap • 50' of ¼" (15 m of 6. • Roller fairlead.	rranty (mechanical), 3-year warranty pability of 4,500 lb (2,041 kg). 3 mm) wire steel cable. arness (715003585) and winch
WARN VRX 45-S Winch		Maverick, Maverick MAX		715006111
WAAM WAAM	<ul> <li>Extreme IP68-rated waterproof sealing keeps the elements out.</li> <li>Durable all-metal construction.</li> <li>Black powder-coated finish and stainless steel fasteners for corrosion resistance.</li> <li>Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how.</li> <li>Load-holding brake for great control.</li> <li>Smooth and reliable all-metal three-stage planetary gear train.</li> </ul>		(electrical). • Pulling strength cap • 50' of ¼" (15 m of 6. • Cast aluminum haw	rranty (mechanical), 3-year warranty pability of 4,500 lb (2,041 kg). 3 mm) synthetic rope. /se fairlead. arness (715003585) and winch

# Winch Accessories Can-Am HD Hawse Fairlead Can-Am HD Winch

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426
	<ul> <li>A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.</li> <li>Must be used with synthetic cables only.</li> </ul>		
WARN Hawse Fairlead		WARN Winch	715007785
	<ul> <li>Double-powder-coated construction.</li> <li>Required to use the Synthetic Winch Cable (715001118) on WARN winches.</li> <li>To be used with synthetic winch cables only.</li> </ul>		

		Can-Am HD Winch	715006430
Synthetic Winch Cable		WARN Winch	715007783
	<ul> <li>50' of 14" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.</li> <li>Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cab damage and wear.</li> </ul>		
7	<ul> <li>WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.</li> </ul>		ble to avoid damage and premature

Niro Pono Ponlacoment		Can-Am HD Winch	705014978	
/ire Rope Replacement		WARN Winch	715006699	
-0		m) wire rope for Can-Am HD Winch. m) wire rope for WARN winch kit. strength.		
ynthetic Cable Extension			715001120	
	<ul> <li>Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.</li> <li>Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.</li> <li>4,500 lb (2,041 kg) single line capacity.</li> </ul>			
Ninch Electrical Harness		Maverick, Maverick MAX	715003585	
	Required for winch installa	tion.		
Rear Winch Harness			715006007	
	Required for installation of	a winch on the S3 Rear Winch Bumper.		
Wired Remote Control		Can-Am HD Winch <sup>‡</sup>	715006504	
PP	<ul> <li>This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.</li> <li>OEM stock winch is sold separately.</li> <li>EC compliant.</li> </ul>			
21		ed to use remote control on a vehicle with a factory installed nd connection socket are included.	d winch.	
Wireless Remote Control		WARN Winch	715002542	
	<ul> <li>The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.</li> <li>The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.</li> <li>All components are weatherproof.</li> </ul>			
K rc/X mr Rear Tow Hook		Maverick, Maverick MAX 2021 & prior	715004450	
6		conto in case towing is needed.		
A CONTRACT		ost straps and hooks. mm) steel plate and %" (16 mm) steel hook tube. X rc and X mr models.		
Litakaa				
Hitches Rear Hitch		Maverick, Maverick MAX 2021 & prior	<b>715002883</b> · Black <b>715003938</b> · Can-Am Red	
	<ul> <li>Rugged lightweight steel c</li> <li>E-coated finish.</li> <li>Fixed mounting point for tr</li> <li>This hitch offers 1,300 lb (§</li> <li>Hitch ball not included.</li> </ul>	onstruction. ailer ball to provide vehicle with towing capabilities		
Front and Rear Hitch Drawba	ar	Maverick, Maverick MAX	715008350	
	<ul> <li>Standard on 2" (5 cm) rece</li> <li>It offers 1,650 lb (750 kg) o</li> <li>Hitch ball not included.</li> <li>Forged steel.</li> </ul>			

# PERFORMANCE

#### **Smart-Lok Technology** Maverick produced after January 1, 2017 Maverick MAX **Smart-Lok Differential** 705402936 Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential with electronically controlled automatic modes. · Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff Lock" for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent calibrations for your type of riding. · Using multiple input sources, "Smart Mode" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a feeling of confidence The Smart-Lok Differential Kit comes standard with the Trail Mode. · Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode Module (sold separately) to fine-tune your riding environment. · Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation. Maverick, Maverick MAX 705401634 · 64" **Performance Half Shaft** 705402048 · 72 Mayerick Mayerick MAX High-performance design ideal for off-road use, with superior protection in any riding usage. M · Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle. Required to install the Smart-Lok Differential Kit. Mud Smart Mode Module Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) 715005282 (Not illustrated) This module allows you to add the Mud Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Mud Smart Mode on vehicles equipped with a standard Smart-Lok. The Mud Mode has been specially designed to deliver superior traction in the deepest mud holes. When high engine torgue and/or slippage is detected. Smart-Lok will fully lock the front end. The system will stay locked until throttle release. Only one Smart Mode Module can be installed at a time. **Rock Smart Mode Module** Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) 715005283 (Not illustrated) This module allows you to add the Rock Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Rock Smart Mode on vehicles equipped with a standard Smart-Lok.

The Rock Mode has been specially designed to help cross challenging rocks.

- When high engine torque is detected at low vehicle speed, Smart-Lok will progressively lock the front end and will stay
  engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.
- Only one Smart Mode Module can be installed at a time.

Trail Activ Smart Mode Module (Not illustrated)	Maverick, Maverick MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005284
This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit     accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.		
The Trail Activ mode has	The Trail Activ mode has been designed for aggressive riding, delivering the ultimate cornering precision.	
<ul> <li>When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok will progressive the front end and maintain it engaged until throttle release or vehicle speed reduction.</li> </ul>		
<ul> <li>The progressive engagement allows for smoother and lower steering effort.</li> </ul>		
<ul> <li>Only one Smart Mode Module can be installed at a time.</li> </ul>		

 Lonestar Racing Mud Flaps with Brackets
 Maverick, Maverick MAX
 715004865

 • These bolt-on mud flaps make a great addition.
 • Durable chromoly brackets.
 • Durable chromoly brackets.

 • Protect trailing arms, rotors and CVs from rocks and debris.
 • Sold in pairs.

#### Lonestar Racing Heavy-Duty Shift Plate & Knob

Maverick, Maverick MAX

715004866

- The shift plate is made from durable stainless steel and bolts into place for a secure fit.

R. Carlos

The kit comes with a billet aluminum Lonestar Racing shift knob.

 $\boldsymbol{\cdot}$  Offers improved durability for the performance-oriented driver.


Lonestar Racing Outer Toe Link Boxed Gussets Roller Fairlead	Maverick, Maverick MAX 2021 & prior	715004868
Protects and stren     Includes high-grad	gthens the middle radius rod links from rough riding condi le steel bolts.	itions.

Lonestar Racing Quick Release Clutch Cover Pins	Maverick, Maverick MAX	715005045

Includes 4 stainless steel "quick release" pins with clips and tethers.

- Replaces all clutch cover screws.
- This product affects the clutch cover sealing.
   It is highly recommended to use this product under dry riding conditions only.

Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate	Maverick, Maverick MAX 2021 & prior	715005046



Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.



• Easy to install.

Yoshimura <sup>†</sup> Slip-on Exhaust		Maverick, Maverick MAX		715002882
	<ul> <li>Developed in collaboration with Yoshimura.</li> <li>Made from 304-grade stainless steel with brushed aluminum tip.</li> <li>Better sounding, better looking and 19% lighter than stock muffler.</li> </ul>		<ul> <li>USDF/USDA approved spark arrester.</li> <li>Fuel injection system tuning not required.</li> <li>ROHVA and EPA compliant.</li> <li>Not EC compliant.</li> </ul>	
Performance Air Filter by Tw		Maverick, Maverick MAX		715002895
	<ul> <li>The best choice for the hars</li> <li>Multiple staged oiled filterir</li> <li>Washable and reusable.</li> </ul>		ning capacity with high a	irflow.
Foam Replacement (Not illustrated)		Maverick, Maverick MAX		715000713
	Replacement foam for Perfo	ormance Twin Air Filter.		
Snorkel Pre-filter		Maverick, Maverick MAX (with Snorkel Kit)		715005599
	<ul> <li>Helps keep air filter cleaner</li> <li>Filter blocks particles larger</li> </ul>	ur engine in harsh riding cond		

		Maverick, Maverick MAX (2019 and prior)		715003733
Snorkel Kit		Maverick, Maverick MAX (2020 & up)		715007110
	be semi-submersed in v taking in water. • Not compatible with S&	vater or mud without the engine B Particle Separator, LinQ Racing Rear Intrusion Bar or any		800780 (sold separately) is required nodels manufactured before January ick X mr models.
Radiator Relocator		Maverick, Maverick MAX		715004937
	<ul> <li>Relocates stock radiator</li> <li>Protects it from debris a</li> <li>Prevents cooling perform</li> <li>Reduces hot air in the case of the store of the s</li></ul>	nd rocks. mance loss in muddy conditions. abin.	mounted accessori Upper Soft Doors (e	h any bed accessories, Rear Cage ies, Complete MTX Audio system and except LinQ 8 gal [30 L] Cooler Box). 03) is required for installation h full windshield.
	Do not tamper with unauthorised mo	difications or install equipment not specificall	ly certified by BRP for the v	hicle once modifications are made to understan rehicle. These modifications have not been teste accessories for your vehicle.
850 W Magneto Kit		Maverick, Maverick MAX (2021 a	& up)	715006279
	<ul> <li>Increases the magneto</li> </ul>	output to 850 W.		1
	Includes rotor, stator and	d regulator.		
High Output 172 HP Upgrad	le Kit X3	Maverick, Maverick MAX (2017)	models)	715004700
	Installation must be don     C.A.R.B. Executive Orde	th fan, fuel pump catalyst and high pe he by an authorised BRP dealership to r #D-799U.	preserve the vehicle	- 
172 HP Intercooler Upgrade (Not illustrated)	e Kit	Maverick, Maverick MAX (2018 a Maverick, Maverick MAX (2020)		715007137 715007277
Emergency Accesso	Requires the Power Upg Dries	the Maverick 2018 & up. the by an authorised BRP dealership to grade Installation Kit (715007111). Maverick. Maverick MAX	o preserve the vehicle	2's warranty.
Lonestal Racing File Litting		,	O	
	extinguisher out in a ma • Made of billet anodized • Fits 1.85" (4.7 cm) tubin • Can be fixed anywhere o • Provides riders with the	tter of seconds in an emergency. black aluminum. g.	Comes with both b plate and two clam Fire extinguisher so "Lonestar Racing fo	old separately.
Fire Extinguisher				295100833
	<ul> <li>Ideal for grease, oil and</li> <li>Fits with Lonestar Racin</li> <li>Not EC compliant.</li> <li>Not available in Europe.</li> </ul>	electrical fires. Ig Fire Extinguisher Support Kit.		

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorised modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorised BRP dealer for suitable available accessories for your vehicle.

Maverick, Maverick MAX



Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
powersport enthusiasts can find themselves in.

Includes: jumper cables, air compressor, tire repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties, cloth rags.

# **APACHE TRACK SYSTEMS**

### Winter Tracks

### Limited Warranty\*

Apache Backcountry LT Track System		Maverick, Maverick MAX		715004734
	<ul> <li>Tracks designed to deliver t on the market with unmatch traction on snow surface.</li> <li>Large contact patch, 37% b LT.</li> <li>Impressive added ground c keep the vehicle over the sr</li> <li>Lightweight snowmobile-in</li> </ul>	ned flotation level and igger than the Apache 360 learance of 7" (18 cm) helps now.	<ul> <li>Maximum traction o</li> <li>Apache Backcountr and Engine and CVT</li> <li>Fine-tune your track Sliders with Vespel</li> <li>For winter use only.</li> </ul>	sign with 2" (5 cm) lug height for n snow. y LT Mounting Kit, Track DPS Module Pre-Filter are required. system using extra Idler Wheels, nserts and Rail Ice Scratcher. Il affect vehicle width and length.
	unting Vit			715004397 · 64" models

Maverick, Maverick MAX

# Apache Backcountry LT Mounting Kit (Not illustrated)

Required for installation of the Apache Backcountry Track LT System.

DPS Module and Pre-Filter are required and sold separately.

### Year-Round Tracks

#### Limited Warranty\*

715004394 · 72" models

Apache 360 LT Track System	Maverick, Maverick MA	<	715005103	
	<ul> <li>Multifunctional tracks designed to support heavy loa and to fit on most Can-Am off-road vehicles.</li> <li>Extra contact patch adjustment for better performan</li> </ul>	• Apache 360 LT Mou	<ul> <li>EC compliant.</li> <li>Apache 360 LT Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter Kit are required and sold</li> </ul>	
	over rough terrain. • Contact patch is 7 to 9% bigger than the Apache 360	separately.		
	<ul> <li>Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.</li> </ul>			

Apache 360 LT Mounting Kit (Not illustrated)	Maverick, Maverick MAX	<b>715004392</b> · 64" models <b>715004393</b> · 72" models
Required for	installation of the Apache 360 LT Track System.	

Track DPS Module and Pre-Filter not included.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

# **APACHE TRACK SYSTEMS FITTING GUIDE**

Apache	e Backcountry LT					
Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up	Maverick, Maverick MAX (64" Models)		715004397	715007338 Maverick, Maverick Max 2022 & prior (except Turbo RR Engine)		
2017 & Up	Maverick, Maverick MAX (72" Models)	715004734	715004394	OR 715006266 Maverick, Maverick Max 2023, and 2022 & prior with Turbo RR Engines	<b>715005600</b> (except X mr)	715005599

### Apache 360 LT

Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up	Maverick, Maverick MAX (64" Models)		715004392	715007338 Maverick, Maverick Max 2022 & prior (except Turbo RR Engine)		
2017 & Up	Maverick, Maverick MAX (72" Models)	715005103	715004393	OR 715006266 Maverick, Maverick Max 2023, and 2022 & prior with Turbo RR Engines	715005600	715005599

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Accessories			
Rail Ice Scratchers		Apache Backcountry LT Track System	860201728
	<ul> <li>Provide additional lubricatio</li> <li>Rail mounted, small, light.</li> <li>Design expands on coil con</li> <li>Easily stored when not in us</li> <li>Extends slider life.</li> </ul>	cept to allow reversing without damage.	
Apache Backcountry LT Whe	el Kit	Apache Backcountry LT Track System	715006293
1.3	Extends slider life in hard sr	sistance in hard snow conditions or when transporting heavier loads. now conditions. shaft and mounting hardware per kit to service one track corner.	
Sliders with Vespel <sup>†</sup> Inserts		Apache Backcountry LT Track Systems	503194815
	<ul> <li>Use DuPont Vespel inserts</li> <li>Longer life.</li> <li>Can be cut to desired length</li> <li>8 needed per vehicle.</li> <li>Sold individually.</li> </ul>		
Track DPS Module		Maverick, Maverick MAX (Turbo RR Engine only)	715006266
(Not illustrated)		Maverick, Maverick MAX (except Turbo RR Engine)	715007338
	<ul> <li>Innovative DPS module that perfect track control and ric</li> <li>Required to install the Apac</li> </ul>	5	

#### Engine & CVT Air Intake Pre-Filter

Maverick, Maverick MAX (except X mr models)

715005600

- Adds extra protection to your engine in harsh riding conditions.

### · Helps keep air filter cleaner.

- Filter blocks particles larger than 0.007" (0.19 mm).
- · Easy installation.
- Not compatible with S&B Particle Separator.

· Necessary to maintain vehicle warranty when tracks are installed.

Required to install the Apache Backcountry LT and Apache 360 LT Track Sytems.

# **PROMOUNT PLOWS**

### **ProMount Plow Kits - Reference Charts**

	72" Black Steel	72" Yellow Steel	72" Flex2
Plow Kit	715008176	715008177	715008175
Blade	715004474	715006021	715004485
Push Frame	715008116	715008116	715008116
Mounting Plate	715008197	715008197	715008197

Maverick, Maverick MAX

### **Can-Am ProMount Steel Plow Kits**

#### Can-Am ProMount Steel 72" (183 cm) Plow Kit



- These kits include:
  - Can-Am ProMount Steel Blade
  - Push Frame with Quick-Attach System
  - Can-Am ProMount Mounting Plate

### **Can-Am ProMount Steel Blades**

Can-Am ProMount Steel 72"	(183 cm) Blade	Fits ProMount Push Frame		<b>715004474</b> · Black <b>715006021</b> · Yellow	
	<ul> <li>Plow blade made from 12-gauge steel.</li> <li>Replaceable wear blade.</li> </ul>		<ul> <li>Clears 66" (168 cm)</li> <li>Blade height of 17" (</li> </ul>	when plow is fully angled. 43 cm).	
Gell Pellin		Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.		Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.	
the second se	<ul> <li>Blade design provides best</li> </ul>	snow roll-off at any angle.	<ul> <li>Not compatible with</li> </ul>	S3 High Clearance Front A-Arm.	

**715008176** · Black

715008177 · Yellow

### **Can-Am ProMount Angle Plows**

Can-Am ProMount 72" (183 State Blade	cm) Steel Oneway	Fits ProMount Push Frame		715007264
	<ul> <li>Make the job easier with the and make the task easier by out of the way.</li> <li>Wing end of plow measures down to 16" (41 cm).</li> </ul>	sending the snow further	higher. • Rubber Flap (71500	tate plow designed to throw snow 7299) designed to keep snow away ered as accessory (sold separately).

# Can-Am ProMount Flex2 Plow Kit

#### Can-Am ProMount Flex2 72" (183 cm) Plow Kit

These kits include:

- Can-Am ProMount Flex2 Blade - Push Frame with Quick-Attach System

- Can-Am ProMount Mounting Plate

### **Can-Am ProMount Flex2 Blades**

Can-Am ProMount Flex2 72" (	183 cm) Blade	Fits ProMount Push Frame	715004485
	<ul> <li>Plow blade made of UHMW absorbing material prevents accidental impact occurs.</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point.</li> </ul>	a damaging your plow when blade rotation to eliminate • Clears 66" (168 cm, • Blade height of 17" • Compatible with Ca further enhance plo	an-Am ProMount Blade accessories to
Can-Am ProMount Ple	ow Accessories		
Can-Am ProMount Edge Mark	ers	Maverick, Maverick MAX	715004206
	(except for the Can-Am Prof	oMount Steel and Flex2 Blades with or without Blade Mount Steel 54" (137 cm) Blades).	Extensions
Can-Am ProMount 72" (183 cr	n) Plastic Wear Blade	Maverick, Maverick MAX	715004483
	<ul> <li>Ideal to prevent marks on yc</li> <li>Compatible with Can-Am Pr</li> </ul>	-	
Can-Am ProMount Drift Cutte	rs	Maverick, Maverick MAX	715006258
			Extensions

Maverick, Maverick MAX

Can-Am ProMount Blade Ex	xtensions	Maverick, Maverick MAX	<b>715004205</b> · Black <b>715005319</b> · Yellow
- 1111	<ul> <li>Add 3" (8 cm) each</li> <li>Compatible with Carteria</li> </ul>	v extend your Can-Am ProMount Blade. side. an-Am ProMount Blades (except for the Can-Am can be installed to go over the extra length giver	

#### ----- -~ - -

. . . . . .

715008175

Back Drag Blade (Not illustrated)		ProMount Plows (60" and more)		715007794	
	<ul> <li>¼ thick steel swivel scraper.</li> <li>Lifts up when the vehicle is affect the scraping.</li> <li>Increased capacity to pull s</li> <li>More aggressive scraping in</li> </ul>	moving forward so as not to now.	<ul> <li>Adjustable in length with 60", 66" and 72</li> <li>Compatible with Pro</li> </ul>		
Curved Wear Blade (Not illustrated)		Maverick, Maverick MAX		<b>715007793</b> · 72" (183 cm)	
	Wear blade designed with a     The increased surface allow	n folded back bottom lip. vs for less digging while plowi	ng uneven surfaces		

Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

## Can-Am ProMount Custom Solutions


Can-Am ProMount Push Fra with Quick-Attach System		Maverick, Maverick MAX		715008116
<b>1</b>	<ul> <li>Heavy-duty steel tubes designed use.</li> </ul>	to withstand the roughest	<ul> <li>Plow Limit Switch re lifespan.</li> </ul>	commended to extend winch cable
All and a second	<ul> <li>Mid-mount carriage provides ult traction.</li> </ul>	imate push strength and	<ul> <li>Can-Am ProMount N installation.</li> </ul>	Nounting Plate required for
	<ul> <li>Designed for maximum plow lift</li> </ul>	height.	<ul> <li>Blade swivels left or</li> </ul>	right, 5 positions.
	<ul> <li>Features a self aligning quick-att release pedal and an ergonomic adjustment.</li> </ul>		<ul> <li>Large pin designed f dirt and snow buildu</li> <li>Plow Roller Fairlead</li> </ul>	

**Can-Am ProMount Push Frame Extension** 



• 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Maverick, Maverick MAX



ı.

Can-Am ProMount Plow Angl	ing System	Maverick, Maverick MAX	715009241
	Allows you to have full up/de     Using one hand to control al     Compatible with the SxS Pro     Not compatible with Apache	into an easy-to-control unit from the driver's seat. own and left/right plow control at your fingertips with t Il plow motions allows you to easily concentrate and m oMount Push Frame and Blade. e Backcountry LT Track System. 006257) is required for installation with the Front Ranc tely.	anage your plowing tasks.
ProMount Plow Limit Switch (Not illustrated)		Maverick, Maverick MAX	715006259
	For controlling the cable ten     Prevents winch, plow push f	ision when over-raising your plow system. irame and vehicle damage.	^

Sensor relocated for optimal lift height.

# **Plow Roller Fairlead**

Maverick, Maverick MAX Larger diameter lower roller reduces wear on wire rope for plow application.



Can be used with all ProMount plows.

**715001223** • Cylindrical Roller Fairlead

715006257

1

# **COVER & TRAILERING**

Trailering Cover		Maverick	715005813
(Not illustrated)		Maverick MAX	715005814
	Heavy-duty canvas made	of UV-resistant solution-dyed polyester.	
	<ul> <li>Inner soft liner protects w</li> </ul>	indshield and colored panels from abra	sion.
	<ul> <li>All high-abrasion areas ar</li> </ul>	e reinforced with a double canvas layer.	
	<ul> <li>Weather-resistant trailering</li> </ul>	ng cover protects your vehicle during sto	prage and transportation.
		cabin access on passenger side.	
	<ul> <li>Quick and easy installatio</li> </ul>		
	<ul> <li>Designed to perfectly fit y</li> </ul>	our vehicle with or without Can-Am acc	essories.
Bolt-On† Retractable Ra	tcheting Tie-Downs		295101072
	<ul> <li>Perfect for transporting year</li> </ul>	our powersport vehicle or securing load	S.
	<ul> <li>Mounts easily: bolts on ar</li> </ul>	ny flat surface (e.g., truck bed or frame).	
	<ul> <li>1" x 6' (2.5 cm x 1.8 m) tie</li> <li>1,500 lb (680 kg) break str</li> </ul>		at delivers a 500 lb (226 kg) working load strength and
7		ish button automatically slackens, spoo to secure your vehicle or load into place	s and stores away strap, while the ratchet mechanism
	• • • •		coated to protect whatever surface it hooks into.
DIQUE!	<ul> <li>Sold in pairs.</li> </ul>	provides intri grip, and the nook is virgi	
Ratchet Tie-Downs			<b>715008309</b> · Black/Gray
(Contraction and the post-	<ul> <li>400 lb (181 kg) safe worki</li> </ul>	ng load.	
MANAGE ADVANCE CARAME	• 1" x 10' (2.5 cm x 3 m) stra	p with Sea-Doo, Ski-Doo and Can-Am lo	ogos.
	<ul> <li>Deluxe ratchet with rubbe</li> </ul>	er handle.	
	<ul> <li>Coated S hooks.</li> </ul>		
	Pack of 2.		
Heavy-Duty Ratchet Tie	-Down		715008308
	<ul> <li>1,000 lb (454 kg) safe wor</li> </ul>	king load.	
		mm) strap with BRP brands.	
	Deluxe ratchet with rubbe		
	<ul> <li>Black-coated clip hooks.</li> </ul>		
	<ul> <li>12" (300 mm) webbing ind</li> </ul>	cluded.	
· · · · · · · · · · · · · · · · · · ·	Pack of two.		

- 12" (300 mm) webbing included.
- Pack of two.



# CAN-AM MAVERICK R

# **ACCESSORIES**

Roofs	94
Windshields & Wind Protection	94
Mirrors	95
Upper Wind Nets	95
HMWPE Skid Plates	96
Bumpers & Guards	96
LinQ: Easy On, Easy Off Cargo	98
Racks & Storage	102
ACM & SMART Accessories	105
Lights	106
Audio Systems	109
Electrical & Electronic Accessories	110
Winches	111
Performance	113





# BUNDLE UP TO LEAVE YOUR MARK. Your maverick r bundles.

# STEP 1: CHOOSE YOUR ESSENTIAL BUNDLE

STARTER	Aluminum Side Mirrors	715007363
	Electronic Device Holder	715007176
SIANIEN	LinQ Side Cargo Boxes (13.5 L)	715007372
	Upper Door Storage Bags	715008065
	Glass Windshield	715007181
	Cold Air Roof Scoop	715008280
ADVANCED	Rear Wind Screen	715007317
	XPS Screen Protector	860202680
PEAK	Intermittent Wiper & Washer Kit	715007173
	Wiper & Washer Kit Wiring Harness	715008855

Maverick R

Maverick R

# STEP 2: PICK YOUR ADD-ON BUNDLE

	Accessory Control Module	715009796
ACM	Rear ACM Harness	715009268
	SMART Control Center for ACM	715007712
	SMART Integrated LED Side Mirror Lights	715007185
	SMART Integrated LED Hood Light	715007378
SMART LIGHTS	SMART Integrated LED Roof Light	715007322
	SMART LED Chase Lights	715007727
	Can-Am JL Audio System - Level 5	715007957
AUDIO	Auxiliary Battery Installation Kit	715007837
	Desert Front Bumper	715007311
	LinQ Trunk Box (96L)	715007182
ADVENTURE	Adventure Roof Rack	715007186
	LinQ Pivoting Rack	715007306

# YOU DESERVE THE BEST. THE ESSENTIAL MAVERICK R BUNDLE.

# YOU WANT IT ALL? WE'VE GOT IT ALL!

Maverick R

Aluminum Side Mirrors	715007363
Electronic Device Holder	715007176
LinQ Pivoting Rack	715007306
LinQ Side Cargo Boxes (13.5 L)	715007372
LinQ Trunk Box (96 L)	715007182
Upper Door Storage Bags	715008065
Overhead Storage Bag	715007379
Shoulder Storage Bag	715007371
Glass Windshield	715007181
Cold Air Roof Scoop	715008280
Rear Wind Screen	715007317
Upper Wind Nets	715007376
XPS Screen Protector	860202680
Accessory Control Module	715009796
Rear ACM Harness	715009268
SMART Control Center for ACM	715007712
SMART Integrated LED Side Mirror Lights	715007185
SMART Integrated LED Hood Light	715007378
SMART Integrated LED Roof Light	715007322
SMART LED Chase Lights	715007727
Intermittent Wiper & Washer Kit	715007173
Can-Am JL Audio System - Level 5	715007957
Can-Am JL Audio Roof - Level 4	715007309
Auxiliary Battery Installation Kit	715007837
Rock Sliders	715007170
Desert Front Bumper	715007311
Desert Rear Bumper	715007172
HMWPE Skid Plate Kit	715007373
Front Intrusion Bar	715007312

# NOTHING BUT THE BEST

# <u>ROOFS</u>

NEW Sport Roof	Maverick R	715007364
	<ul> <li>Impact-resistant injected polypropylene.</li> <li>Provides excellent protection from the elements and downhill visil</li> <li>Designed to work with the Cold Air Roof Scoop (715008280).</li> <li>Windshield compatible.</li> </ul>	bility.
NEW Cold Air Roof Scoop	Maverick R	715008280
	<ul> <li>Increases cold air to the intake to prevent power loss.</li> <li>Required when using a full windshield.</li> <li>Requires a Sport Roof or Can-Am JL Audio Roof - Level 4.</li> </ul>	
	Not compatible with the Audio Roof Flip Kit.	ON
Windshields		<b>ON</b> 715007181
	DS & WIND PROTECTI	715007181 passenger from the elements.

EW Full Windshield - Hardcoated	Maverick R	715007321
<ul> <li>Formed po</li> <li>Provides ex</li> <li>Protects th</li> <li>Quick and</li> <li>Use with re</li> <li>Can be use</li> <li>Compatible</li> <li>Must be use</li> </ul>	act-resistant Quantum <sup>†</sup> hardcoated polycarbonate fu lycarbonate construction for enhanced rigidity. xcellent optical clarity and better abrasion resistance ie driver and the passenger from the elements. easy toolless removal. ear wind protection to maximize comfort for the pass ed with the Windshield Wiper & Washer Kit (7150071 e with SMART Integrated Roof LED Light. sed with the Cold Air Roof Scoop (715008280). titible with the Audio Roof Flip Kit (715008164).	enger.
termittent Wiper & Washer Kit	Maverick R	715007173
<ul> <li>The wiper</li> <li>The wiper</li> <li>The wiper</li> <li>For use on</li> <li>Intermitten</li> </ul>	ay to keep your windshield clear in the rain, or while mechanism and washer fluid dispenser are perfectly and washer fluid dispenser installs at the bottom of 1 Glass or Hardcoated Windshields. It wiper speed feature available when the kit is instal arness required (715008855) to hook up and operate ately.	v concealed on the vehicle. he windscreen for maximum visibility. led in combination with ACM.
EW Manual Wiper Kit	Mayerick B	715009424

Large ergonomic handle provides a good grip over the entire sweeping surface.
Compatible with glass and hardcoated windshields that use top mounted wipers.

94 CAN-AM MAVERICK R ACCESSORIES

### **Rear Wind Protection NEW Rear Polycarbonate Window** 715007315 Maverick R High impact-resistant polycarbonate window. · Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort. · Quick and easy installation. · Designed to work with Can-Am's JL Audio Level - 3 and 5 rear speakers, and all roofs. **NEW Rear Wind Screen** Maverick R 715007317 · Full rear mesh screen reduces windshield backdraft for added cabin comfort. · Installs quickly and easily on roll cage. MIRRORS **NEW** Aluminum Side Mirrors Maverick R 715007363 Sleek design.

- The convex surface provides a wider field of view and better visibility around the unit.
   Can be installed at any height on the cage A-pillar for optimized rider vision.
   Possibility to install the Integrated LED Side Mirror Lights (715007185).
   Adjustable ball-joint mirrors.
   Possibility to fold down the mirrors (fold-away mechanism).
   Compatible with windshields and upper door net.
   Sold in pairs.

  NEW Side Mirrors

   Maverick R
   715007188

   Sleek design.
   High-impact resistant plastic mirrors.

   The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimized rider vision.
  - Adjustable ball-joint mirrors.
  - Possibility to fold down the mirrors (fold-away mechanism).

· High-quality black molded aluminum for extreme durability.

- Compatible with windshields and upper door net.
- Sold in pairs.

Rear View Mirror and Camera Monitor		Maverick R	715009410
	Fully waterproof rear	view mirror and monitor kit.	
	<ul> <li>See exactly what you</li> </ul>	need to see with the multiple camera feed	is from the rear view camera.
	This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).		

- Inis unit replaces the stock rearview mirror (the screen is
- The camera uses infrared light for night vision capabilities.

# <u>UPPER WIND NETS</u>


a mile mil

NEW Upper Wind Nets		Maverick R	715007376
ACAST	<ul> <li>This complete mesh screen the wind and mud.</li> </ul>	net with a steel frame attaches to the door of the vehic	le for added protection from
	<ul> <li>Easy to use, it follows the do</li> </ul>	por's movements.	
	<ul> <li>Facilitates ingress and egre</li> </ul>	SS.	
	• The net zine up and down for	or added ventilation when required	

The net zips up and down for added ventilation when required.

Sold in pairs.

# <u>HMWPE SKID PLATES</u>



# **MAVERICK R**

2023

### **HMWPE Skid Plate Protection Kit**

715007373

Individual HMWPE Skid Plates		
1 HMWPE Front A-Arm and Trailing Arm Protectors	715007183	
2 HMWPE Front Skid Plate	715007313	
3 HMWPE Underbelly Plate	715007314	

Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed %" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

- · Lighter than aluminum.
- Superior stress crack resistance.
- · High-impact strength.

# **BUMPERS & GUARDS**

### **Bumpers**

NEW Trail Front Bumpers		Maverick R		<b>715007803</b> · Black <b>715008763</b> · Yellow
	<ul> <li>Can-Am's largest front bumper protects the headlights and radiator area of the unit.</li> <li>Added heavy-duty protection in extreme driving conditions.</li> <li>Made of 1.5" (3.8 cm) diameter steel tubing.</li> <li>Anti-corrosion coating with durable powder coat finish.</li> <li>Combine with the Rock Sliders and Rear Bumper for ultimate protection.</li> <li>Features integrated mounting points for lights.</li> <li>Winch compatible.</li> </ul>		it.	
NEW Desert Front Bumpers		Maverick R		715007311 · Black 715007691 · Yellow
	<ul> <li>Sleek and rugged design.</li> <li>Provides added protection with the state of the state</li></ul>	ithout sacrificing the agility and pe	rformance of the v	ehicle.

- Made of heavy-duty steel profiled tubing to protect the front of the unit.
   Inside and outside anti-corrosion coating with durable powder coat finish.
  - Inside and outside anti-corrosion coating with durable powder coat finis
  - Combine with the Rock Sliders and Rear Bumper for ultimate protection.
  - Features integrated mounting points for lights.Winch compatible.

96 CAN-AM MAVERICK R ACCESSORIES

NEW Dune Front Bumpers		Maverick R	<ul> <li>715007169 · Black</li> <li>715007305 · Raw Metal</li> </ul>
	<ul> <li>Allows for better ground cle</li> <li>The sleek design gives the u</li> <li>Made of heavy-duty steel with the steel w</li></ul>	unit a sportier look. ith a ⅛" (3 mm) aluminum plate. osion coating with durable powder coat finish.	es added protection to the vehicle.
NEW Desert Rear Bumpers		Maverick R	<ul> <li>715007172 · Black</li> <li>715007694 · Yellow</li> </ul>

- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
  - Made of heavy-duty steel profiled tubing.
  - Inside and outside anti-corrosion coating with durable powder coat finish.
  - $\boldsymbol{\cdot}$  Combine with the Rock Sliders and Front Bumper for ultimate protection.

# **Rock Sliders**

NEW Rock Sliders		Maverick R	715007170 · Black 715007693 · Yellow
	<ul> <li>Made of unique heavy-duty</li> <li>Inside and outside anti-correction</li> </ul>	prove accessibility to the roof cargo.	
NEW HMW-HDPE Rock Slide	rs	Maverick R	715008142

#### **NEW HMW-HDPE Rock Sliders**

<ul> <li>The sleek design gives the vehicle a sportier look.</li> <li>Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.</li> <li>Made of combination of HMWPE and HDPE for extra durability.</li> <li>Add the Dune Front Bumper for ultimate protection and integrated lights for optimal visibility.</li> <li>Sold in pairs.</li> </ul>

### **Intrusion Bar**

<b>NEW</b> Front Intrusion Bar	Maverick R	715007312
177	<ul> <li>The steel intrusion bar matches the vehicle's styling and enhances its visual impa</li> <li>The tube's design doesn't obstruct the rider's line of sight, and reduces blind spot</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> </ul>	
	<ul> <li>Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (7100068 Light (715007322).</li> </ul>	18) and SMART Integrated LED Roof

Compatible with all windshields.

# LINQ: EASY ON, EASY OFF CARGO



# MAVERICK R'S LINQ ACCESSORIES

Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Standard Cargo Bed	LinQ Pivoting Rack 715007306	Adventure Roof Rack 715007186
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	inches apart, center-to-center. n the LinQ with 36" base acce IV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black			
LinQ Tool Kit 715006829		LinQ Base Installation Kit <b>715008125</b> (1 set needed/accessory)	LinQ Base Installation Kit <b>715008125</b> (1 set needed/accessory)
LinQ Tool Box 715008111	Central position: No further requirements (fit on stock mounted LinQ		
LinQ SR 5.5 Gal (21 L) Bag 860202449	anchors) Other positions:		
LinQ 4.5 Gal (17 L) Sport Bag 860202447	LinQ Base Installation Kit 715008125 (1 set needed/accessory)	(1001100000,000000.),	(1001100000,000000.5)
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base	<ul> <li>Mount on LinQ racks often</li> <li>Higher loading capacity that</li> <li>Usage is limited to Can-Am</li> </ul>	used by Can-Am ORV vehicles an the LinQ with 16" base acce 1 ORV vehicles.	s. essories.
LinQ Cargo Box (53L) 715006997			
LinQ Low Profile Box (63L) 715007827	No further requirements (fit on stock mounted LinQ	LinQ Base Installation Kit	LinQ Base Installation Kit
LinQ Cargo Basket (90L) 715005274	anchors)	715008125 (2 sets needed/accessory)	715008125 (2 sets needed/accessory)
LinQ 9.2 Gal (35L) Cooler 715006998			
LinQ Cargo Accessories			
LinQ Trunk Box (96L) 715007182	No further requirements (fit on stock mounted LinQ	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125
LinQ Side Cargo Boxes (13.5L) 715007372	anchors)	(2 sets needed/accessory)	(2 sets needed/accessory)
LinQ Holders			
LinQ Gear Grips 715005340	No further requirements	LinQ Base Installation Kit 715008125	Side wall installation LinQ Adapters
LinQ Tool Holder 715007358		(1 set needed)	715003058

# LinQ Accessories with 16" Base

			715005494 · (10 L)
			715007112 · (20 L)
inQ Modular Box		Maverick R	<b>715006830</b> · (30 L)
	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box si</li> <li>Can be installed on any Lind</li> <li>See table for installation loc</li> </ul>	a base with a 16" width.	cessible.
hermal Insert for LinQ Modu	lar Box (10 L)	Maverick R	219401110
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ Ma</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> <li>Interior dimensions: 9" L x 1</li> </ul>	ans.	
inQ Tool Box		Maverick R	715008111
	<ul> <li>5 gal (19 L) maximum capace</li> <li>Weather-resistant, sealed a</li> <li>Easy one-second on/off too</li> <li>All the benefits of LinQ—sir</li> <li>See table for installation loc</li> </ul>	nd lockable cover. I-less system. nple, fast and secure.	-
inQ Tool Kit		Maverick R	715006829
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench ¾" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	%" drive - 6 pts       - Combined         - Socket 18 mm %" drive       - Combined         - Long-socket 17 mm       - Combined         %" drive - 6 pts       - Combined         - Socket 15 mm %" drive       - Combined         - Socket 13 mm %" drive       - Combined         - Socket 10 mm %" drive       - Combined         - Socket 10 mm %" drive       - Combined         - Socket 10 mm %" drive       - Combined	nm %" drive d wrench 19 mm d wrench 18 mm d wrench 15 mm d wrench 13 mm d wrench 10 mm d wrench 8 mm rx T40 %" drive - Socket Torx T30 %" drive - Socket Torx T20 %" - Socket Torx T2
inQ 4.2 Gal (16 L) Cooler		Maverick R	■ 219400964 · Black 295100698 · White
	<ul> <li>All the benefits of LinQ—sir</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	r exceptional rigidity ation for optimal See table	second on/off tool-less system. ain twenty 355 ml cans. cold for three days. imensions: 13" L x 20" W x 10" H. mensions: 9" L x 17" W x 7" H. for installation location and requirements.
LinQ 4.5 Gal (17 L) Sport Bag		Maverick R	860202447
	<ul> <li>17-liter (4.5 US gallon, 1,037</li> <li>Rigid bottom, semi-rigid top</li> <li>See table for installation loc</li> </ul>	′ cu. in.) capacity.	

SR 5.5 Gal (21 L) LinQ Bag	Maverick R	860202449
	<ul> <li>All the benefits of LinQ—simple, fast and secure.</li> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting system (Patent US 8777531 and U</li> <li>Easy one-second on/off tool-less system.</li> <li>See table for installation location and requirements.</li> </ul>	S 8875830).
inQ Roll-Top Bag	Maverick R	715008110
	<ul> <li>Fully waterproof roll-top dry bag will securely store and co</li> <li>LinQ mounted using heavy-duty rigid plastic base.</li> <li>High capacity storage solution (40 L).</li> <li>Bottom foam liner for additional equipment protection.</li> <li>Integrated handle for easy transportation on/off the vehic</li> </ul>	
	<ul> <li>Dimensions: 14" L x 19" W x adjustable H.</li> <li>See table for installation location and requirements.</li> </ul>	
LinQ Accessories w IEW LinQ 9.2 Gal (35 L) C	<ul> <li>Dimensions: 14" L x 19" W x adjustable H.</li> <li>See table for installation location and requirements.</li> </ul>	715006998

# LinQ Cargo Box (53 L) Maverick R 715006997 • Made of polyethylene. • Storage capacity of 14 gal (53 L). • Easy to install and remove with the LinQ system. • New ergonomic and resistant latch system offers excellent sealing. • New ergonomic and resistant latch system offers excellent sealing.

- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

<b>IEW</b> LinQ Low Profile Box	(63 L)	Maverick R	715007827
	weatherproof, this b LinQ-mounted for el locked in place with easy to remove usin Can be installed in s configuration.	several 16" configurations, or in a 36 as can be installed on the cover to	<ul> <li>Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.</li> <li>Support feet at hinge level so the box can stand on its own.</li> <li>The compact design allows for maximum rear field of vision.</li> <li>Features a lock on the front of the box (two keys included).</li> </ul>
inQ Cargo Basket (90 L)		Maverick R	715005274
	Can already be insta		

- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) on the basket.

LinQ Cargo Accessories				
NEW LinQ Trunk Box (96 L)		Maverick R	715007182	
	<ul> <li>Features a maximum storag</li> <li>Easy to install, easy to remo</li> <li>Can already be installed on</li> </ul>	we with the LinQ system. your vehicle thanks to the stock mounted LinQ anchor. ion with the LinQ Side Cargo Boxes (13.5 L) for a compl		

NEW LinQ Side Cargo B	oxes (13.5 L)	Maverick R	715007372
	<ul> <li>Weatherproof box made of i</li> </ul>	mpact-resistant injected polypropylene reinforced witl	n glass fiber.
	<ul> <li>Features a maximum storag</li> </ul>	e capacity of 13.5 L each and 5 kg.	
	<ul> <li>Easy to install, easy to remove</li> </ul>	ve thanks to the LinQ system.	
	<ul> <li>Possibility of installing up to</li> </ul>	two LinQ 16" accessories between the LinQ Side Car	go Boxes (13.5 L).

- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.
- Compatible with the Pivoting Rack.

LinQ Holders			
LinQ Tool Holder		Maverick R	715007358
	<ul> <li>Ultra-versatile tool holder.</li> <li>Convenient swivel-latch allo</li> <li>Sold in pairs.</li> </ul>	ows tools to be stored in any orientation.	

LinQ Gear Grips		Maverick R	715005340
	Durable and flexible grips pr	ovide a custom fit for a variety of items from 1" to 4" (2	.5 cm to 10 cm) in diameter.
Anno 11 Anno 11	<ul> <li>Heavy-duty design for carryi</li> </ul>	ng howe fishing poles rakes farm tools and more	

- duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

## LinQ Mounting

LinQ Adaptor		Maverick R	715003058
000	<ul> <li>Sold in pack of 4.</li> <li>Allows the installation of the</li> </ul>		
LinQ Base Installation Kit		Maverick R	715008125
	Unique mounting fastener u     Included: 2 Cargo LinQ base	sable on any LinQ system accessory. as and hardware.	
LinQ Lock		Maverick R	860201968

	Simple way to securely lock most LinQ accessories.     Lock cover protects lock from the elements.
the state of the second st	Corrosion resistant.
	Pack of 1, includes 2 keys.
	Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

#### Spare Tire Ratchet Tie-Downs

#### Maverick R

280000955

715007306

715007186

**M** 

#### 3-way ratcheting tie-down strap with loop ends.

- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- · Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- · Required for spare tire attachment on Adventure Roof Rack.

# <u>RACKS & STORAGE</u>

### Racks

#### NEW LinQ Pivoting Rack

### Maverick R

Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place.
Anti-corrosion coating with durable powder coat finish.
Gaz cylinder pivot action, locks in the open position.
Possibility of installing up to three LinQ 16" accessories on top of the rack.
Compatible with LinQ accessories for installation under the rack.
Features anchor points for the spare-tire attachment.
Spare Tire Tie-Downs sold separately.

Maverick R

#### **NEW** Adventure Roof Rack

The ideal cargo solution. Pack all the gear you need to

 This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.

- take on any off-road experience.Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- Features anchor points for a spare tire attachment.
   Can be completed with LinQ Adaptor (715003058) on the side.

· Integrated mounting points for lights.

- The Spare Tire Tie-Downs sold separately.
- Sport roof is required for installation.

#### Storage


<b>NEW</b> Shoulder Storage Bag		Maverick R		715007371
	<ul> <li>This weather-resistant bag h securely while you ride.</li> <li>Attach the bag between the space and increase the vehi</li> <li>This bag has a 1.5 gal (6 L) c outer netting compartments hold items in place.</li> </ul>	seats to maximize unused cle's cargo capacity. apacity and is equipped with	the bags to be insta	base attaches to the doors, allowing lled. I makes the bag flexible enough to fit
NEW Overhead Storage Bag		Maverick R		715007379
	<ul> <li>This weather-resistant bag h securely while you ride.</li> <li>Makes smart use of the over the vehicle's cargo capacity</li> <li>The thermoformed base attainstallation and the soft con flexible enough to fit oddly s</li> </ul>	rhead space and increases by 2.3 gal (9 L). aches to the roof for easy bag struction makes the bag	<ul><li>items in the bag and storage space.</li><li>Contains two section that can be carried.</li></ul>	function for easier access to the function for easier access to the an integrated net for even more ns: a fixed bag and a detachable bag smartphone using the touchscreen- int pocket.
NEW Upper Door Storage Ba	gs	Maverick R		715008065
	These weather-resistant back	as hold your gear safely and	The thermoformed	base attaches to the doors, allowing

These weather-resistant bags hold your gear safely and securely while you ride.
The Door Bags fit in the upper door opening to increase your vehicle's cargo space.
Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
The thermoformed base attaches to the doors, allowing the bags to be installed.
Its soft construction makes the bag flexible enough to fit odd-shaped loads.
Added elbow cushions for extra comfort.
Sold in pairs.

NEW Lower Door Storage Bag	js	Maverick R		715007324
	<ul> <li>These weather-resistant bag securely while you ride.</li> <li>The Door Bags fit in the low the vehicle's cargo space.</li> <li>Each bag is designed as a 1 and equipped with inner net</li> <li>The thermoformed base atta the bags to be installed.</li> </ul>	er door opening to increase .3 gal (5 L) capacity pocket tting compartments.	<ul> <li>Its soft construction odd-shaped loads.</li> <li>Added cushions for</li> <li>Sold in pairs.</li> <li>Not compatible with (Level 5 Audio Syste</li> </ul>	Door Speakers
NEW Passenger Storage Seat	Bag	Maverick R		715008080
VEW Back Panel Storage Net	<ul> <li>This weather-resistant bag h securely while you ride.</li> <li>Bag settling on the passeng vehicle's cargo capacity.</li> <li>This bag features a 14.5 gal is divided into two compartr</li> <li>The top compartment is insis beverages cold and include</li> <li>Storage net behind the pass</li> </ul>	er seat to increase the (55 L) storage capacity and ments. ulated to keep your s two cup holders. Maverick R	such as a cell phone • The bottom compar- and serves as a large	tment is accessible from both sides e pocket for storing various items. ket at the front of the bag can be
NEW Bed Side Doors		Maverick R		715009154
	0	ut of the rear bed cavities of th safety items that remain on th s, one for each side.		

# INTELLIGENCE MEETS ACCESSORIES

Maximize your riding experience with live ECU information from your vehicle.



# Can-Am SMART Accessories are an industry first!

Driven by the Can-Am ACM (Accessory Control Module), the SMART accessories react to sensors in the vehicle. For example, lights change from Flood to Spot when you speed, and follow a curve's direction based on steering input.

# **ACM & SMART ACCESSORIES**

# Accessory Control Module (ACM)

<b>IEW</b> Accessory Control Mo	odule	Maverick R			715009796	
	<ul> <li>Bringing the SMART to acc</li> <li>Connect your accessories</li> <li>Easy accessory installation</li> <li>Creates an ecosystem that</li> <li>Includes ACM Front Harner (two auxiliary connectors a</li> <li>Requires ACM Rear Harnes</li> </ul>	to the 10.25" Color To n (plug and play). t makes installing acce ess to connect front-m- available).	uchscreen Displa essories quicker a ounted SMART ac	y. nd easier. ccessories to the	e Accessory Co	ntrol Module
JEW Rear ACM Harness		Maverick R			715009268	
	Required to connect rear-r     Creates an ecosystem that     Five auxiliary connectors a	t makes installing acce	0			
NEW SMART Control Cente	r for ACM	Maverick R			715007712	
	<ul> <li>modes, the illuminated hal the active mode.</li> <li>Icons illuminate when acc</li> <li>Make accessory control cl your eyes off the trail by ch</li> </ul>	essories are activated. hanges without having	this 6 pr to take Win	button is presse e-programmed dshield, All Fror		er Lights) and
SMART Accessories	required (quick access).			ogrammable bu accessories ins		
SMART Accessories	required (quick access).	Maverick R				
SMART Accessories NEW SMART Integrated LEI	required (quick access).	Maverick R			talled.	500 m

NEW SMART Integrated LED Hood Light	Maverick R	715007378
	5,250 lumens 30 m -10 -30 50 100 150	200 250 m
<ul> <li>Mounted flush inside the hood scoop for a signature look.</li> <li>Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).</li> <li>Spot/Flood combo beam.</li> </ul>	<ul> <li>5,250 lumens.</li> <li>Off/Low/High (switch activated).</li> <li>Off/Low/High/SMART Automatic Mode (Accessso</li> <li>Accessory Control Module (715009796) is required</li> <li>Wiring harness required for on/off function when Accessed and the second sec</li></ul>	for SMART functionality.

ı.

#### **NEW SMART Integrated LED Side Mirror Lights** Maverick R 715007185 3,000 lumens · Left & right dynamic lighting with Accessory Control Module (ACM) install. Follow · Light up corners.

- · Increase the width of the beams and illuminate the wheels for increased visibility.
- · Wide flood beam.
- 3,000 lumens for each light.

- steering wheel input. Accessory Control Module (715009796) is required for SMART functionality. · Wiring harness required for on/off function when ACM is not installed. Sold separately.
  - Require Aluminum Side Mirrors (715007363).
  - · Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

### **NEW SMART LED Chase Lights**

<ul> <li>Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.</li> </ul>	Modular to allow installation with rear roll cage mounted accessories.
Four modes available:	<ul> <li>Plug-and-play installation with the Accessory Control Module (ACM).</li> </ul>
- Trail Mode: serves as a tail light and as a brake light.	<ul> <li>Accessory Control Module (715009796) and Rear ACM</li> </ul>
<ul> <li>Chasing Mode: displays amber light pattern and serves as a brake light.</li> </ul>	Harness (715009268) are required for SMART functionality.
- Work Mode: white light to light up your cargo bed.	Electric Harness (715008210) required to hook up and
<ul> <li>Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.</li> </ul>	operate the LED Chase Lights (715007727) for a non-smart function when ACM is not installed.

Maverick R

Maverick R

#### **Intermittent Wiper & Washer Kit**

- An ideal way to keep your windshield clear in the rain, or while riding through mud and water. For use on Glass or Hardcoated Windshields. The wiper mechanism and washer fluid dispenser are installed in combination with ACM.
- perfectly concealed on the vehicle. The wiper and washer fluid dispenser installs at the
- bottom of the windscreen for maximum visibility.
- · Intermittent wiper speed feature available when the kit is
- · Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

715007173

715007727

# LIGHTS

### **SMART Lights**

	SM	ART LIGHTS WHE	N ACM IS INSTAL	LED		
SMART	SMART Integrated LED Roof Light <b>715007322</b>	SMART Integrated LED Hood Light 715007378	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727		
functionality	Accessory Control Module (ACM) with Front ACM Harness 715009796		Aluminum Side Mirrors 715007363 + Accessory Control Module (ACM) with Front ACM Harness 715009796	Accessory Control Module (ACM) 715009796 + Rear ACM Harness 715009268		
	SMART LIGHTS WHEN ACM IS NOT INSTALLED					
ON/OFF	SMART Integrated LED Roof Light 715007322	SMART Integrated LED Hood Light <b>715007378</b>	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights 715007727		
functionality	Wiring Harness 715008209	Wiring Harness 715008211	Aluminum Side Mirrors 715007363 + Wiring Harness 715008212	Wiring Harness 715008210		

\*All lights are intended for off-road use only.

# **BAIAL**ights

		2	Choose your lig	nts			
1 Choose your	<b>BAJA LIGHTS WHEN ACM IS INSTALLED</b>						
mount point	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar <b>710006818</b>	10" (25 Cm) Baja Designs OnX6 LED Light Bar <b>710006819</b>	Baja Designs XL Sport LED Lights <b>710006821</b>	Baja Designs Squadron Sport LED Lights <b>710004648</b>	Baja Designs XL80 LED Lights <b>710005041</b>		
<b>Desert Front Bumper</b> (15007311 or 715007691)							
rail Front Bumper (15007803 or 715008763)	N/A	N/A	<ul> <li>LED Lights</li> <li>ACM Adaptor</li> <li>715007715</li> </ul>	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715		
oof with Light Support Bar 15003529)	N/A	N/A					
oof Light Mounting Kit	LED Light Bars	N/A	N/A	N/A	N/A		
oof Light Mounting Kit High Position (715007930)	ACM Adaptor 715008213	N/A	N/A	N/A	N/A		
		2	Choose your lig	hts			
	B	AJA LIGHTS V	VHEN ACM IS I	NOT INSTALL	ED		
Choose your mount point	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar <b>710006818</b>	10" (25 Cm) Baja Designs OnX6 LED Light Bar <b>710006819</b>	Baja Designs XL Sport LED Lights 710006821	Baja Designs Squadron Sport LED Lights <b>710004648</b>	Baja Designs XL80 LED Lights 710005041		
esert Front Bumper 15007311 or 715007691)	N/A	Wiring Harness 715008863		710004048			
rail Front Bumper 15007803 or 715008763)	N/A	N/A	Wiring Harness 715008865	Wiring Harness 715008865	Wiring Harness 715008865		
oof with Light Support Bar 15003529)	N/A	Wiring Harness 715008863	_				
oof Light Mounting Kit	Wiring Harness	N/A	N/A	N/A	N/A		
oof Light Mounting Kit High Position (715007930)	715008864	N/A	N/A	N/A	N/A		
Order	*Note: k		nt numbers in inter		required		
lights are intended for off-road use on							
)" (102 cm) Baja Designs (	OnX6 Arc LED Light	Bar Maverick R		710006818			
Concerned annual		29,000 lumens	50 m 0 -50 0 100 200 30	0 400 500 600 700	0 800 900 m		
252 W light bar producing 29,000 li Equipped with 24 Cree XM-L2 LED Driving/Combo light pattern for sm light for both near field applications Designed for installation onto Light Requires Light Power Cable and Li	s. ooth blend of s and distance. t Support Bar equipped roo	ACM harnes Electric Harn OnX6 Arc LEI ofs. Baja Designs	r required (715008213) to s. ess (715008864) required to D Light Bar (710006818) for c s Light Mounting Kit (71500 installation location and re	hook up and operate the 4 on/off function when ACM 07930 or 715008585) is i	40" (102 cm) Baja Desi 1 is not installed.		
aja Designs 10" (25 cm) O	nX6 LED Light Bar	Maverick R		71000681	9		
		12,460 lumens	50 m 25 0 -25 -50 0 100 200	300 400 500 6	300 m		
108 W light bar producing 12,460 lu Equipped with 6 Cree XM-L2 LEDs Driving/combo light pattern for smu field applications and distance. Dual intensity (high/low) settings.		ACM Adapto     ACM harnes     Electric Harn	a Designs Light Power Cab r required (715008213) to c	le. connect the Baja Design o hook up and operate th	s LED Light Bars to th e 10" (25 cm) Baja		

Electric Harness (715008863) required to hook up and operate the 10" (25 cm) Baja
 Designs OnX6 LED Light Bar (710006819) for on/off function when ACM is not installed.

See table for installation location and requirements.

Dual intensity (high/low) settings.

#### **Baja Designs XL80 LED Lights** Maverick R 710005041

9,500	50 m 25							
lumens	-25 -50 0	100	200	300	400	500	600 m	

Maverick R

3,150 lumens

Maverick R

- 80 W per spot producing 9,500 lumens. • Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).
- Equipped with 4 Cree XHP50 LEDs per spot.
- · Dual intensity (high/low) settings.
- · Driving/combo light pattern for smooth blend of light for both near
- · ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the ACM harness.
- field applications and distance.
- Electric Harness (715008863) required to hook up and operate the Baja Designs XL80 LED Lights (710005041) for on/off function when ACM is not installed.
- · See table for installation location and requirements.

25

0 -25 0

 Require Baja Designs Light Power Cable. Sold in pairs.

#### **Baja Designs Squadron Sport LED Lights**



- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).
- Electric Harness (715008865) required to hook up and operate the Baja Designs

100

- · Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Squadron Sport LED Lights (710006820) for on/off function when ACM is not installed.

300

400

200

710006820

500

710006821

600 m

· See table for installation location and requirements.

Sold in pairs.

#### **Baja Designs XL Sport LED Lights**

26 W per spot producing 3,150 lumens.

· Equipped with 4 Cree XP-G2 LEDs per spot.

	<b>3,150</b> <b>Jumens</b> <b>3,150</b> <b>0</b> -25 -50 <b>0</b> 100 200 300	400 500 600 m		
26 W per spot producing 3,150 lumens.	• Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).			
<ul> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> </ul>	<ul> <li>ACM Adaptor required (715007715) to connect the Baja Designs LED Lights to the AC harness.</li> <li>Electric Harness (715008865) required to hook up and operate the Baja Designs XL Sport LED Lights (710006821) for on/off function when ACM is not installed.</li> </ul>			
High Speed Spot features a longer and narrower beam focus for illumination farther down.				
Reguire Baja Designs Light Power Cable.				
Sold in pairs.	See table for installation location and requirements.			
NEW Baja Designs Light Mounting Kit - High Position	Maverick R	715007930		

# **High Position**

- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- · Compatible with the Cold Air Roof Scoop.

NEW Baja Designs Light Mounting Kit - Low Position	Maverick R	715008585
Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.		

· Not compatible with the Cold Air Roof Scoop.

### AMPLIFYING THE MAVERICK EXPERIENCE WITH JL AUDIO

## **AUDIO SYSTEMS**

<b>VEW</b> Can-Am JL Audio Sy	/stem - Level 5	Maverick R		715007957
	riding conditions.	r audio experience. e perfectly for a fully bugh in the most demanding Color Touchscreen Display or by	six 6.5" (165 mm) sp surround speakers), under-seat 250 W si driver's and the pas Uses one MX500/4 one MX500/1 to fee	m JL Audio components, including beakers (two dash, two door, and two , as well as two 10" (254 mm) ubwoofers that will enhance both the senger's experience. to power up our six speakers, and ed the under-seat subwoofers. can-Am Audio Roof - Level 4
NEW Can-Am JL Audio Ro	pof - Level 4	Maverick R		715007309
	<ul> <li>Features fully sealed and construction.</li> <li>Easy to install and connect</li> <li>Controlled by the 10.25" C the Can-Am JL Audio Sout</li> <li>Its weatherproof compone speakers and a 500-watt at</li> </ul>	Color Touchscreen Display or by ree Unit. ents include four 7.7" coaxial amplifier. and for exceptional sound when	<ul> <li>illumination, control</li> <li>Specific to your type</li> <li>When combined wit (715007954) or Lew ultimate sound expe</li> <li>Not compatible with</li> </ul>	th the Can-Am Audio System - Level ( el 5 (715007957), it provides the
IEW Can-Am JL Audio Sy	/stem - Level 3	Maverick R		715007954
	riding conditions.	r audio experience. e perfectly for a fully bugh in the most demanding Color Touchscreen Display or by	four 6.5" (165 mm) s speakers), and a 10' subwoofer that will passenger's experie Uses one MX280/4 one MX500/1 to po Easy to install, with subwoofer (715007	to power up our four speakers, and wer up the under-seat subwoofer. the option to add a second

#### **NEW** Can-Am JL Audio Roof Flip Kit

Maverick R

715008164

715008230

- Combines with the Can-Am JL Audio Roof Level 4 (715007309) for Flip option.
- Not compatible with the Cold Air Roof Scoop and the Roof Rack.
- **NEW** Can-Am JL Audio Subwoofer Maverick R 715007310 Orchestrated for outstanding sound quality and · When combined with the Can-Am audio system - Level 3 calibrated to enhance your audio experience. (715007954) or with the Can-Am audio roof - Level 4 (715007309), this premium JL Audio component creates Designed to be Can-Am tough in the most demanding the ultimate sound experience. riding conditions. To add a subwoofer to the Can-Am II Audio Roof Easy to install, this 10" (254 mm) under-seat 250 W - Level 4, a Can-Am JL Audio Amplifier (715007714) subwoofer enhances both the driver's and the is required. passenger's experience. **NEW** Can-Am JL Audio Amplifier Maverick R 715007714 · Orchestrated for outstanding sound quality and · When combined with the Can-Am Audio Roof - Level 4 calibrated to enhance your audio experience. (715007309), it creates the ultimate sound experience. To add a subwoofer to the Can-Am JL Audio Roof - Level Designed to fit the vehicle perfectly for a seamless integration. 4, this item is required. Designed to be Can-Am tough in the most demanding · Easy to install, mounting support included. riding conditions.
  - This MX500/1 is a premium JL Audio component, and is used to feed one or two 250 W under-seat subwoofers.

NEW Can-Am JL Audio Source Unit

Maverick R

- · Are
- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Color Touchscreen Display.
  Designed to fit the vehicle perfectly for a fully integrated look.
  - AM/FM/Bluetooth compatible.

# **ELECTRICAL & ELECTRONIC ACCESSORIES**

NEW Electronic Device Ho	lder	Maverick R		715007176
	<ul><li>(4 L), with secure magnetic electronic device.</li><li>Robust injected fiber-reinfo construction allows for the</li></ul>	right fit and easy installation. than any electronic device's	Landscape. Adjusta the passenger or to driving experience Includes everything	needed for installation on your levices: 2 pre-assembled Can-Am
NEW Cellphone Holder		Maverick R		715008786
	<ul> <li>Features capacitive and re technology.</li> <li>Spring system in back plate thickness.</li> </ul>			ellphone or charging wires. onic Device Holder (715007176) for
Color Touchscreen Display	Protector	Vehicle equipped with 10.25 ir Display	n. Color Touchscreen	860202680
50	<ul> <li>Protects from scratches ca</li> <li>Anti-glare treatment to ensitient to e</li></ul>	tion for the digital display 10.25 i aused by ice, rocks, branches or sure good visibility. et wipe, dry wipe, dust absorber	other small debris.	

#### **NEW** Auxiliary Battery Installation Kit



### WINCHES

#### **Can-Am HD Winches** Can-Am HD 4500 Winch 715006416 Maverick R EC compliant. Ergonomic clutch handle. · Rugged all-steel gears and bushings for more torque Pulling strength capability of 4,500 lb (2,041 kg). and durability. • 43' of 15/64" (13.1 m of 6.3 mm) wire steel cable. Automatic 100% load-holding brake. · Heavy-duty 4-way roller fairlead. · Sealed solenoid for all-weather protection. Winch Electrical Harness (715008850), Winch Roller · Weather sealed corded remote and dash mounted switch. Fairlead Spacer (715008922) and winch compatible front bumper are required. Can-Am HD 4500-S Winch 715006417 Maverick R Pulling strength capability of 4,500 lb (2,041 kg). Ergonomic clutch handle. · Rugged all-steel gears and bushings for more torque • 50' of ¼" (15.2 m of 6.35 mm) synthetic rope. and durability. · Corrosion-proof aluminum hawse fairlead. Automatic 100% load-holding brake. · Winch Electrical Harness (715008850) and winch · Sealed solenoid for all-weather protection. compatible front bumper are required. · Weather-sealed corded remote and dash mounted switch. WARN<sup>†</sup> VRX Winches WARN VRX 45 Winch 715006110 Maverick R · Extreme IP68-rated waterproof sealing keeps the Dash-mounted rocker control. elements out · Limited lifetime warranty (mechanical), 3-year warranty Durable all-metal construction. (electrical). Black powder-coated finish and stainless steel fasteners Pulling strength capability of 4,500 lb (2,041 kg). for corrosion resistance. • 50' of 1/4" (15 m of 6.3 mm) wire steel cable.

- · Robust new clutch design based on 70+ years of WARN 4 WD hub lock know-how. Load-holding brake for great control.
  - · Smooth and reliable all-metal three-stage planetary
  - gear train.

gear train.

WARN VRX 45-S Winch		Maverick R		715006111
WANN WINN	<ul> <li>Extreme IP68-rated waterpreelements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know:</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-metat</li> </ul>	on. and stainless steel fasteners ased on 70+ years of -how. t control.	(electrical). • Pulling strength cap • 50' of ¼" (15 m of 6. • Cast aluminum haw	ranty (mechanical), 3-year warranty ability of 4,500 lb (2,041 kg). 3 mm) synthetic rope. se fairlead. rness (715008850) and winch

the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.

· Allows the rider to add a second battery and/or replace

- Automatic rundown protection.
- · Installs behind the seat for easy access.
- · Requires the purchase of a second battery and battery hardware (not included and sold separately). Equipped with an electronic module that prevents the
- auxiliary electrical components from draining the original battery.

#### Maverick R

#### 715007837

Roller fairlead.

bumper are required.

Winch Electrical Harness (715008850), Winch Roller

Fairlead Spacer (715008922) and winch compatible front

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426
		-	
VARN Hawse Fairlead		WARN Winch	715007785
	<ul> <li>Double-powder-coated</li> <li>Required to use the Sy</li> <li>To be used with synthetic</li> </ul>	nthetic Winch Cable (715001118) on WARN	winches.
IEW Winch Roller Fairlead S	pacer	Maverick R	715008922
Se le		a Winch and Roller Fairlead with a wire cable. th an anti-corrosion finish.	
		Can-Am HD Winch	715006430
Synthetic Winch Cable		WARN Winch	715007783
9	<ul> <li>Can-Am HD Hawse Fa damage and wear.</li> </ul>		es. ng to a synthetic cable to avoid premature cable a synthetic cable to avoid damage and prematur
		Can-Am HD Winch	705014978
Vire Rope Replacement		WARN Winch	715006699
Synthetic Cable Extension	• 55' of ¼" (16.8 m of 6.3 • 4,500 lb (2,041 kg) pull		715001120
	• • •	nm) diameter, easy to handle and won't rattle i ch cable to provide additional 50' (15.2 m) of c gle line capacity.	distance.
	Easily attaches to wind	ch cable to provide additional 50' (15.2 m) of c gle line capacity.	
	Easily attaches to wind	ch cable to provide additional 50' (15.2 m) of c gle line capacity. Maverick R	distance. 715008850
Not illustrated)	Easily attaches to wind     4,500 lb (2,041 kg) sing	ch cable to provide additional 50' (15.2 m) of c gle line capacity. Maverick R	
Not illustrated)	Easily attaches to wind     4,500 lb (2,041 kg) sing     Required for winch ins	ch cable to provide additional 50' (15.2 m) of o gle line capacity. Maverick R stallation. Can-Am HD Winch <sup>‡</sup> wwners to add the hand-held remote to vehicle	715008850 715006504
Not illustrated)	Easily attaches to wind 4,500 lb (2,041 kg) sing Required for winch ins This kit allows winch o OEM stock winch is so EC compliant. † Harness (710001023) is reference	ch cable to provide additional 50' (15.2 m) of o gle line capacity. Maverick R stallation. Can-Am HD Winch <sup>‡</sup> wwners to add the hand-held remote to vehicle	715008850 715006504 es with a stock winch.
Winch Electrical Harness Not illustrated) Wired Remote Control Wireless Remote Control	Easily attaches to wind 4,500 lb (2,041 kg) sing Required for winch ins This kit allows winch o OEM stock winch is so EC compliant. † Harness (710001023) is reference	ch cable to provide additional 50' (15.2 m) of o gle line capacity. Maverick R stallation. Can-Am HD Winch <sup>‡</sup> womers to add the hand-held remote to vehicle old separately.	715008850 715006504 es with a stock winch.

### **PERFORMANCE**

NEW Lonestar Racing Fi	re Extinguisher Supp	ort	Maverick R		715007320
	extinguisher out in a • Made of billet anodi • Fits 1.85" (4.7 cm) tu • Can be fixed anywhe • Provides riders with	a matter zed blad ubing. ere on the the safe		Comes with both bil plate and two clamp Fire extinguisher so     "Lonestar Racing fo	ld separately.
Performance Air Filter by	Twin AIR <sup>†</sup>		Maverick R		715002895
	Washable and reusa	d filterir	shest conditions. ng foam for superior dust retain 	ing capacity with high a	irflow.
Digitally Encoded Securi Green Key	ty System (D.E.S.S.)		Maverick R		710005232
30-1	<ul> <li>One vehicle/one cod</li> <li>A vibration/shock-re</li> <li>3 programmable moder</li> <li>Work mode: Limits</li> </ul>	nology de. sistant odes: vehicle	ection for your vehicle. restricts access to your vehicle ball-and-socket design that ens e speed to 40 kph (25 mph) but cle speed to 70 kph (44 mph) ar	sures a reliable connect does not limit engine to	ion. rque.



# CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT

# CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT

### **ACCESSORIES**

Roofs	120
Soft Cab Enclosure	120
Windshields & Wind Protection	121
Mirrors	123
Doors	124
Seat Accessories	125
Commander Skid Plates	126
Maverick Trail & Maverick Sport Skid Plates	127
Bumpers & Guards	128
LinQ: Easy On, Easy Off Cargo	131
Cargo & Storage	136
Racks & Holders	138
Lights	141
Audio & Communication Systems	145
Electrical & Electronic Accessories	146
Winches & Hitches	148
Performance	150
Apache Track Systems	152
ProMount Plows	155
Covers	158



### **BUNDLE UP TO DO IT ALL. YOUR COMMANDER BUNDLES.**

### **STEP 1**: **CHOOSE YOUR ESSENTIAL BUNDLE**

CHOO2F AN	UK ESSENTIAL BUNDLE	Commander	MAX
	Full Windshield – Hardcoated	715003656	715003656
STARTER	Sport Roof	715007271	715007272
SIANIEN	Rear Polycarbonate Window	715006113	715006113
	Side Mirror	715003639	715003639
	LinQ Cargo Rack	715006815	715006815
	Integrated Tailgate Extension	715008190	715008190
ADVANCED	LinQ Tool Kit	715006829	715006829
	Shoulder Storage Bag	715005019	715005019
	Electronic Device Holder	715005212	715005212
	LinQ Tool Holder	715007358	715007358
PEAK	Rear View Mirror and Camera Monitor	715009410	715009410
	LinQ Modular Box (10L)	715005494	715005494

Commander

Commander

#### **STEP 2**: PICK YOUR ADD-ON RUNDI F

PICK YOUR	ADD-ON BUNDLE	Commander	Commander MAX
AUDIO	Complete Wet Sounds Audio System	715003672	715003672
AUDIO	Can-Am Subwoofer	715006359	715006359
	LinQ Gun Case	715004968	715004968
	3.5" (9 cm) LED Flood Lights (2 x 14 W)	715003665	715003665
HUNT	LinQ Modular Box (20 L)	715007112	715007112
	LinQ Base Installation Kit	715008125	715008125
	Headache Rack	715006823	715006823
WORK	LinQ Tool & Gun Holder	715005466	715005466
	LinQ Adapter	715003058	715003058
	Upper Soft Door Panels – Front	715004718	715004718
	Upper Soft Door Panels – Rear	-	715004726
WINTER	Defrost, Heat and Ventilation System	715003678	715003678
	Seat Heater	715006112	715006112
	Heated Accessories Wiring Harness	710005757	710005757

### BUNDLE UP TO RULE THE OFF-ROAD. YOUR MAVERICK TRAIL / SPORT BUNDLES.

STEP 1: Choose y	OUR ESSENTIAL BUNDLE	Maverick Trail	Maverick Sport	Maverick Sport MAX
	Full Windshield – Hardcoated	715003656	715003656	715003656
	Sport Roof	715007271	715007271	715007272
STARTER	Rear Polycarbonate Window	715006113	715006113	715006113
	Side Mirrors	715003639	715003639	715003639
	Front Trail Bumper	715003680	715003680	715003680
	Front Corner Protectors	715004912	715004912	715004912
	Fender Flare Extensions	715004462	715004462	715004462
ADVANCED	Shoulder Storage Bag	715005019	715005019	715005019
	Electronic Device Holder	715005212	715005212	715005212
	LinQ Pivoting Rack	715008297	715008297	715008297
PEAK	Rear View Mirror and Camera Monitor	715009410	715009410	715009410
	LinQ 12 Gal (45 L) Cargo Box	715003879	715003879	715003879

N/A

715004794

N/A

STEP 2: Pick yo	UR ADD-ON BUNDLE	Maverick Trail	Maverick Sport	Maverick Sport MAX
AUDIO	Complete Wet Sounds Audio System	715003672	715003672	715003672
AUDIO	Can-Am Subwoofer	715006359	715006359	715006359
	15" Double Stacked LED Light Bar (90 W)	715002934	715002934	715002934
	Light Power Cable	715003670	715003670	715003670
LIGHT	Overhead Switch Panel	715003669	715003669	715003669
	LED Headlights Assembly	715003667	715003667	715003667
	Overhead Storage Bags	715005018	715005018	715005018
	Door Knee Pads with Storage	715003635	715004914	715004914
CABIN	LinQ Passenger Seat Base Kit	715003951	715003951	715003951

Removable Central Storage Bag

# **ROOFS**

		Commander, Maverick Trail, Ma	verick Sport	715007271
Sport Roof		Commander MAX, Maverick Sp	· · · · · · · · · · · · · · · · · · ·	715007272
	Excellent protection from the second se	he elements.		
	Allows installation of lights     Compatible with all windsh	•		
ProVent Roof Module Kit		Commander, Maverick Trail, Ma	verick Sport	715005279
	<ul> <li>Provides fresh air in the cat</li> <li>Optimal performance with</li> <li>4 vents provide infinite adju and passenger.</li> <li>Filter and pre-filter to limit of</li> <li>Easy cleaning of filter and p</li> <li>Patent pending water mana out of cabin while maintain</li> </ul>	full cab enclosure. Istment of air flow for driver dust intrusion. pre-filter. agement system to keep water	<ul><li>heavy weather.</li><li>Requires ProVent F Roof.</li><li>Not compatible with</li></ul>	air intake completely for winter or Roof Module Adapter Kit for Sport In roof mounted LED bars, roof racks, Roof, DragonFire Roof Ig Roof.
ProVent Roof Module Adapte	er Kit for Sport Roof	Commander, Maverick Trail, Ma	verick Sport	715005213
	Adapter for fitting ProVent I	Roof Module Kit onto Commande	r, Maverick Sport or I	Maverick Trail Sport Roof.
	<ul> <li>Includes roof adapter and h</li> <li>Requires ProVent Roof Mod</li> </ul>			
		Commander, Maverick Trail, Ma	· · ·	715003661
Bimini <sup>†</sup> Roof with Sun Visor		Commander MAX, Maverick Sp		715004792
		f UV-resistant solution-dyed polye visor that allows for storage of rol		nounting auxiliary lights.
onestar Racing <sup>†</sup> Aluminum I	* #Not compatible with Glass Wind	Commander, Maverick Trail, Ma		■ 715005137 · Black
	0.083" (2.1 mm) thick alumi     Not compatible with Full W	vith integrated front visor for eye- num roof for durable and lightwei indshields, Rigid Rear Window, C	ight protection from t	he elements.
SOFI CAB EI	NCLOSUR	<u> </u>		
Soft Cab Enclosure		Maverick Trail		715003618
	- Not compatible with Spor	00 Base and 800 DPS models and t Half Doors		i <b>dels</b> onsult your local dealer for information.
Soft Cab Enclosure		Commander, Maverick Trail, May (except X mr models)	verick Sport	715004724
	Can be installed on the Max Includes:     Sport Roof     Full Windshield – Hardcoa     Upper Soft Door Panels	verick Trail equipped with the Spo ated	ort Half Doors or on N	laverick Sport models.

Soft Cab Enclosure		Commander MAX, Maverick Sport MAX (except X mr models)	715004725
	Includes:		

- Sport Roof
- Full Windshield Hardcoated
- Upper Soft Door Panels
- Soft Rear Panel
- · Sport Half Doors required on T-category models.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Semi-Rigid Cab Enclosure (Not illustrated)	Commander, Maverick Trail, Maverick Sport (Except X mr models)	619400119
· Can be installed on the	Maverick Trail equipped with	

the Sport half doors or on Maverick Sport models.

- $\cdot$  Sport Half Doors required for T-category models.
- Sport roof
- Glass Windshield with Wiper
- Overhead Switch Panel
- Upper Soft Door Panels
- Rear Polycarbonate Window

### WINDSHIELDS & WIND PROTECTION

#### Windshields

Glass Windshield		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003653
	<ul> <li>Curved and laminated glass</li> <li>Provides excellent optical cl</li> </ul>	full windshield in metal frame.	
		e and protects rider and passenger from the elements	S.
	<ul> <li>Must be used with rear wind</li> </ul>	protection.	

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Glass Windshield with Wiper		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715003652
	<ul> <li>Curved and laminated glass frame.</li> <li>Provides excellent optical cl</li> </ul>		0 1 1	with washer fluid dispenser. ead Switch Panel (715003669) for
	<ul> <li>Seals firmly against the cage passenger from the element</li> </ul>	· ·	<ul> <li>Must be used with r</li> <li>Not EC compliant.</li> </ul>	ear wind protection.
	Installation of some accessories sh	own may impact vehicle compliance	with some regulations. Co	onsult your local dealer for information.

Half Windshield		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	☐ 715003657 · Clear 715005280 · Tinted
	<ul> <li>Formulated to be non-yellov</li> <li>Protects driver and passeng</li> <li>Features reverse angle lip to</li> <li>Quick and easy tool-less ins</li> </ul>	o deflect air flow.	
		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003655

Formed polycarbonate construction for enhanced rigidity.

· Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.

- · Seals firmly against the cage and protects rider and passenger from the elements.
  - Must be used with rear wind protection.
  - · Quick and easy tool-less installation or removal.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Full Windshield - Hardcoated		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715003656
	<ul><li>Formed polycarbonate cons</li><li>Provides excellent optical cl</li></ul>	•	nce.	
	Installation of some accessories sh	own may impact vehicle compliance	with some regulations. Co	onsult your local dealer for information.
ProVent Windshield		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715005210
	High-impact-resistant Quan polycarbonate full windshie     Controllable vents to manage Channels air into the cabin, fully closes to eliminate air f     One upper vent and one low     Must be used with rear windships     Installation of some accessories shifts	ld. ge air flow. defogs windshield, 'low. ver vent with pre-filters. d protection.	<ul> <li>abrasion resistance</li> <li>Protects driver and</li> <li>Quick and easy tool</li> <li>Not compatible with</li> <li>6 Ultra HD Can-Am</li> <li>Not compatible with Ventilation System.</li> </ul>	passenger from the elements. -less installation or removal. n wiper kits and Wet Sounds Stealth Edition Sound Bar.
PowerFlip Windshield		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715003658
	<ul> <li>Can be fully opened for opti and in between, you have an</li> <li>Must be used with rear wind</li> </ul>	own may impact vehicle compliance	v closed for maximum	
Windshield Wiper and Washe	er Kit	Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715003654
3	<ul> <li>Includes single-speed wipe</li> <li>Must be used with the Glas</li> <li>Requires Overhead Switch I</li> <li>Not EC compliant.</li> <li>Not compatible with ABS economic</li> </ul>	Panel (715003669) for installatio quipped vehicles.	ndshield frame mount. n.	
NEW Manual Wiper Kit		Commander, Commander MAX Maverick Sport, Maverick Sport		715009423
	<ul> <li>Easy to install system that re</li> <li>Large ergonomic handle pro</li> <li>Compatible with glass and h</li> </ul>	n be used to clear windshield of equires no electrical hookup. ovides a good grip over the entir nardcoated windshields that use	debris. e sweeping surface. top mounted wipers.	onsult your local dealer for information.
Wind Protection				
Side Wind Deflectors		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715008632
	Can be adjusted at three dif	reduce fog. elds.	v control when full win	dshield is installed:

Rear Polycarbonate Window		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715006113	
	Sport Roof is required for	aft or dust and rain from entering for added cabin cor		
ear Wind Screen		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715003664	
Call and A	<ul> <li>Full rear mesh screen reduces windshield backdraft for added cabin comfort.</li> <li>Installs quickly and easily on roll cage.</li> <li>Large Can-Am branding.</li> </ul>			
oft Rear Panel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715005887	
	Made of heavy-duty UV-res	ther-resistant rear panel offers good protection from sistant solution-dyed polyester canvas for excellent r inated polished vinyl material. on roll cage.		
		Commander, Commander MAX,		
de Mirrors		Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV).	715003639	
ide Mirrors	<ul> <li>Dual adjustment (horizont</li> <li>Convex optics deliver opti</li> <li>Spring-loaded pivots let m</li> <li>Sold in pairs.</li> </ul>	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV).		
	<ul> <li>Dual adjustment (horizont</li> <li>Convex optics deliver opti</li> <li>Spring-loaded pivots let m</li> <li>Sold in pairs.</li> </ul>	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV). irrors fold back completely.		
	Dual adjustment (horizont     Convex optics deliver opti     Spring-loaded pivots let m     Sold in pairs.     Installation of some accessories      Wide-angle convex mirror.     Offers enhanced visibility.	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV). irrors fold back completely. shown may impact vehicle compliance with some regulation Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	s. Consult your local dealer for information	
anoramic Center Mirror	<ul> <li>Dual adjustment (horizont</li> <li>Convex optics deliver opti</li> <li>Spring-loaded pivots let m</li> <li>Sold in pairs.</li> <li>Installation of some accessories.</li> <li>Wide-angle convex mirror.</li> <li>Offers enhanced visibility.</li> <li>Can be used with or witho</li> </ul>	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV). irrors fold back completely. shown may impact vehicle compliance with some regulation Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	s. Consult your local dealer for information	
anoramic Center Mirror	Dual adjustment (horizont     Convex optics deliver opti     Spring-loaded pivots let m     Sold in pairs.     Installation of some accessories     Wide-angle convex mirror.     Offers enhanced visibility.     Can be used with or witho  or     Convex mirror for wide readers	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV). irrors fold back completely. shown may impact vehicle compliance with some regulation Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX ut roof or windshield and with cab enclosure. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Commander, Commander MAX, Maverick Sport MAX irward visibility. ening knob for steady multi-angle adjustment.	s. Consult your local dealer for information.	
anoramic Center Mirror	<ul> <li>Dual adjustment (horizont</li> <li>Convex optics deliver opti</li> <li>Spring-loaded pivots let m</li> <li>Sold in pairs.</li> <li>Installation of some accessories.</li> <li>Wide-angle convex mirror.</li> <li>Offers enhanced visibility.</li> <li>Can be used with or witho</li> <li>More mirror for wide real Ball-joint design with tight</li> <li>Can be used with or witho</li> <li>Not for road use.</li> </ul>	Maverick Trail, Maverick Sport, Maverick Sport MAX Instruction with coated cast-aluminum mount. al and vertical) will suit any rider. mal field of view (FOV). irrors fold back completely. shown may impact vehicle compliance with some regulation Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX ut roof or windshield and with cab enclosure. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX Commander, Commander MAX, Maverick Sport MAX irward visibility. ening knob for steady multi-angle adjustment.	s. Consult your local dealer for information.	

# **DOORS**

Trail Half Doors		Maverick Trail		715004418	
	<ul> <li>Steel frame for high leve</li> <li>A must-have for addition</li> <li>Keep the vehicle narrow</li> <li>Door Trim is required to</li> </ul>	• •	ns. d separately).		
	Installation of some accessorie	es shown may impact vehicle co	mpliance with some regulations.	Consult your local dea	ler for information.
Door Trim		Maverick Trail	Can-Am Red Timeless Black	Left 705012419 705015607 705016447	Right 705012420 705015613 705016449
	Matching colored pane     Required to complete th	for Trail Half Doors. ne Trail Half Doors (sold sepa	arately).		
Sport Half Doors		Commander, Comman Maverick Trail, Maveric	der MAX, k Sport, Maverick Sport MAX	715006217	
	<ul> <li>Standard on all Comma</li> <li>Can be installed on Max</li> <li>Door Trim is required to</li> <li>Sold in pairs.</li> </ul>	verick Trail models for addition complete your door kit (sold	•	Consult your local dea	
		Commander,	Can-Am Red	Left 705015464	Right 705015465
		Commander MAX, Maverick Trail,	Timeless Black	705015608	705015615
oor Trim		Maverick Sport, Maverick Sport MAX	Cctane Blue	705016448	705016450
	<ul> <li>Matching colored panel</li> <li>Required to complete th</li> <li>Sold in pairs.</li> </ul>	e Sport Half Doors (sold sep	der MAX, Maverick Trail,	715004718 · Fro	ont
Ipper Soft Door Panels		Commander MAX, May	verick Sport MAX	715004726 · Re	ar
	Seals firmly against the     Converts half door into 1     Zippered window made     Easy to remove on hot a     Sport Roof required for <i>tNot compatible with Trail He</i>	full door for a complete cab of a minated polished vinyl ind sunny days.	passenger from the element enclosure. material for added ventilatior	ı.	
	Installation of some accessorie	es shown may impact vehicle cor	mpliance with some regulations.	Consult your local dea	ler for information.
Ipper Soft Door Panels		Maverick Trail		715003620	
	<ul> <li>Can only be installed wi</li> <li>Not compatible with Sp</li> </ul>		e standard half doors on Ma	verick Trail models.	

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.


Door Seal Kit (Not illustrated)		Maverick Trail	715004773
	<ul> <li>Included in the Soft Cab End</li> <li>Not compatible with Sport F</li> </ul>		
Door Knee Pads with Storage		Maverick Trail	715003635
	Increase cabin comfort.	er legs from direct contact with the doors while riding. 00 Base and 800 DPS models (715004418). Ill items.	
Door Storage with Padding		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004914

- Holds your gear safely and securely and also protects driver and passenger legs from direct contact with the doors while riding.
  Each bag is designed as a 0.5 gal (2 L) capacity pocket also equipped with inner netting compartments.
  Semi-rigid construction renders them flexible enough to fit odd-shaped loads.
  Easy to install.
  Sold is pairs
  - Sold in pairs.
  - Bags attach on stock doors of the Maverick Sport or on the Maverick Trail equipped with the Sport Half Doors (715006217).
  - Not compatible with stock doors on the Maverick Trail or the Trail Half Doors.

### **SEAT ACCESSORIES**

4-Point Harness		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008035 · Driver 715008036 · Passenger
H	<ul> <li>Designed to offer maximur</li> <li>Easy one-click latch and rel</li> <li>Not EC compliant.</li> <li>ROHVA compliant.</li> </ul>	5	
4-Point Harness Bar		Commander MAX, Maverick Sport MAX	715004847
*	<ul> <li>1.5" (3.8 cm) diameter, thick</li> <li>Designed for use with Can-</li> <li>Not EC compliant.</li> </ul>	6	
Seat Belt Shoulder Pads		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002894
<b>Lieth</b> an	<ul> <li>Provide additional riding co</li> <li>Fit with stock 3-point seat b</li> <li>Easy Velcro installation.</li> <li>Can-Am branded.</li> <li>Sold in pairs for driver and p</li> </ul>		neck and shoulder.

## **COMMANDER SKID PLATES**



### Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

Lighter than aluminum.


High impact strength.

Ultra-sturdy 3/8" (10 mm) thickness.

#### **COMMANDER, COMMANDER MAX**

Offer your Commander the full protection kit or get parts individually	DPS & XT 700	XT 1000, XT-P & X mr
HMWPE Skid Plate Protection Kit		
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	<b>715006349</b> (except MAX)	<b>715006350</b> (except MAX)
HMWPE Rear A-Arm Protectors.     HMWPE Underbelly Plates.     HMWPE Central Skid Plate.	<b>715006351</b> (MAX only)	<b>715007303</b> (MAX only)
Individual HMWPE Skid Plates		
1 HMWPE Front Skid Plate	715008279	715008279
2 HMWPE Front A-Arm Protectors	715008276	715008277
HMWPE Underbelly Plates     Keeps the rollover clearance.	715006273	715006273
HMWPE Rear Skid Plate	715007302	715007302
<b>5</b> HMWPE Rear A-Arm Protectors	715004271	715006341
HMWPE Central Skid Plate Provides center protection for MAX models.	<b>715004272</b> (MAX only)	<b>715004272</b> (MAX only)

## **MAVERICK TRAIL & MAVERICK SPORT SKID PLATES**



#### Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

- Superior stress crack resistance.
- High impact strength.

• Ultra-sturdy 3/8" (10 mm) thickness.

#### MAVERICK SPORT & MAVERICK SPORT MAX MAVERICK TRAIL

Offer your Maverick the full protection kit or get parts individually	2019 Base & DPS	2019 X mr	2020 & Up Base & DPS	2020 & Up X mr & X xc	Any Year X rc	
HMWPE Skid Plate Protect	tion Kit					
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	715006348 (except MAX)	715006353	715006349 (except MAX)	715006350	_	<b>715006346</b> (2019 & prior)
<ul> <li>HMWPE Rear A-Arm Protectors.</li> <li>HMWPE Underbelly Plates.</li> <li>HMWPE Central Skid Plate.</li> </ul>	<b>715006352</b> (MAX only)	11000000	<b>715006351</b> (MAX only)	71500050		<b>715006347</b> (2020 & up)
Individual HMWPE Skid P	lates					
1 HMWPE Front Skid Plate	715008279	715008279	715008279	715008279	(Standard on X rc models)	715008279
HMWPE Front A-Arm     Protectors	715008276	715008277	715008276	715008277	(Standard on X rc models)	715008278
(3) HMWPE Underbelly Plates Keeps the rollover clearance.	74500000	74500000	245000000	745000070	<b>715006339</b> (2019)	<b>715006339</b> (2019 & prior)
	715006339	715006339	715006273	715006273	<b>715006273</b> (2020 & up)	<b>715006273</b> (2020 & up)
HMWPE Rear Skid Plate	715007302	715007302	715007302	715007302	715007302	715007302
5 HMWPE Rear A-Arm Protectors	715004271	715006341	715004271	715006341	(Standard on X rc models)	715003699
HMWPE Central Skid Plate     Provides center protection for MAX models.	715004272 (MAX only)	_	715004272 (MAX only)	_	-	_

### **BUMPERS & GUARDS**

#### **Commander Bumpers**

	Commander, Commander MAX	715007248 · Black
<ul> <li>Inside and outside anti-</li> <li>Provides additional from</li> <li>Integrated winch suppo auxiliary lights.</li> </ul>	corrosion coating with durable finish. t body protection. rt plate for winch relocation at a higher position for	easier access in muddy conditions or fo
	Commander, Commander MAX	715007631
<ul> <li>Includes integrated mot</li> </ul>	unt points for seamless light installation.	ι.
	Commander, Commander MAX	715006807
<ul> <li>Inside and outside anti- Provide additional prote</li> </ul>	corrosion coating with durable powder-coat finish. action for vehicle's front corners.	
	Commander, Commander MAX	715006808
<ul> <li>Protect vehicle bodywor</li> <li>Inside and outside anti-outside anti-outs</li></ul>	rk and exhaust system. corrosion coating with durable powder-coat finish.	
averick Sport Bui	mpers	
	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003680 · Black 715003681 · Sunburst Yellow
<ul> <li>Completes the stock bu</li> <li>Inside and outside anti-outside</li> </ul>		<b>715003681</b> · Sunburst Yellow
	Inside and outside anti-     Provides additional from     Integrated winch suppor auxiliary lights.     Allows the installation of     Winch not included.      Made of 1.5" (3.8 cm) di     Includes integrated mod     Compatible with synthe     Not EC compliant.      Heavy-duty 1.5" (3.8 cm     Inside and outside anti-     Provide additional prote     Requires stock XT, XT-P     Sold in pairs.     Not EC compliant.      Rear bumper made of h     Protect vehicle bodywo     Inside and outside anti-     Compatible with Mud F     Not EC compliant.	Heavy-duty 1.5" (3.8 cm) diameter steel-tube construction.     Inside and outside anti-corrosion coating with durable finish.     Provides additional front body protection.     Integrated winch support plate for winch relocation at a higher position for auxiliary lights.     Allows the installation of front corner protectors.     Winch not included.     Commander, Commander MAX     Made of 1.5" (3.8 cm) diameter steel tubing with durable powder-coat finish     Includes integrated mount points for seamless light installation.     Compatible with synthetic and steel rope winches and hawse fairlead.     Not EC compliant.     Commander, Commander MAX     Heavy-duty 1.5" (3.8 cm) diameter steel tubing.     Inside and outside anti-corrosion coating with durable powder-coat finish.     Provide additional protection for vehicle's front corners.     Requires stock XT, XT-P or X mr bumper.     Sold in pairs.     Not EC compliant.     Commander, Commander MAX     Rear bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.     Protect vehicle bodywork and exhaust system.     Inside and outside anti-corrosion coating with durable powder-coat finish.     Compatible with Mud Flaps.

Rear Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715007109</b> · Black	
	<ul> <li>Rear bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.</li> <li>Protects vehicle bodywork and exhaust system.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Requires Licence Plate Holder (715007006) for installation on T-category models.</li> </ul>			
Front Corner Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715004912</b> · Black	
	<ul> <li>Heavy-duty 1.5" (3.8 cm) diameter steel tubing.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Provide additional protection for vehicle's front corners.</li> <li>Require Front Trail Bumper (715003680 / 715003681) for installation.</li> <li>Sold in pairs.</li> </ul>			

Rancher Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004304
	Heavy-duty protection made steel tubing, perfect for farm applications. Inside and outside anti-corre powder coat finish.	n, ranch and forestry	<ul> <li>Offers full rear cover protectors.</li> <li>Not compliant with <sup>1</sup></li> </ul>	rage with integrated tail light T-category.
3 <sup>†</sup> Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715005121 · Black
	Made of extra durable 1.5" ( tubing. Inside and outside anti-corro powder coat finish. Replaces stock bumper and mud-riding enthusiasts.			or allows you to keep the winch hoo hen riding in deep mud. nded.
3† Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		<b>715005122</b> · Black
	Made of extra durable 1.5" ( Inside and outside anti-corre powder coat finish. Added heavy-duty protectio conditions—protects vehicle system. Permits installation of a wini improve accessibility in muc Engineered to sustain heavy damaging the vehicle's fram	osion coating with durable n in extreme driving e bodywork and exhaust ch at a higher location to d-riding conditions. y winch loads without	Rear Winch Harness is required to install	a winch on the bumper. Plate Support Mount (not compliant nded.
ear Winch Harness		Maverick Trail, Maverick Sport,	Maverick Sport MAX	715006008
Rock Sliders				
		Commander, Maverick Trail, Ma rc)	averick Sport (except X	<b>715003689</b> · Black
ock Sliders		Commander MAX, Maverick Sp	oort MAX	<b>715004754</b> · Black
		osion coating with durable powo els and undercarriage against la Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	irge obstacles.	715003872
	Steel intrusion bar matches		Tube design reduce	s obstructed lines of sight and blind
	styling. Inside and outside anti-corre powder coat finish. Provides additional protection objects from entering the dr	osion coating with durable on by preventing large	spots for better visib • Not compatible with	oility. I windshields and Soft Door Panels.
onestar Racing Rear Intrusion	Bar	Maverick Trail, Maverick Sport		<b>715005134</b> · Black <b>715004874</b> · Can-Am Red
	Race-engineered to Lonesta standards for toughness, the accessories will also enhance impact. Made of 1.5" (3.8 cm) diame	ar Racing's trademark ese stylishly crafted ce your vehicle with visual	<ul> <li>Not compatible with windows, All-Terrain</li> </ul>	protection for driver and passenger. the Sport Roof, rear panels and

Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.

CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT ACCESSORIES 129

Not compatible with S&B particle separator.

Fender Flares		Commander, Commander MAX		715006814
	<ul> <li>Fender flares made from inj polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> </ul>	vehicle.	included. <ul> <li>Increase vehicle's or</li> </ul>	isions and mounting hardware verall width by 3" (8 cm) when nder and Commander MAX models
2" (51 mm) Fender Flares		Maverick Trail		715004958
Contern	<ul> <li>Extended fender flares mad polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> </ul>	vehicle.	and Fender Flare Re	ar extensions, mounting hardware ear Extensions (715004404). verall width by 3.5" (8.9 cm).
Fender Flare Rear Extensions		Maverick Trail		715004404
	<ul> <li>Help tail light stay clean from visible. Can be installed with (715003625).</li> <li>Made from injection-molded and finish.</li> </ul>	2" (51 mm) Fender Flares		(51 mm) Fender Flares (715004958 Flare Extensions (715004462).
3" (76 mm) Fender Flares		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004959
	<ul> <li>Fender flares made from inj polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> <li>Include front and rear exten hardware.</li> </ul>	vehicle. y installation.	<ul> <li>Increase vehicle's or installed on Maveric</li> <li>Standard on Maveric</li> </ul>	
Fender Flare Rear Extensions		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004462
	<ul> <li>Block terrain debris from kic or damaging your vehicle th Fender Flare Extensions, wh Extensions (715004404) for snow, especially when ridin.</li> <li>Made from injection-molded and finish.</li> </ul>	anks to these extra-large nich also include Rear added protection from mud/ g with track kits.	<ul> <li>Include front and real</li> <li>For Maverick Trail, n Flares (715004959).</li> </ul>	nust be used with 3" (76 mm) Fende
Others				
License Plate Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX		715007006
	<ul> <li>Supports your license plate</li> <li>Plate lights can be relocated</li> <li>Require Rear Trail Bumper (</li> <li>EC compliant.</li> </ul>	d on bumper to light up license p	late.	
Tail Light Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003692
	<ul> <li>Anti-corrosion coating with</li> <li>Rugged style, aggressive loc</li> <li>Sold in pairs.</li> <li>Not compliant with T-catego</li> </ul>	ok.		
Radiator Protector		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003700
	Perforated steel shield mou     Not recommended for winter	nted over the radiator face, provi	ding protection from s	tones and branches.

# LINQ: EASY ON, EASY OFF CARGO

#### COMMANDER'S LINQ ACCESSORIES

#### Mounting location and requirements

			ig loodation	ananoqui		
<ul> <li>No tools needed: Quickly install and remove accessories by hand.</li> <li>Equip your Can-Am for specialized tasks in no time.</li> <li>Sturdy mounting system that holds up to the roughest terrain.</li> </ul>	Vehicle Standard Cargo Box	LinQ Cargo Rack <b>715006815</b>	Adventure Roof Rack <b>715004095</b>	Deluxe Headache Rack <b>715006823</b>	Rear Adventure Rack <b>715006809</b>	Passenger Seat Base
LinQ Accessories with 16" Base	<ul> <li>Lower loading</li> <li>Can be used or</li> </ul>	capacity than the l	apart, center-to-c LinQ with 36" base I SxS vehicles, Car snowmobiles.	accessories.	lyker vehicles,	
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>			
LinQ Tool Kit 715006829	No further requirements	No further requirements	No further requirements			
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	Passenger Seat LinQ Anchor Kit 715003951
LinQ 4.5 Gal (17 L) Sport Bag 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements	No further requirements	No further requirements			
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>			
LinQ Accessories with 36" Base	<ul> <li>Higher loading</li> </ul>		by Can-Am ORV ve LinQ with 16" base vehicles.			
LinQ 12 Gal (45 L) Cargo Box 715003879		No further				
LinQ 23 Gal (86 L) Trunk Box 715004923	-	requirements		No compatibility	No compatibility	No compatibility
LinQ Audio Box 715003018	-	No compatibility				
LinQ Cooler 715004778 • Black 715004698 • Gray	No compatibility		No compatibility			
LinQ OGIO† Bag 715002923 • Black	-	No further				
LinQ Heavy Duty Basket 715001215		requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further	No further	Side wall installation	Side wall installation	Side wall installation	Passenger Seat LinQ Anchor Kit
LinQ Tool Holder	requirements	No further requirements	installation LinQ Adapters <b>715003058</b>	LinQ Adapters 715003058	installation LinQ Adapters 715003058	715003951

#### MAVERICK TRAIL / SPORT LINQ ACCESSORIES

#### Mounting location and requirements

		wound	ig looution	ununuqui		
<ul> <li>No tools needed: Quickly install and remove accessories by hand.</li> <li>Equip your Can-Am for specialized tasks in no time.</li> <li>Sturdy mounting system that holds up to the roughest terrain.</li> </ul>	Vehicle Standard Cargo Box	LinQ Cargo Rack <b>715003702</b>	Adventure Roof Rack <b>715004095</b>	LinQ Pivoting Rack 715008297	All-Terrain Trunk Cover <b>715003701</b>	Passenger Seat Base
LinQ Accessories with 16" Base	Lower loading Can be used or	nounted 16 inches capacity than the l n Can-Am ATV and craft and Ski-Doos	LinQ with 36" base I SxS vehicles, Car	e accessories.	Ryker vehicles,	
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black	LinQ Base Installation Kit <b>715008125</b>	No compatibility	LinQ Base Installation Kit <b>715008125</b>	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Base Installation Kit <b>715008125</b>	Passenger Sea LinQ Anchor K <b>715003951</b>
LinQ Tool Kit 715006829	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit <b>715008125</b>	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Base Installation Kit <b>715008125</b>	Passenger Seat LinQ Anchor Kit 715003951
<b>LinQ 4.5 Gal (17 L) Sport Bag</b> 860202447						
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements	No further requirements
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit 715008125	No compatibility	LinQ Base Installation Kit <b>715008125</b>	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Base Installation Kit <b>715008125</b>	Passenger Sea LinQ Anchor K 715003951
LinQ Accessories with 36" Base	Higher loading	racks often used l capacity than the d to Can-Am ORV	LinQ with 16" base			
LinQ 12 Gal (45 L) Cargo Box 715003879		No further requirements	No compatibility		No compatibility	No compatibility
LinQ 23 Gal (86 L) Trunk Box 715004923	-					
LinQ 32 Gal (121 L) Trunk Box 715001747	-	No compatibility				
LinQ Audio Box 715003018		No further requirements		No furth or		
LinQ Cooler 715004778 • Black 715004698 • Gray	No compatibility	No compatibility		No further requirements		
LinQ OGIO Bag 715002923 • Black						
LinQ Heavy Duty Basket 715001215		No further requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further requirements	No compatibility	Side wall installation	No further	LinQ Base Installation Kit	No further
LinQ Tool Holder 715007358	(when installed on side walls)	10 compatibility	LinQ Adapters 715003058	requirements	715008125	requirements

#### LinQ Accessories with 16" Base

LinQ Modular Box		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007112 · (20 L) 715006830 · (30 L)
	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box si</li> </ul>	dular boxes to always have the right gear access ze to fit everything.	ible.

Т

- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

1

Thermal Insert for LinQ M	lodular Box (10 L)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	21940	01110
	Insulated liner.			
	<ul> <li>Fits very well in the LinQ Mc</li> </ul>	odular Box (10 L).		
To a le	<ul> <li>Can contain seven 355 ml ca</li> </ul>	ans.		
	<ul> <li>Keeps ice cold for one day.</li> </ul>			

Interior dimensions: 9" L x 17" W x 2½" H.

 LinQ Tool Box
 Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX
 715008111

 • High precision injected HDPE construction provides rigidity and durability.
 715008111

- 5 gal (19 L) maximum capacity.
  - Weather-resistant, sealed and lockable cover.
  - Easy one-second on/off tool-less system.
  - All the benefits of LinQ—simple, fast and secure.
  - See table for installation location and requirements.

LinQ Tool Kit		Commander, Commander M Maverick Trail, Maverick Spo Maverick Sport MAX	rt,	715006829
	<ul> <li>Includes:         <ul> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %/a" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul> </li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> </ul>	<ul> <li>Socket 8 mm %" drive</li> <li>Combined wrench 19</li> <li>Combined wrench 18</li> <li>Combined wrench 15</li> <li>Combined wrench 13</li> <li>Combined wrench 10</li> <li>Combined wrench 8 r</li> <li>Socket Torx T40 %" d</li> </ul>	mm - Socket Torx T20 %" drive mm - Breaker bar %" drive mm - See table for installation location and mm requirements mm

LinQ 4.2 Gal (16 L) Cooler		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	<b>219400964</b> · Black <b>295100698</b> · White
	<ul> <li>All the benefits of LinQ—sim</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insula ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US 4</li> </ul>	exceptional rigidity	Interior dimensions:	355 ml cans. ree days. : 13" L x 20" W x 10" H.
LinQ 4.5 Gal (17 L) Sport Bag	1	Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	860202447

<ul> <li>17-liter (4.5 US gallon, 1.037 cu, in.) capacity.</li> </ul>

Rigid bottom, semi-rigid top.

See table for installation location and requirements.

CAN-AM COMMANDER, MAVERICK TRAIL & MAVERICK SPORT ACCESSORIES 133

SR 5.5 Gal (21 L) LinQ Bag		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		860202449
	<ul> <li>All the benefits of LinQ—si</li> <li>Semi-rigid expandable bag</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting systems</li> <li>Easy one-second on/off too</li> <li>See table for installation logo</li> </ul>	tem (Patent US 8777531 and US a	8875830).	
LinQ Roll-Top Bag		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	, ,	715008110
	<ul> <li>LinQ mounted using heavy</li> <li>High capacity storage solu</li> <li>Bottom foam liner for addit</li> </ul>	tion (40 L). ional equipment protection. transportation on/off the vehicle. x adjustable H.		
LinQ Accessories wit	h 36" Base			
LinQ Premium Storage Bag by	/ OGIO	Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		<b>715002923</b> · Black
	<ul> <li>Tool-less installation and re</li> <li>17.2 gal (65 L) capacity ser</li> </ul>	emoval thanks to the LinQ system ni-rigid cargo bag ideal for carryir with a rubber seal that protects d Ill access to your bag. al bag organization.	ng anything you need o	•
LinQ 12 Gal (45 L) Cargo Box		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	, ,	715003879
	<ul> <li>LinQ mounted for easy-on,</li> <li>Holds cargo safely and sec</li> <li>See table for installation log</li> </ul>	urely while riding.		
LinQ 23 Gal (86 L) Trunk Box		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	, ,,	715004923
	<ul> <li>LinQ mounted for easy-on,</li> <li>Holds cargo safely and sec</li> <li>See table for installation lo</li> </ul>	urely while riding.		
LinQ 11.5 Gal (43 L) Audio Ca	rgo Box	Maverick Trail, Maverick Sport, Maverick Sport MAX		715003018
	<ul> <li>An affordable and quick so storage to your next ride.</li> <li>The rear installation does r allows easy listening at an Mounts on/off easily to hol securely.</li> <li>Backlit control panel perfect</li> </ul>	not use up any cab space and average speed. d/carry cargo safely and	<ul><li>speakers are smartl cover.</li><li>Automatic shut-off f turning the system of the system of</li></ul>	akers. oled receiver and 6.5" (16.5 cm) y concealed and integrated in the function protects your battery by off after 10 minutes of inactivity. ation location and requirements.
LinQ 8 Gal (30 L) Cooler Box		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	, ,	■ 715004778 · Black ■ 715004698 · Gray
	<ul> <li>LinQ mounted for easy-on,</li> <li>Rotomolded construction p and durability.</li> <li>Premium-quality foam insu retention.</li> </ul>	provides exceptional rigidity	<ul> <li>Robust rubber latch</li> <li>Weather-resistant.</li> <li>Convenient drain pl</li> </ul>	novable compartment protects food. Les keep the cover tightly closed. ug. ation location and requirements.

		Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715001747</b> · Black (Rear tail light included)
LinQ 32 Gal (121 L) Trunk Box	ĸ	European Version (EC compliant)	<b>715001748</b> · (No rear tail light)
	<ul> <li>32 gal (121 L) load capacity</li> <li>Made of injection-molded p</li> <li>The fully sealed lid protects</li> </ul>	tem, the rear trunk box plugs in and out in seconds. with unobstructed space to maximize storage room an olyethylene, double walled in critical areas. your belongings from dust, moisture and the elements n many colors to match your vehicle (sold separately). ation and requirements.	
LinQ 32 Gal (121 L) Trunk Box	k Panels	Maverick Trail, Maverick Sport, Maverick Sport MAX	
	Color panels to match the L     715001391 · Black     715001392 · Yellow     715001395 · Viper Red     715002481 · White     715002480 · Light Gray     715002985 · Octane Blue     715002985 · Octane Blue     715002986 · Can-Am Red     715006119 · Orange Crus     715006120 · Squadron Gree     715007074 · Tundra Gree	715001397 · Blac 715001398 · Yelio 715002483 · Whit 715006121 · Can 715006122 · Man 715006123 · Oran 715006123 · Oran 715006124 · Vipe sh	compliant). No rear tail light. k w e Am Red ta Green ge Crush
LinQ Heavy-Duty Basket		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001215
	<ul> <li>Made of high-strength, low-</li> <li>LinQ mount for easy-on, east</li> <li>See table for installation loc</li> </ul>	sy-off installation.	
LinQ Low Profile Basket		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004282
	Low profile, open basket inc Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc	ools, rope, winch and plow accessories. e-down anchor points. jected polypropylene.	
LinQ Holders			
LinQ Tool Holder		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007358
	<ul> <li>Ultra-versatile tool holder.</li> <li>Convenient swivel-latch allo</li> <li>Sold in pairs.</li> <li>See table for installation loc</li> </ul>	ws tools to be stored in any orientation. ation and requirements.	
LinQ Gear Grips		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005340
ŶŶ	<ul> <li>Heavy-duty design for carry</li> <li>Quick-release button opens</li> <li>Heavy-duty base system bu</li> </ul>	rovide a custom fit for a variety of items from 1" to 4" (2 ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. ilt for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ sy d requirements.	

<ul> <li>Sold in pack of 4.</li> <li>Unique mounting fastener u</li> <li>Included: 2 cargo LinQ base</li> </ul>	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX sable on any LinQ system accessory.	715008125
	Maverick Trail, Maverick Sport, Maverick Sport MAX	715008125
	sable on any LinQ system accessory.	
	s and hardware.	
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860201968
<ul> <li>Lock cover protects lock fro</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys.</li> </ul>	m the elements.	er and LinQ Gear Grips.
	Maverick Trail, Maverick Sport, Maverick Sport MAX	715001707
Tool-less installation and rer		
	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004960
	Lock cover protects lock fro     Corrosion resistant.     Pack of 1, includes 2 keys.     Not compatible with LinQ 4.     Unique mounting fastener u     Tool-less installation and ref     Sold in pairs.     Allows the installation of Lind	Maverick Trail, Maverick Sport, Maverick Sport MAX     Simple way to securely lock most LinQ accessories.     Lock cover protects lock from the elements.     Corrosion resistant.     Pack of 1, includes 2 keys.     Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holde     Maverick Trail, Maverick Sport, Maverick Sport MAX     Unique mounting fastener usable on any LinQ system accessory.     Tool-less installation and removal.     Sold in pairs.     Maverick Trail, Maverick Sport, Maverick Sport MAX     Allows the installation of LinQ accessories with 16" base on LinQ racks.     Tool-less installation and removal.

## **CARGO & STORAGE**

inQ Cargo Rack		Commander, Commander MA	(	715006815
ATTA	<ul> <li>Strong, durable steel rack %</li> <li>Easy and tool-less installatio</li> <li>Allows the installation of Lin</li> <li>Allows multi-level storage or</li> <li>Helps keep cargo securely in</li> <li>Multiple bungee cord and ti</li> </ul>	on with LinQ system. IQ accessories. n cargo bed. n place.	<ul> <li>Kit includes LinQ Ba</li> <li>15" clearance unde</li> <li>Not compatible with</li> </ul>	r the rack for other cargo.
tegrated Tailgate Extension		Commander, Commander MA	(	715006810
	Integrated design that lets the steel construction for rugge Not EC compliant.	he extension fold away inside th d durability.	e tailgate when not ne	eded.
onneau Cover		Commander, Commander MA	<	715006816
	<ul> <li>Fitted to cover all of the item</li> <li>Prevents splash from enterin</li> <li>Rolls up to the front.</li> <li>Easily removable for quick a</li> </ul>	ng the cargo box.		

All-Terrain Trunk Cover		Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX	715003701
am	Gas spring assisted o     Integrated mounting     Rotomolded construc     LinQ accessories car	cargo area into a fully enclosed and weather-resistant ca pening. location inside the trunk cover for Dome Light (7150024) stion provides exceptional rigidity. be installed on or inside the trunk cover. h Kit required for installation on the trunk cover.	
Fixed Tailgate		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004357
	Rigid rotomolded con     Encloses the rear car     Matches the vehicle's	go opening perfectly and helps keep cargo securely in p	lace.
Storage		Commander, Commander MAX,	
Soft Storage Bag		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003759
	<ul> <li>11.8 gal (45 L) capaci</li> <li>3-section bag.</li> <li>Transport gear in a w</li> </ul>	ty soft cargo bag designed with vehicle's rear in mind to eatherproof bag.	maximize potential storage.
Storage 2.6 Gal (10 L) Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	269502121
<u></u>			1
Overhead Storage Bags		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005018
		gs, hold your gear safely and securely while riding. oft bags mounted on a tubular frame that sits between ca	age and roof.
	<ul> <li>2.4 gal (9 L) total capa</li> <li>Bimini Roof with sun</li> </ul>	-	
Shoulder Storage Bag	<ul> <li>2.4 gal (9 L) total capa</li> <li>Bimini Roof with sun</li> </ul>	acity. visor or Sport Roof needed for installation.	715005019
	2.4 gal (9 L) total capa     Bimini Roof with sun     Not compatible with t	acity. visor or Sport Roof needed for installation. the Complete Wet Sounds Audio System. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX mi-rigid bag holds your gear safely and securely while ric ed space between the seats to increase your vehicle's ca	ding.
	<ul> <li>2.4 gal (9 L) total capa</li> <li>Birnini Roof with sun</li> <li>Not compatible with the second se</li></ul>	acity. visor or Sport Roof needed for installation. the Complete Wet Sounds Audio System. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX mi-rigid bag holds your gear safely and securely while ric ed space between the seats to increase your vehicle's ca	ding.

NEW	Passenger	Storage	Seat Bag
-----	-----------	---------	----------

#### Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715008080

- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
  - Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
  - The detachable pocket at the front of the bag can be used as a garbage bag.

Soft Cooler		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715003728		
	Soft cooler made of durable	Soft cooler made of durable canvas.				
	Removable shoulder strap and carry handles.					
	Foam insulation and water-resistant interior liner.					

- 2.2 gal (4.5 L) capacity.

### **RACKS & HOLDERS**

Adventure Roof Rack	e fully and completely. (99 cm) Double Stac .8 cm) and 1.25" (3.2 cm) · Features anchor poin · Spare Tire Tie-Down · Add the Cargo Box N or installation of accessories in the rack.		715004095	
<ul> <li>Ideal cargo solution for pack live your off-road experience.</li> <li>Built with heavy-duty 1.5" (3 diameter steel tubing.</li> <li>Loads of up to 75 lb (34 kg).</li> <li>LinQ support plates allow for with 16" base.</li> </ul>			unting points for the installation of the 39" e Stacked LED Bar (front). or points for spare tire attachment. Downs sold separately. Box Net to secure and confine your cargo ed without a roof or with Sport Roof only.	
Rear Adventure Rack		Commander, Commander MAX		715006809
	<ul> <li>Made of heavy-duty steel.</li> <li>Increases the cargo versatil</li> <li>Allows a Commander 2-up t Bimini Roof on top to protect</li> </ul>	o fit a MAX Sport Roof or		er 2-up to fit of Rack to increase cargo capacity. n other bed installed accessories.
		Commander		715006818
Adventure Rack Enclosure		Commander MAX		715008246
	<ul> <li>Works with Rear Adventure</li> <li>Rear-panel zip-type window</li> <li>Covers all accessories mound adventure Rack.</li> <li>Compatible only with Sport</li> </ul>	s with roll-down feature. nted inside of the Rear	<ul> <li>configuration.</li> <li>Track Kit and Pre-filt configuration.</li> </ul>	ick Kit and Pre-filter only in Pickup ter are not compatible with the SUV n snorkel kits or X mr models.
Cargo Bed Rails		Commander, Commander MAX		715006824
can-am	<ul> <li>Add an integrated tie-down area to your cargo box.</li> <li>Added cargo box protection.</li> <li>Inside and outside anti-corrosion coating with durable powder-coat finish.</li> </ul>		, , ,	m) diameter steel tube construction. ned side wall and serves as a
Deluxe Headache Rack		Commander, Commander MAX (except X mr models)		715006823
ARA	<ul> <li>Protects cab from cargo loa</li> <li>Compatible with cargo bed</li> <li>Not compatible with Snorke</li> </ul>	rails.		·

LinQ Pivoting Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX		715008297		
	<ul> <li>Includes custom tie-down s</li> <li>Gas-cylinder pivot action, lo</li> </ul>	ail (715003703), Lonestar Racing nd LinQ Cargo Rack.	n or removal (tire not ir			
LinQ Rack Extension		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003771		
	<ul> <li>Made of strong and durable</li> <li>Helps to keep cargo secure</li> <li>Easy and tool-less installation</li> </ul>	ly in place.				
LinQ Cargo Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003702		
am	Allows the installation of Lir	<ul> <li>Made of durable die-cast aluminum and strong aluminum tubing frame.</li> <li>Allows the installation of LinQ Trunk Boxes on top and the addition of more LinQ accessories in cargo box.</li> <li>Easy and tool-less installation thanks to the LinQ system.</li> </ul>				
Spare Tire Carrier		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004471		
	<ul> <li>Made of heavy-duty 1.5" (3.1</li> <li>Inside and outside anti-corr</li> </ul>	iameter (tire is not included). s not encumber the cargo area.				
Cargo Box Net		Commander, Commander MAX Maverick Sport MAX	,	715001371		
	Solid net designed to secur	e and ensure the compact confir	nement of your Advent	ure Roof Rack.		
inQ Tool and Gun Holder		Commander, Commander MAX		715005466		
	<ul> <li>hunt.</li> <li>Include 5 locations to secur rubber grips and retention s mat with gunstock shaped r</li> </ul>	<ul> <li>Include 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom.</li> <li>Can be attached on cab.</li> <li>Not compatible with</li> </ul>				
LinQ Gun Case		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715004968		
	<ul> <li>Adapt to different weapon s</li> <li>LinQ-mounted for efficient a</li> <li>No mount required on Com</li> </ul>	to store shotguns and rifles up to hapes and features with foam cu and secure storage, locked in pla mander and Commander MAX. rrick Trail, Maverick Sport and Ma	ushions that can be rep ce with only a quarter	positioned.		
LinQ Gun Case Mounting Kit		Maverick Sport, Maverick Sport	MAX, Maverick Trail	715006444		
	<ul> <li>Required to install the Can-</li> <li>Allows you to install up to tw</li> </ul>	- Am Gun Case on a Maverick Spo vo LinQ gun cases.	rt, Maverick Sport MA	X and Maverick Trail.		

stronghold Gun Boot Impact <sup>†</sup> I	oy Kolpin <sup>™</sup>	Maverick Trail, Maverick Sport,	705011442		
	Compact low-profile design styling securely holds up to shotguns with optics.     Includes a removable, shock Impact liner.	52" (132 cm) long rifles and	access along with a	ning with an attached lid for quick n integrated closure strap. Ipin Stronghold Auto-Latch	
tronghold Auto-Latch Mount	by Kolpin	Maverick Trail, Maverick Sport,	Maverick Sport MAX	715003899	
	<ul> <li>Auto-latching design provide attachment to your vehicle.</li> <li>Bracket is made from rugged nylon and coated steel.</li> </ul>	es quick and secure gun boot d high-impact, reinforced	<ul> <li>For use with Strong</li> <li>Requires Gear Rail (</li> </ul>	hold Gun Boot (705011442). (715003703).	
iear Rail		Maverick Trail, Maverick Sport,	Maverick Sport MAX	715003703	
	<ul> <li>Offers mounting points for the</li> <li>Can hold up to two gun boot</li> </ul>	C-clamps attached on the roll ca he Stronghold Auto-Latch Mour ts. n Boot 6.0 Impact by Kolpin (715	nt or for the Universal S	Saw Press by Kolpin.	
Iniversal Saw Press by Kolpin		Maverick Trail, Maverick Sport,	Maverick Sport MAX	715001423	
and safely aboard your • Heavy-duty, black power		r-coated metal bracket hainsaw model with up to a 20" - Requires Gear Rail - Protective sheath i		cal position or 45° angle in either il (715003703).	
pare Tire Ratchet Tie-Downs		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		280000955	
	<ul> <li>3-way ratcheting tie-down st</li> <li>Designed to securely hold s equipped with integrated sp</li> <li>Adjustable to accommodate</li> </ul>	pare tires on accessories are tire attachment points.		ring made of durable zinc-plated ste ire attachment on Adventure Roof ting Rack.	
leavy-Duty Ratchet Tie-Down		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		715008308	
	<ul> <li>1,000 lb (454 kg) safe working load.</li> <li>1.5 in. x 6 in. (38 mm x 1.8 mm) strap with BRP brands.</li> <li>Deluxe ratchet with rubber handle.</li> <li>Black-coated clip hooks.</li> </ul>		ing included.		
Bolt-On <sup>†</sup> Retractable Ratchetin	g Tie-Downs	Commander, Commander MAX Maverick Trail, Maverick Sport,		295101072	
auto Contraction	<ul> <li>Perfect for transporting your or securing loads.</li> <li>Mounts easily: Bolts on any frame).</li> <li>1" x 6' (2.5 cm x 1.8 m) tie-do stitching that delivers a 500 strength and 1,500 lb (680 kg).</li> </ul>	flat surface (e.g., truck bed or own strap with heavy-duty Ib (226 kg) working load	<ul> <li>slackens, spools an mechanism tighten:</li> <li>vehicle or load into</li> <li>Rubber ratcheting here</li> </ul>	ble push button automatically d stores away strap, while the ratch s the strap snugly to secure your place. andle provides firm grip, and the ho tect whatever surface it hooks into.	
Ratchet Tie-Downs		Commander, Commander MAX Maverick Trail, Maverick Sport,		<b>715008309</b> · Black/Gray	
	<ul> <li>400 lb (181 kg) safe working</li> <li>1" x 10' (2.5 cm x 3 m) strap</li> <li>Can-Am logos.</li> <li>Deluxe ratchet with rubber h</li> </ul>	with Sea-Doo, Ski-Doo and	<ul><li>Coated S hooks.</li><li>Pack of 2.</li></ul>	·	

# **LIGHTS**

				<sup>2</sup> Cho	oose you	r lights			
Choose	BA.	IA DESIG	NS <sup>+</sup> Ligi				I-AM LIG	HTS	
your mount point	10" (25 cm) LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
<b>KT &amp; X mr</b> Front Bumper Stock on XT, XT-P and X mr)	<b>710006819</b> + <b>715007049</b> (Power Cable)	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	<b>715002933</b> + <b>715003670</b> (Power Cable)	<b>715002934</b> + <b>715003670</b> (Power Cable)	NA	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) + 715003670 (Power Cable)	
Frail Bumper	NA	710006821 + 715008865 (Power Cable)	710006820 + 715008865 (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	715002933 + 715003670 (Power Cable)	NA	NA	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) + 715003670 (Power Cable)	
Commander Front Bumper	<b>710006819</b> + <b>715007049</b> (Power Cable)	<b>710006821</b> + <b>715008865</b> (Power Cable)	<b>710006820</b> + <b>715008865</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	NA	<b>715002934</b> + <b>715003670</b> (Power Cable)	NA	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) + 715003670 (Power Cable)	
<b>Sport Roof</b> & Bimini Roof	710006819 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	710006821 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710006820 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710005041 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	715002933 + 715003670 (Power Cable) + 715003669 (Overhead Switch Panel)	<b>715002934</b> + <b>715003669</b> (Overhead Switch Panel)	715004007 + 715005822 (Mounting Kit) *Optional Overhead Switch Panel 715003669	715003665 71500366 7150	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + 03669 Switch Panel)
Fop Roll Cage	NA	NA	NA	NA	NA	NA	<b>715004007</b> + <b>715005822</b> (Mounting Kit)	NA	NA
Sport Roof Back Position	NA	NA	NA	NA	NA	NA	NA	NA	715003665 c 715003666 + 715003669 + 715003669
3 Order		*Note:				ntersecting	<b>g box</b> mounting kit is req	uired.	
ll lights are intended fo	r off-road use only	<i>.</i>							
aja Designs Lig ot illustrated)	ht Power Ca	able			Commander MA il, Maverick Spor ort MAX		71500	08865	
		•	or installation of ns XL Sport LED	, ,	0				

Baja Designs Light Power Cable (Not illustrated)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007049
•	3aja Designs LED lights onto roof or bumper. nX6 LED Bars and Baja Designs XL80 LED Lights.	

Baja Designs 10" (25 cm) OnX6 LED Light Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006819
	12,460 lumens -50 -50 -50 -50 -50 -50 -50 -50 -50 -50
<ul> <li>108 W light bar producing 12,460 lumens.</li> <li>Equipped with 6 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Dual intensity (high/low) settings.</li> <li>Requires Baja Designs Light Power Cable.</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant</li> </ul>
Baja Designs XL80 LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710005041
	9,500 lumens 25 0 -26 -50 0 100 200 300 400 500 600 m
<ul> <li>80 W per spot producing 9,500 lumens.</li> <li>Equipped with 4 Cree XHP50 LEDs per spot.</li> <li>Dual intensity (high/low) settings.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant</li> </ul>
Baja Designs Squadron Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006820
	3,150 lumens -25 0 100 200 300 400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 3" x 3" (7.6 cm x 7.6 cm).</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant"</li> </ul>
Baja Designs XL Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006821
	3,150 lumens -25 -50 0 -26 0 -26 0 0 100 200 300 400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>High Speed Spot features a longer and narrower beam focus for illumination farther down.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant</li> </ul>
10" (25 cm) Double Stacked LED Light Bar (60 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715002933
(BEREE)	5,400 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
<ul> <li>Equipped with twelve 5 W Cree LEDs.</li> <li>5,400 lumens.</li> <li>Packs a big punch for its size.</li> <li>Rugged and waterproof.</li> <li>Can be installed in stock XT and XT-P bumpers.</li> </ul>	<ul> <li>Requires light power cable for installation.</li> <li>Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant</li> </ul>

15" (38 cm) Double Stacked LED Light Bar (90 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715002934
SARARARE	8,400 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
<ul> <li>Equipped with 18 5 W Cree LEDs.</li> <li>8,400 lumens.</li> <li>Complements the Light Racks and most bumpers.</li> <li>Rugged and waterproof.</li> </ul>	<ul> <li>Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant</li> </ul>
39" (99 cm) Double Stacked LED Light Bar (270 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max <b>715004007</b>
	24,300 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
<ul> <li>Equipped with 54 5 W Cree LEDs.</li> <li>24,300 lumens.</li> <li>Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.</li> <li>Compatible on the Adventure Roof Rack.</li> </ul>	<ul> <li>Maverick Trail, Maverick Sport, Maverick Sport MAX: Requires Light Mounting Kit for 39" (99 cm) LED Light Bar (715005822) and/or Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877) for installation.</li> <li>Commander 2021 &amp; up: Requires Light Mounting Kit for 39" (99 cm) LED Light Bar (715005822) and/or Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877) for installation.</li> <li>See table for installation location and requirements.</li> <li>Not EC compliant.</li> </ul>
4" (10 cm) Round LED Lights (2 x 25 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715002935
(Captant	1,800 lumens -20 m -20 m 0 100 200 m
<ul> <li>25 W LED spotlights.</li> <li>1,800 lumens.</li> <li>Rugged and waterproof.</li> <li>Includes basic wiring and switch.</li> <li>Can-Am branded grill.</li> </ul>	<ul> <li>Requires light power cable.</li> <li>Sold in pairs.</li> <li>Not EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715003666
	1,260 lumens -15 0 15 30 45 60 75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lumens each.</li> <li>Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.</li> <li>Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.</li> </ul>	<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>CE certified</li> <li>See table for installation location and requirements.</li> </ul>
3.5" (9 cm) LED Flood Lights (2 x 14 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715003665
	1,260 lumens -15 0 15 30 45 60 75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lumens each.</li> <li>Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.</li> <li>Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.</li> </ul>	<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>CE certified</li> <li>See table for installation location and requirements.</li> </ul>

Light Power Cable		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	715003670
	Power cable for installation	of compatible Can-Am light kits on front bumpers or r	oof.
ED Headlights Assembly		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003667
	<ul> <li>The headlights in this upgrade kit draw a maximum of 40 W (2 x 20 W) of power while providing brighter light output.</li> <li>Lower power consumption and longer lasting than standard halogen bulbs.</li> <li>Not EC compliant</li> </ul>		
ED Signature Lights		Commander, Commander MAX	715006896
	The stylish LED set adds a f	inishing touch, accentuating its aggressive stance.	
Can-Am LED Signature Lights		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003673
	<ul> <li>Add style with a more aggree</li> <li>Use bright and energy efficience</li> <li>Do not give additional lighting</li> </ul>	ent LEDs.	
Dome Light		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715002455
Con la	<ul> <li>LED array integrates perfectly with vehicle.</li> <li>Wiring included.</li> <li>Can be installed on cage, Sport Roof or All-Terrain Trunk Cover.</li> </ul>		
Mounting Kit for 39" (99 cm) LED Light Bar		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005822
	<ul> <li>Required for installation of t</li> <li>Includes wiring and support</li> <li>Light Support Bar required to</li> </ul>		
Roof Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003094
	<ul> <li>Brings power from the battery.</li> <li>Required for installation of some electrical accessories.</li> </ul>		
Rear Lights Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004910
	<ul> <li>Power cable that allows you to install rear cargo lights on your vehicle.</li> <li>Use in conjunction with the 3.5" (9 cm) LED Flood Lights (2 x 14 W) (sold separately).</li> <li>This set-up will illuminate your rear cargo area and surroundings.</li> <li>Sport Roof and Overhead Switch Panel (715003669) required.</li> </ul>		

### **AUDIO & COMMUNICATION SYSTEMS**

### Audio

Complete Wet Sounds† Aud	lio System	Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	ζ,	715003672
	Orchestrated for outstandin	g sound quality and the		10 minutes of inactivity to save
0	playlists of champions. <ul> <li>Built-in 200 W amplifier with low end bass response.</li> </ul>	D-Bass Tech for improved	<ul> <li>battery power.</li> <li>Designed to be Can- riding conditions.</li> </ul>	-Am-tough in the most demanding
	<ul> <li>Built-in Bluetooth<sup>†</sup> connective</li> </ul>			m) front and 6.5" (16.5 cm) ted stereo speakers and console ntrol panel.
Vetsound Stealth XT 6 Can	-Am Edition Sound Bar	Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	ζ,	715008282
	Built-in Bluetooth connectiv	ity with source control.	• 4 marine-rated 3" fu	II range drivers.
	<ul> <li>Built-in Broadcast mode.</li> </ul>		<ul> <li>2 marine-rated 1" tw</li> </ul>	veeters.
SI-1	<ul> <li>Backlit control panel with In lights.</li> </ul>	tegrated LED RGB cabin	<ul><li> Operating voltage: 1</li><li> IP rated: IP67.</li></ul>	2 V.
The second second second	<ul> <li>Integrated LED Dome.</li> </ul>		<ul> <li>Length: 21.31"</li> </ul>	
0	<ul> <li>IP67 rated RF wireless remoting</li> </ul>	ote control.	• Width: 4.04'	
	<ul> <li>3.5 Aux Input/Output.</li> </ul>		<ul> <li>Height: 3.85"</li> </ul>	
	Built-in 300 W Class D Amp	lifier.	Sound Bar Mounting	g Kit required for installation.
		Commander, Commander MAX	ζ.	
ound Bar Mount Kit		Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715004745
loc musicaled)	Required mount kit for the V	Vet Sounds Stealth 6 Ultra HD Ca	an-Am Edition Sound E	
			,	
an-Am Subwoofer		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	ς,	715006359
4	Powerful Wet Sounds 8" Sul	bwoofer speakerbox that fits in t	he glove box.	
•		ions to Wet Sounds audio syster enough to withstand harsh envir included.		gainst moisture and dirt.
lectronic Device Holder		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	ζ,	715005212
4	A great in-ride entertainmer	nt system platform. ene construction allows for		nts the Wet Sounds audio systems tercom System to play music with
			your device.	
	<ul> <li>Robust injected-polypropyle right fit and easy installation</li> <li>Adjustable unit safely holds smartphones measuring be</li> </ul>	n. most tablets and	Integrated storage (2	2.5 gal (9.5 L) capacity) with acces et for device charging.

Rugged Radios Helmet Headset Kit for Rear Passengers		With Rugged Radios Intercom System	715004380 · US ONLY
90 90	<ul> <li>Additional 12' (3.7 m) cables your 2-person intercom syst</li> </ul>	s and Helmet Speaker/Mic Kits to upgrade tem to a 4-person system.	
20	‡Power Cable (715003094) is requ	uired for installation on MAX models.	

### **ELECTRICAL & ELECTRONIC ACCESSORIES**

### Electrical

ustable/directional vent ents specially positioned pmotive-style heater co	d for better windshield defrosting and passenger comf re and fan for best heating performance. es require Adapter Kit (715007241).	·
ustable/directional vent ints specially positioned protive-style heater co art-Lok equipped vehicl	ts. d for better windshield defrosting and passenger comf re and fan for best heating performance. es require Adapter Kit (715007241). oVent Windshield.	·
omotive-style heater co art-Lok equipped vehicl	re and fan for best heating performance. es require Adapter Kit (715007241). oVent Windshield.	
art-Lok equipped vehicl	es require Adapter Kit (715007241). oVent Windshield.	
compatible with the Pr	1	
	Commander, Commander MAX,	
	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004283
0,	ring wheel designed to withstand cold conditions while oblity and grip readily available, e.g., hunting, manual fi	0, , ,
laces stock steering wh		arming.
-		
ted Accessories Wiring	Harness (710005757) is required.	
compliant with T-categ		
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004500
urely gripped during lor y to install and remove. s kit includes the heated ted Accessories Wiring	ng, cold outings. d grab bar cover and in-dash switch. g Harness (710005757) is required.	your passenger's hands warm and
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006112
h/low temperature sett s kit includes one carbo alls directly in the origin ted Accessories Wiring	ings allow you to control the desired degree of warmth n fiber seat heater, foam sheet and in-dash switch. nal seat cushion. g Harness (710005757) is required for front seat installa	ation.
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001246
ional visor outlet that de ck and easy installation d individually.	elivers fog-free riding.	·
SS	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	710005757
ctric harness required to	o hook up and operate front heated seats, heated steer	ring wheel and heated grab bar.
\$\$	Commander MAX, Maverick Sport MAX	715006004
ctric harness required to	o hook up and operate rear heated seats.	
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007241
	s kit includes the heated ated Accessories Wiring was a maximum of 45 W t compliant with T-categ de tough to hold up to t urely gripped during lor sy to install and remove. s kit includes the heated ated Accessories Wiring was a maximum of 25 W W seat heater delivers of h/low temperature sett s kit includes one carbo talls directly in the origin ated Accessories Wiring ated Visor not included. <b>SS</b> ctric harness required t	s kit includes the heated steering and in-dash switch. ated Accessories Wiring Harness (710005757) is required. ws a maximum of 45 W and 3.2 A at 13.5 W. t compliant with T-category Commander, Commander MAX, Maverick Sport MAX de tough to hold up to the stresses of rough riding, this heated cover will keep surely gripped during long, cold outings. s to install and remove. s kit includes the heated grab bar cover and in-dash switch. ated Accessories Wiring Harness (710005757) is required. ws a maximum of 25 W and 1.8 A at 13.5 W. Commander, Commander MAX, Maverick Sport MAX W seat heater delivers chill-free riding comfort. h/low temperature settings allow you to control the desired degree of warmth s kit includes one carbon fiber seat heater, foam sheet and in-dash switch. tated Accessories Wiring Harness (710005757) is required for front seat install ated Accessories Wiring Harness (710005757) is required for front seat installs ated Accessories Wiring Harness (710005757) is required for front seat installs ated Accessories Wiring Harness (710005757) is required for front seat installs ated Accessories Wiring Harness (710005757) is required for rear seat installs ated Accessories Wiring Harness (710005757) is required for rear seat installs ated Accessories Wiring Harness (710005757) is required for rear seat installs ated Accessories Wiring Harness (710005757) is required for rear seat installs ated Accessories Wiring Harness (715006004) is required for rear seat installs ated Accessories Wiring Harness (715006004) is required for rear seat installs ated Accessories Wiring Harness (7150060757) is required for rear seat installs ated Accessories Wiring Harness (7150060757) is required for rear seat installs ated Accessories Wiring Harness (71005757) is required for rear seat installs ated Accessories Wiring Harness (7150060757) is required for rear seat installs ated Accessories Wiring Harness (7150060757) is required for rear seat installs ated Accessories Wiring Harness (710057

<ul> <li>Features capacitive and res</li> <li>Spring system in back plate</li> <li>Fits all cellphones within 7.3</li> <li>Works with almost all charg</li> <li>Does not include cellphone</li> <li>Requires the RAM GPS More</li> </ul>		
<ul> <li>Features capacitive and res</li> <li>Spring system in back plate</li> <li>Fits all cellphones within 7.3</li> <li>Works with almost all charg</li> <li>Does not include cellphone</li> <li>Requires the RAM GPS More</li> </ul>	istive touch screen technology. automatically adjusts for thickness. 2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions. er wires. or charging wires. unt (715003325) bolted directly on the dashboard for th	
<ul> <li>Does not include cellphone</li> <li>Requires the RAM GPS More</li> </ul>	or charging wires. unt (715003325) bolted directly on the dashboard for th	
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003325
•		
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003669
<ul> <li>Required for Can-Am lights</li> <li>Optional for Baja Designs lights</li> </ul>	installation on the roof and for other top-mounted elect ghts.	
	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004431
	• • • •	
		860200997
	e smartest battery chargers in the world, has produced	a BRP specific charger for all BRP
•	emanding arctic conditions.	
	Standard AMPS hole patter     Fully integrated Overhead S     Required for Can-Am lights     Optional for Baja Designs lig     Requires Sport Roof or Bimi     Fixation plate designed to h     30 Ah Battery sold separate     CTEK, the manufacturer of th products. Charger is built to meet the d	Allows for GPS integration onto vehicle.     Standard AMPS hole pattern for Garmin Cradle.     Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX     Fully integrated Overhead Switch Panel gives additional switch spots for electrical     Required for Can-Am lights installation on the roof and for other top-mounted elec     Optional for Baja Designs lights.     Requires Sport Roof or Birnini Roof with Sun Visor for installation.     Commander, Commander MAX, Maverick Sport, Maverick Sport, Maverick Sport MAX     Fixation plate designed to hold the 30 Ah Battery (515176151).     30 Ah Battery sold separately.     CTEK, the manufacturer of the smartest battery chargers in the world, has produced

#### Digitally Encoded Security System (D.E.S.S.) Keys

Maverick Trail, Maverick Sport 2024 (except 700 engine)

715002458

- · Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- · 3 programmable modes:
- Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
- Performance mode: No restrictions.

#### **NEW** Digitally Encoded Security System (D.E.S.S.<sup>™</sup>) Keys

Maverick Trail 2024 (with 70		engine)
Top-security anti-theft protection for Can-Am vehicles.		Comes

### 715009300

- Comes with three programmable keys, including: - Work key: Configurable vehicle speed limit between



- unit's electronic ignition system. • One code per vehicle. Features a vibration/shock-resistant ball-and-socket
- design that ensures a reliable connection.

· The encrypted chip technology restricts access to the

- 30 kph (18 mph) and maximum vehicle speed that does not limit engine torque. - Normal key: Limits vehicle speed to 70 kph (44 mph)
- and 50% torque reduction on Maverick Trail models. - Performance key: No restrictions.

### **WINCHES & HITCHES**

### **Can-Am HD Winches**

Can-Am HD 4500 Winch		Commander, Commander MA Maverick Trail, Maverick Sport Maverick Sport MAX		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings for more torque and durability.</li> <li>Automatic 100% load-holding brake.</li> <li>Sealed solenoid for all-weather protection.</li> <li>Weather sealed corded remote and dash mounted switch.</li> <li>EC compliant.</li> </ul>		<ul> <li>Pulling strength capability of 4,500 lb (2,041 kg).</li> <li>43' of <sup>15</sup>⁄<sub>64</sub>" (13.1 m of 6.3 mm) wire steel cable.</li> <li>Heavy-duty 4-way roller fairlead.</li> <li>Winch Electrical Harness (715003777) is required for installation.</li> <li>Commander X mr front bumper requires Winch Electrica Harness (715008218).</li> </ul>	
Can-Am HD 4500-S Winch	h Commander, Commander M Maverick Trail, Maverick Spot Maverick Spot MAX			715006417
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and b and durability.</li> <li>Automatic 100% load-holdir</li> <li>Sealed solenoid for all-weat</li> <li>Weather sealed corded rem switch.</li> </ul>	ng brake. her protection.	<ul> <li>50' of ¼" (15.2 m of</li> <li>Corrosion-proof alu</li> <li>Winch Electrical Ha installation.</li> </ul>	pability of 4,500 lb (2,041 kg). 6.35 mm) synthetic rope. Iminum hawse fairlead. arness (715003777) is required for ront bumper requires Winch Electrical 18).

### WARN<sup>†</sup> VRX Winches

WARN VRX 45 Winch	1	Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		715006110
	<ul> <li>Extreme IP68-rated waterproor elements out.</li> <li>Durable all-metal construction</li> <li>Black powder-coated finish an for corrosion resistance.</li> <li>Robust new clutch design bas WARN 4 WD hub lock know-hot Load-holding brake for great construction Smooth and reliable all-metal to gear train.</li> </ul>	ed on 70+ years of ow.	<ul> <li>50' of ¼" (15 m of 6.</li> <li>Roller fairlead.</li> <li>Winch Electrical Ha installation.</li> </ul>	ranty (mechanical), ctrical). ability of 4,500 lb (2,041 kg). 3 mm) wire steel cable. rness (715003777) is required for ont bumper requires Winch Electrical

WARN VRX 45-S Winch		Commander, Commander MA Maverick Trail, Maverick Sport Maverick Sport MAX		715006111
	<ul> <li>Extreme IP68-rated waterprelements out.</li> <li>Durable all-metal construct</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design tware waterprediction of the waterprediction of</li></ul>	ion. and stainless steel fasteners based on 70+ years of /-how. it control.	<ul> <li>(electrical).</li> <li>Pulling strength cap</li> <li>50' of ¼" (15 m of 6.</li> <li>Cast aluminum haw</li> <li>Winch Electrical Ha installation.</li> </ul>	ranty (mechanical), 3-year warranty pability of 4,500 lb (2,041 kg). 3 mm) synthetic rope. se fairlead. rness (715003777) is required for ont bumper requires Winch Electrica
Winch Accessories		1		1
Can-Am HD Hawse Fairlead		Can-Am HD Winch		715006426
		•		
WARN Hawse Fairlead		WARN Winch		705204567
WARN/	<ul> <li>Double-powder-coated con</li> <li>Required to use the Synthetic w</li> <li>To be used with synthetic w</li> </ul>	tic Winch Cable (715001118) or	NWARN winches.	
Roller Fairlead		Can-Am HD Winch		715007082
	Suggested when changing     Heavy-duty replacement fai	•		
Wire Rope Replacement		Can-Am HD Winch		705014978
	• 47' of ¼" (14.3 m of 6.3 mm) • 4,500 lb (2,041 kg) pulling s			
Synthetic Winch Cable		Can-Am HD Winch		715006430
		n) synthetic cable for Can-Am H d (715006426) is required when		ic cable to avoid premature cable
Synthetic Winch Cable		WARN winch		715001118
		n) synthetic cable for WARN win 5204567) is required when upgr		ole to avoid damage and premature
Synthetic Cable Extension		Commander, Commander MA Maverick Trail, Maverick Sport Maverick Sport MAX	X,	715001120
		iameter, easy to handle and wor ble to provide additional 50' (15 le capacity.	-	

<ul> <li>This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.</li> <li>OEM stock winch and Wired Remote Control are sold separately.</li> <li>EC compliant.</li> </ul> Wireless Remote Control       WARN Winch     715002542       Image: State of the system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necess mounting hardware.     Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery option of the system is are weatherproof.	Wired Remote Control		Can-Am HD Winch	<b>715006504</b> (2020 & up)
<ul> <li>The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necess mounting hardware.</li> <li>Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery option</li> </ul>		OEM stock winch and Wired		winch.
mounting hardware. • Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery option	Wireless Remote Control		WARN Winch	715002542
		<ul><li>mounting hardware.</li><li>Allows you to operate your v</li></ul>	vinch from anywhere within a 50' (15.2 m) radius, incre	
	Hitches			

Front Receiver Hitch		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003642

Commander, Commander MAX

715008350

Perfect for precision towing in small spaces.

#### Front and Rear Hitch Drawbar



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.
- Not compliant with T-category

### **PERFORMANCE**

	Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode Module (sold separately) to fine-tune your riding environment.     Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation.  Maverick Trail  705402423				
	<ul> <li>Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff. Lock" for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent calibrations for your type of riding.</li> <li>Using multiple input sources, "Smart Mode" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a feeling of confidence.</li> <li>The Smart-Lok Differential Kit comes standard with the Trail Mode.</li> </ul>				
3 and	Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential     with electronically controlled automatic modes.				
Smart-Lok Differential		Maverick Trail, Maverick Sport, Maverick Sport MAX (2021 & prior)	705402936		

Mud Smart Mode Module (Not illustrated)		Models with Smart-Lok Differential	715005282	
		dd the Mud Smart Mode to vehicles with the Smart-Lo hange to the Mud Smart Mode on vehicles equipped v		
		becially designed to deliver superior traction in the dee nd/or slippage is detected, Smart-Lok will fully lock the	•	
	<ul> <li>The system will stay locked</li> </ul>	until throttle release.		
	Only one Smart Mode Mode	ule can be installed at a time.		
Rock Smart Mode Module (Not illustrated)		Models with Smart-Lok Differential	715005283	
	accessory or to change to the The Rock Mode has been so When high engine torque is and will stay engaged until the torget of torget of the torget of the torget of torge	Idd the Rock Smart Mode to vehicles with the Smart-Lo he Rock Smart Mode on vehicles equipped with a stan pecially designed to help cross challenging rocks. detected at low vehicle speed, Smart-Lok will progress throttle release to prevent wheel slippage and provide on nt allows for easier steering when maneuvering the vel- ule can be installed at a time.	dard Smart-Lok. sively lock the front end optimal traction.	
Trail Activ Smart Mode Mod	ule	Models with Smart-Lok Differential	715005284	
	<ul> <li>This module allows you to add the Trail Activ Smart Mode to vehicles with the Smart-Lok Differential Kit sold as an accessory or to change to the Trail Activ Smart Mode on vehicles equipped with a standard Smart-Lok.</li> </ul>			
	The Trail Activ Mode has be	een designed for aggressive riding, delivering the ultim	ate cornering precision.	
		nd/or an increase in vehicle speed is detected, Smart-L gaged until throttle release or vehicle speed reduction		
	The progressive engageme	nt allows for smoother and lower steering effort.		
	Only one Smart Mode Mode	ule can be installed at a time		

Only one Smart Mode Module can be installed at a time.

### **Exhaust and Air Intake**

Yoshimura <sup>†</sup> Slip-On Exhaust		Maverick Sport, Maverick (models with 1000R engin	< Sport MAX ne)	715004452
	<ul> <li>Developed in collaboration</li> <li>Made from 304-grade stainl</li> <li>Sporty sound from a lighter-</li> </ul>	less steel.	<ul> <li>USDF/USDA approv</li> <li>EPA compliant.</li> <li>Not EC compliant.</li> </ul>	red spark arrester.

	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (models with 1000R engine)	715002895
Performance Air Filter by Twin AIR <sup>†</sup>	Maverick Trail, Maverick Sport (except models with 1000R engine)	715003630

- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

Engine and CVT Pre-Filter Kit (Not illustrated)		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715004290
	<ul> <li>Adds extra protection to you in harsh riding conditions.</li> <li>Filter blocks particles larger</li> <li>Water repellent screen.</li> <li>Mandatory to maintain the v tracks are installed.</li> </ul>	than 0.005" (0.1 mm).	<ul> <li>Recommended for w</li> <li>Not compatible with</li> <li>Not compatible with</li> </ul>	
Snorkel Pre-Filter		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715005598
Øø	<ul> <li>Helps keep air filter cleaner.</li> <li>Filter blocks particles larger</li> </ul>	Ir engine in harsh riding conditio		

Snorkel Kit		Commander, Commander MAX (except 700 engines), Maverick Trail (except 700 engines), Maverick Sport, Maverick Sport MAX	715003705	
	<ul> <li>Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.</li> <li>Not compatible with S&amp;B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar and all rear panels and windows.</li> <li>Standard on Maverick Sport and Commander X mr models.</li> <li>Not compliant with T-category.</li> </ul>			
Heavy-Duty Spring Kit		Maverick Trail	715004961	
	<ul> <li>This set of heavy-duty springs will stiffen your suspension.</li> <li>Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.</li> <li>Complete kit of 4 springs.</li> </ul>			
Shock Covers (Not illustrated)		Maverick Sport, Maverick Sport MAX	715002368	
	<ul> <li>Soft covers for shocks with</li> <li>Eliminate dust and dirt intru</li> <li>Sold in pairs.</li> </ul>	ventilation holes. sion into the shock cylinder, reducing risk of damage.		

### **Emergency Accessories**

#### Emergency Kit

|--|

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
powersport enthusiasts can find themselves in.

715006102

Limited Warranty\*

· Includes: Jumper Cables, Air Compressor, Tire Repair Kit, Ratchet Tie-Down, Duct Tape,

Tow Strap 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.

### **APACHE TRACK SYSTEMS**

### **Winter Tracks**

# Apache Backcountry Track System See table for specific models 715005247 Designed to deliver the best flotation level and deep-snow performance on the market. Contact patch is 23% bigger than the Apache 360 LT. Provides an impressive average ground clearance increase of 7" (18 cm), keeps the vehicle out of deep snow. Agache Backcountry Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required. For winter use only. Track installation will affect vehicle width and length.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Backcountry LT Tracl	< System	See table for specific models		715005891
	<ul> <li>Tracks designed to deliver th on the market with unmatch on snow surface.</li> <li>Large contact patch, 37% bi</li> <li>Impressive added ground cl keep the vehicle over the sn</li> <li>Lightweight snowmobile-ins</li> <li>Aggressive track design with maximum traction on snow.</li> </ul>	ed flotation level and traction igger than the Apache 360 LT. learance of 7" (18 cm) helps low. spired rail design. h 2" (5 cm) lug height for	Engine and CVT Pre Fine-tune your track Sliders with Vespel For winter use only.	c system using extra Idler Wheels, Inserts and Rail Ice Scratcher.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Apache Backcountry Mountir	ng Kit	See table for specific models	715004834		
Not illustrated)	•	Maverick Trail	715004285		
	<ul> <li>Not compatible with HMWI</li> <li>DPS Module and Pre-Filter</li> </ul>	the Apache Backcountry Track System. PE Front and Rear A-Arm Protectors and Skid Plates. not included. hown may impact vehicle compliance with some regulations. C	onsult your local dealer for information.		
Apache Backcountry LT Mou	nting Kit	See table for specific models	715005493		
	DPS Module and Pre-Filter     Not compatible with HMW	the Apache Backcountry Track LT System. are required and sold separately. PE Front and Rear A-Arm Protectors and Skid Plates.			
		hown may impact vehicle compliance with some regulations. C	onsun your local dealer for information.		
Accessories					
Track DPS Module		Commander, Commander MAX 2021 & up, Maverick Trail, Maverick Sport	715007338		
	<ul> <li>Innovative DPS module that ensures speedometer accuracy and optimized steering assist which make for perfect track control and riding ease.</li> <li>Required to install the Apache and Backcountry Track Systems.</li> </ul>				
	Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.				
ail Ice Scratchers		Apache Backcountry and Apache Backcountry LT track systems	860201728		
	<ul> <li>Provide additional lubrication in hard and icy conditions.</li> <li>Rail mounted, small, light.</li> <li>Design expands on coil concept to allow reversing without damage.</li> <li>Easily stored when not in use.</li> <li>Extend slider life.</li> </ul>				
Year-Round Tracks			Limited Warranty		
		Commander, Commander MAX.			
pache 360 LT Track System		Maverick Trail, Maverick Sport, Maverick Sport MAX	715005103		
	<ul> <li>Multifunctional tracks desig and to fit on most Can-Am of Extra contact patch adjustn over rough terrain.</li> <li>Contact patch is 7 to 9% big Average ground clearance lugs in the front and 1.25" (3)</li> </ul>	off-road vehicles.       • Apache Backcountr         nent for better performance       Engine and CVT Pre         gger than the Apache 360's.       • of 16" (41 cm). 1" (2.5 cm)	y LT Mounting Kit, Track DPS Modul -Filter are required.		
	Installation of some accessories s	hown may impact vehicle compliance with some regulations. C	onsult your local dealer for information.		
Apache 360 LT Mounting Kit		See table for specific models Maverick Trail	715004755		
	DPS module and Pre-Filter	the Apache 360 LT Track System.	1		
		been and the birds are all the birds of the			

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 LT Mounting Kit	See table for specific models	715005492	
Required for installation of the Apache 360 LT Track System.			
DPS module and Pre-Filter not included.			
1 -	ot compatible with HMWPE Front and Rear A-Arm Protectors and Sk	kid Plates.	

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Accessories			
Idler Wheel Kit		Apache Backcountry Track System, rear tracks only	<b>860201230</b> 141 mm
S D D	<ul> <li>Reduces drag and rolling res</li> <li>Includes 2 wheels, brackets</li> <li>Add up to 2 kits per rear trac</li> <li>Can extend slider life in hard</li> </ul>	and hardware. k.	
Apache Backcountry LT Wheel	Kit	Apache Backcountry and Apache Backcountry LT Track Systems	715006293
1. 20 1	Extends slider life in hard sn	sistance in hard snow conditions or when transporting ow conditions. shaft and mounting hardware per kit to service one tra	
Sliders with Vespel <sup>†</sup> Inserts		Apache Backcountry and Apache Backcountry LT Track Systems	503194815

- .
- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

### **APACHE TRACK SYSTEMS FITTING GUIDE**

### Apache Backcountry and Backcountry LT

Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail	715005247	715004285			
2021 & Up	Commander DPS & Commander XT 700 60"	715005247			715004290 715009 (except X mr) 715009	
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"	<ul> <li>(Backcountry) 715004834</li> <li>(doesn't fit 64")</li> </ul>	715007338	715005598		
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"	715005891 (Backcountry LT)	715005493	-		
2019 & Up	Maverick Sport X mr, X rc, X xc 64"	- (doesn't fit 60")				

### Apache 360 LT

Model Yea	ar / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail 50"		715004833			
2021 & Up	Commander DPS & Commander XT 700 60"	715005103	715004755	715007338	715004290	715005598
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"					
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"		715005492			
2019 & Up	Maverick Sport X mr, X rc, X xc 64"					

### **PROMOUNT PLOWS**


### **PROMOUNT PLOW KITS**

### Deference Ch

Reference Chart							
	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel	66" Flex2	72" Flex2	
Plow Kit	715007775	715008174	715007777	715008173	715007774	715007776	
Blade	715006337	715006338	715004474	715006021	715006265	715004485	
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	
Mounting Plate	715007742	715007742	715007742	715007742	715007742	715007742	

### **Can-Am ProMount Steel Plow Kits**

Can-Am ProMount Steel 66" (168 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	■ 715007775 · Black ■ 715008174 · Yellow
Can-Am ProMount Steel 72" (183 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715007777</b> · Black 715008173 · Yellow





- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

### **Can-Am ProMount Steel Blades**

an-Am ProMount Steel 66	" (168 cm) Blade	Fits ProMount Push Frame		<ul> <li>715006337 · Black</li> <li>715006338 · Yellow</li> </ul>
and all fill	<ul> <li>Plow blade made from 12-</li> <li>Replaceable wear blade.</li> </ul>	gauge steel.	<ul> <li>Clears 60" (152 cm)</li> <li>Blade height of 17" (4)</li> </ul>	when plow is fully angled. 43 cm).
<ul> <li>Large pin designed for easy l snow buildup at pivot point.</li> <li>Blade design provides best s</li> </ul>			<ul> <li>to eliminate</li> <li>Compatible with Can-Am ProMount Blade to further enhance plow versatility.</li> </ul>	
		snow roll-off at any angle. • Not compatible with S3 High		S3 High Clearance Front A-Arm.
an-Am ProMount Steel 72	" (183 cm) Blade	Fits ProMount Push Frame		<b>715004474</b> · Black <b>715006021</b> · Yellow
- Caracteria	Plow blade made from 12-	gauge steel.	<ul> <li>Clears 66" (168 cm)</li> </ul>	when plow is fully angled.
Replaceable wear blade.			<ul> <li>Blade height of 17" (4)</li> </ul>	
Genter	<ul> <li>Large pin designed for eas snow buildup at pivot poin</li> </ul>	sy blade rotation to eliminate	<ul> <li>Compatible with Car to further enhance p</li> </ul>	n-Am ProMount Blade accessories

Blade design provides best snow roll-off at any angle.

• Not compatible with S3 High Clearance Front A-Arm.

Can-Am ProMount	Angle Plows			
Can-Am ProMount 66" (168 State Blade	3 cm) Steel Oneway	Fits ProMount Push Frame		715007263
Can-Am ProMount 72" (183 State Blade	3 cm) Steel Oneway	Fits ProMount Push Frame		715007264
*ensister	and make the task easier b out of the way.	he right tools, clear long alleys by sending the snow further	higher. • Rubber Flap (71500	state plow designed to throw snow

• Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).

from the driver is offered as accessory (sold separately).

Can-Am branded.

further enhance plow versatility.

715004206

### **Can-Am ProMount Flex2 Plow Kit**

Can-Am ProMount Flex2 66" (168 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007774
Can-Am ProMount Flex2 72" (183 cm) Plow Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007776

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Can-Am ProMount Mounting Plate

### **Can-Am ProMount Flex2 Blades**

Can-Am ProMount Flex2 6	6" (168 cm) Blade	Fits ProMount Push Frame	715006265
	accidental impact occurs. • Replaceable wear blade.	its damaging your plow when sy blade rotation to eliminate	<ul> <li>Blade design provides best snow roll-off at any angle.</li> <li>Clears 60" (152 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.</li> </ul>
Can-Am ProMount Flex2	72" (183 cm) Blade	Fits ProMount Push Frame	715004485
	accidental impact occurs. • Replaceable wear blade.	its damaging your plow when	<ul> <li>Blade design provides best snow roll-off at any angle.</li> <li>Clears 66" (168 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories to fully angle accessories to fully accessories to fully</li></ul>

**Can-Am ProMount Plow Accessories** 

### **Can-Am ProMount Edge Markers**

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

· Large pin designed for easy blade rotation to eliminate

· Help locate the edges of your plow.

snow buildup at pivot point.

- Height: 24" (60 cm).
- · Sold in pairs.
- Recommended for Maverick Trail and Maverick Sport.
- Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions
- (except for the Can-Am ProMount Steel 54" (137 cm) Blades).



Can-Am ProMount 66" (1	68 cm) Plastic Wear Blade	Maverick Trail, Maverick Sport, Maverick Sport MAX		715004482	
Can-Am ProMount 72" (1	83 cm) Plastic Wear Blade	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715004483	
	Ideal to prevent leaving mar     Compatible with Can-Am Pr				
Can-Am ProMount Drift (	Cutters	Commander, Commander MAX Maverick Sport, Maverick Spor		715006258	
15-15-15-15-15-15-15-15-15-15-15-15-15-1				Extensions	
Can-Am ProMount Blade	Extensions	Commander, Commander MAX Maverick Sport, Maverick Spor		<b>715004205</b> · Black <b>715005319</b> · Yellow	
	<ul> <li>Add 3" (8 cm) each side.</li> <li>Compatible with Can-Am Pr</li> </ul>	your Can-Am ProMount Blade. roMount Blades (except for the C nstalled to go over the extra leng		· · · ·	
Back Drag Blade		ProMount Plows (60" and more	)	715007794	
			1.10		
	<ul> <li>¼-in. thick steel swivel scrap</li> <li>Lifts up when the vehicle is as to not affect the scraping</li> </ul>	moving forward so	•	the ground so that it scrapes evenly. for compatibility with 60", 66"	
	<ul> <li>Lifts up when the vehicle is as to not affect the scraping</li> <li>Increased capacity to pull st</li> </ul>	moving forward so J. now.	<ul> <li>Adjustable in length and 72" blades.</li> </ul>	• • •	
Curved Wear Blade	<ul> <li>Lifts up when the vehicle is as to not affect the scraping</li> </ul>	moving forward so J. now.	Adjustable in length and 72" blades.     Compatible with Pro		

 $\boldsymbol{\cdot}$  Wear blade designed with a folded back bottom lip.

The increased surface allows for less digging while plowing uneven surfaces.

Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Can-Am Promoun	t Custom Solutions		
Can-Am ProMount Push Frame with Quick-Attach System		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007752
	Mid-mount carriage provide	gned to withstand the roughest use. Is ultimate push strength and traction. ift on ATVs and 14" (36 cm) on Maverick Trail.	
	<ul> <li>Features a self aligning quic plow angle adjustment.</li> </ul>	k-attach system, an easy foot release pedal and an er	gonomic handle for

 Can-Am ProMount Push Frame Extension
 Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX
 715006257

 • 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Plow Roller Fairlead		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001223 • Cylindrical Roller Fairlead
	Larger diameter lower roller     Can be used with all ProMo	r reduces wear on wire rope for plow application. unt plows.	

Can-Am ProMount Plow Angl	ing System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007801
	<ul> <li>Using one hand to control a</li> <li>Not compatible with Apache</li> <li>Can-Am ProMount Push Fra</li> </ul>	006257) is required for installation with the Front Ranc	

Т

ProMount Plow Limit Switch (Not illustrated)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006259
Prevents winc	the cable tension when over-raising your plow system. h, plow push frame and vehicle damage. ted for optimal lift height.	
Can-Am ProMount Mounting Plate	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007742
	stall the Can-Am ProMount Push Frame with Quick-Attach Syster e precision-designed to stay on year round without compromising	

Plow Roller Fairlead included.

# COVERS

	Commander	715006817
	Commander MAX	715007108
Trailering Cover	Maverick Trail, Maverick Sport	715003706
	Weather-resistant trailering cover protects your vehicle during storage	and transportation.
	<ul> <li>Heavy-duty canvas made of UV-resistant solution-dyed polyester.</li> </ul>	
	<ul> <li>Inner soft liner protects windshield.</li> </ul>	
and the second	<ul> <li>All high-abrasion areas are reinforced with a double canvas layer.</li> </ul>	
Charles and the second	Opening for fuel cap.	
	<ul> <li>Quick and easy installation.</li> </ul>	

 Designed to perfectly fit your vehicle with or without Can-Am accessories except with Adventure Roof Rack and track kits.

## PARTS AND MAINTENANCE



## PARTS AND MAINTENANCE

Keep an Eye on These Parts	162
Genuine Parts	166
XPS Tires	170
Tires & Rims	171
Lubricant & Oil Change Kit	176
Maintenance Products	177



# BLENDING PERFORMANCE AND SAFETY

Trust genuine Can-Am parts to keep your vehicle performing at its best.

## TWO-YEAR WARRANTY\*

Precisely engineered. Rigorously tested. Factory approved.

\*Covers parts and labor when fitted at an authorised dealer.

### **CAN-AM TRAXTER**



**AIR FILTER** 

OIL FILTER	420256188
ENGINE OIL*	
<b>4T 10W-50 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
<b>4T 0W-40 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
<b>4T 5W-40 Synthetic Blend Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779133 9779134
OIL CHANGE KIT*	
<b>5W-40 Synthetic Blend Oil</b> 500 cc or more V-twin engine	9779258
<b>0W-40 Synthetic Oil</b> 500 cc or more V-twin engine	9779259
<b>10W-50 Synthetic Oil</b> 500 cc or more V-twin engine	9779252
5W-40 Synthetic Blend Oil 450 cc or less	9779256
<b>0W-40 Synthetic Oil</b> 450 cc or less	9779257
FUEL FILTER	
Non-EVAP models EVAP models	709001120 513034047

420450400
422280652
422280656
422280225
ade
715900379 715900380
715900381 715900382
715900387

#### CV BOOT KITS

715900394

Front Wheel Side	705401345			
Front Differential Side	705401355			
Rear	705501864			
WHEEL BEARINGS 29335				
FRONT A-ARM BUSHING KIT	703500875			
BALL JOINTS				
Upper	706202044			
Lower	706202045			
SPARK PLUG				
HD10	715900244			
HD9	715900642			
HD7	715900785			
HD5	715900352			
BATTERY				
18 Amps. Wet (YTX20L-BS)	296000444			

# CAN-AM MAVERICK SPORT, MAVERICK TRAIL AND COMMANDER



In-al

To make sure your Maverick Sport, Trail or Commander performs as you expect, keep an eye on these components:\*\*

OIL FILTER	420256188
ENGINE OIL*	
4T 10W-50 Synthetic Oil	
1 quart / 946 ml	9779234
1 US gallon / 3.785 L	9779235
4T 0W-40 Synthetic Oil	
1 quart / 946 ml	9779139
1 US gallon / 3.785 L	9779140
4T 5W-40 Synthetic Blend Oil	
1 quart / 946 ml	9779133
1 ÚS gallon / 3.785 L	9779134
OIL CHANGE KIT*	
5W-40 Synthetic Blend Oil	
500 cc or more V-twin engine	9779258
0W-40 Synthetic Oil	
500 cc or more V-twin engine	9779259
10W-50 Synthetic Oil	
500 cc or more V-twin engine	9779252
FUEL FILTER	
Non-EVAP models	709001120

Non-EVAP models	709001120
EVAP models	513034047

<b>Performance Air Filter</b> by Twin Air <sup>†</sup>	715002895
Maverick Trail & Sport (700 cc &1000 cc)	715900394
Maverick Trail & Sport (1000R)	715900422
<b>Commander</b> (700 cc & 1000 cc)	715900394
Commander 1000R	715900422
CVT AIR FILTER	
Except X mr	706600417
DRIVE BELT	
Maverick Trail 700	422280225
Maverick Trail / Sport 1000	422280656
Commander 700	422280225
<b>Commander</b> 2021+ 1000 cc	422280656
Performance (Upgrade): see Reference Chart for upgra	ide
METALLIC BRAKE PADS	
Front Left	715900379
	74 500000

**AIR FILTER** 

Front Left	715900379
Rear Left	715900386
Front Right	715900380
Rear Right	715900387

#### Maverick Sport, Commander (ABS, X xc, X mr, X rc models only)

CV BOOT KITS

Front Wheel Side	705401354
<b>Maverick Sport (no ABS),</b> M <b>averick Trail</b> Front Wheel Side Front Differential Side Rear	705401345 705401355 705501864
WHEEL BEARINGS	293350150
A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706203084
oppoi	
Lower	706202045
••	706202045 715900637
Lower	
Lower SPARK PLUG	715900637
Lower SPARK PLUG Maverick Trail 700	715900637 715900785 715900642
Lower SPARK PLUG Maverick Trail 700 Maverick Trail & Sport 1000	715900637 715900785 715900642
Lower SPARK PLUG Maverick Trail 700 Maverick Trail & Sport 1000 Maverick Trail & Sport 1000R	715900637 715900785 715900642 715900244
Lower SPARK PLUG Maverick Trail 700 Maverick Trail & Sport 1000 Maverick Trail & Sport 1000R Commander 700	715900637 715900785 715900642 715900244 715900785
Lower SPARK PLUG Maverick Trail 700 Maverick Trail & Sport 1000 Maverick Trail & Sport 1000R Commander 700 Commander 1000R	715900637 715900785 715900642 715900244 715900785





### To make sure your Maverick performs as you expect, **keep an eye on these components**:\*\*

### OIL FILTER

#### **ENGINE OIL\***

<b>4T 10W-50 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
<b>4T 0W-40 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
<b>4t 5w-40 Synthetic Blend Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779133 9779134
OIL CHANGE KIT*	
<b>5W-40 Synthetic Blend Oil</b> 900 ACE	9779260
<b>10W-50 Synthetic Oil</b> 900 ACE	9779261
FUEL FILTER	
Non-EVAP models	709001120

4	11	٢	Г	IL.	•	ĸ	

420956123

Performance Air Filter				
by Twin Air <sup>†</sup>	715002895			
Premium Air Filter	715900422			
CVT AIR FILTER	420450405			
DRIVE BELT	422280652			
METALLIC BRAKE PADS				
Front Left	715900379			
Rear Left	715900386			

Near Len	715500500
Front Right	715900380
Rear Right	715900387

### CV BOOT KITS

Rear Wheel & Differential Side715900450Front Wheel & Differential Side705401354WHEEL BEARINGS293350151

### BALL JOINTS

BREEJOINTO	
Upper	706203084
Lower	706202045
SPARK PLUG	415130363
BATTERY	
18 Amps. Wet (YTX20L-BS)	296000444

### **CAN-AM MAVERICK R**





### To make sure your Maverick R performs as you expect, **keep an eye on these components**:\*\*

OIL FILTER	420956747
ENGINE OIL*	
<b>4T 10W-50 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
<b>4T 0W-40 Synthetic Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
<b>4t 5w-40 Synthetic Blend Oil</b> 1 quart / 946 ml 1 US gallon / 3.785 L	9779133 9779134
DCT OIL*	
1 quart / 946 ml	9779710
FUEL FILTER	
Non-EVAP models EVAP models	709001120 709000529

### AIR FILTER

Performance Air Filter by Twin Air <sup>†</sup> Premium Air Filter	715002895 715900422
METALLIC BRAKE PADS	
Front	705601795
Rear	705601797

#### CV BOOT KITS

Rear Wheel & Differential Side 715900929 Front Wheel & Differential Side 715900450

#### WHEEL BEARINGS

Front	705402652
Rear	705503036
BALL JOINTS	
Upper	706203084
Lower	706202045
SPARK PLUG	715900935
BATTERY	
18 Amps. Wet (YTX20L-BS)	296000444

### **GENUINE PARTS**

Dil Filters	Models	Oil Filter	Sealing Ring (Oil Filter Cover)	Sealing Ring (Drain Plug)
	Traxter/Traxter MAX HD10, HD9	420256188	420230923	420552280
RIRK Terretary	Traxter/Traxter MAX HD7	420256188	420230922	420552280
	Maverick	420956123	420230923	420552280
	Maverick R	420956747	420230922	420552280
	Maverick Trail & Sport	420256188	420230923	420552280
	Commander	420256188	420230922	420552280

### **Air Filters**

Premium Air Filter	<ul> <li>Premium quality filter.</li> <li>Prevents airborne contaminants from reaching your engine</li> <li>Protects internal components against premature wear.</li> </ul>	e.		
	Models			
	Traxter/Traxter MAX	715900394		
THE LEARNING FOR THE LOAD AND THE THE THE THE	Maverick, Maverick R	715900422		
	Maverick Trail & Sport (Engines 700 & 1000)	715900394		
	Maverick Trail & Sport (Engine 1000R)	715900422		
	Commander (Engines 700 & 1000R)	715900394		
	Commander (Engine 1000R)	715900422		
Performance Air Filter by Twin Air†	The best choice for the harshest conditions.     Multiple staged oiled filtering foam for superior dust retain     Washable and reusable.  Models	ning capacity with high air flow.		
	Maverick, Maverick R	715002895		
200102-115- Scint cent	Maverick Trail & Sport	715002895		
CVT Air Filter (Not illustrated)	Models			
	Traxter/Traxter MAX (except X mr)	706600419		
	Maverick	706600416		
	Maverick Trail & Sport (except X mr)	706600417		
	Maverick Trail & Sport X mr	706600418		
	Commander (2018 & Up)	706600417		

### Spark Plug

Т

Traxter X mr

Maverick Sport X mr/X rc

Spark Plug

	Models	
	Traxter HD10	715900244
1	Traxter HD9	715900642
	Traxter HD7	715900785
DCPR8	Maverick and Maverick Turbo RR	415130363
	Maverick R	715900935
	Maverick Trail & Sport 1000R	715900244
	Maverick Trail & Sport 1000	715900642
	Maverick Trail 700	715900785
	Commander 700	715900785
	Commander 1000R	715900244

### **Batteries**

Yuasa<sup>†</sup> Batteries

olier in North Americ of the liv • To dels fr the leadi . . ed original e nuin . . . . .

10 1 12
e Tyussa
Pb Pb
O YUASA
Annumi LANT

Top of the line models from the leading preferred original equipment battery supplier in North America.				
Models	18 A Wet (YTX20L-BS)	30 A, Requires Battery Holder (715004431)		
Traxter/Traxter MAX	296000444	<b>515176151</b> Except Base and DPS models.		
Maverick, Maverick R	296000444	-		
Maverick Trail & Sport	296000444	—		
Commander	296000444	_		

### Axles

**Premium CV Axles** 

 Premium quality design ideal for off-roading, heavy-duty and low speed torque usage.  $\boldsymbol{\cdot}$  Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.

	Models	Front Left	Front Right	Rear
	Traxter MAX	705401937	705401936	705502451
	Traxter XT-P	705402353	705402353	705502451
	Traxter HD10	705401937	705401936	705502451
	Traxter HD9	705401937	705401936	705502451
A DIAL CONTRACT	Traxter HD7	705402749	705402750	705503100
All and and	Maverick R	705402490	705402490	705502907
	Maverick Sport (ABS)	705402443	705402443	705502756
	Maverick Sport Base, DPS	705402031	705402030	705502552
	Maverick Trail (W/O ABS)	705402008	705402007	705502541
	Maverick Trail (ABS)	705402442	705402442	705502755
	Commander	705401871	705401872	705502411
Performance CV Axles (Not illustrated)	High-performance design idea and acceleration for racing, du     Includes CVs, shaft and boots	nes, trails and desert riding.		
	Models	Front Left	Front Right	Rear

705402420

705402282

705402420

705402282

\_

705502757

#### **Metallic Brake Pad Kit**

Built strong to last long – heavy-duty construction stands up to hard braking.

		TP
-	59	The second

Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes.

Created specifically for use with Can-Am vehicles.

Models	Front Left	Front Right	Rear Left	Rear Right
Traxter MAX HD9/HD10	715900379	715900380	715900386	715900387
Traxter HD10	715900379	715900380	715900381	715900382
Traxter HD9	715900379	715900380	715900381	715900382
Traxter HD7	715900379	715900380	-	715900387
Maverick	715900379	715900380	715900386	715900387
Maverick R	705601795	705601795	705601797	705601797
Maverick Trail & Sport	715900379	715900380	715900386	715900387
Commander	715900379	715900380	715900386	715900387

Please contact your dealer or visit our online store at Can-Amoffroad.com for suggested fitment.

### Parts

A-Arm Bushing Kit

703500875

This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.


All you need to renew your suspension A-Arms.



	Upper	706202044
	Upper (Maverick, Maverick R, Trail & Sport, Commander)	706203084
Ball Joints	Lower	706202045

#### Robust design for off-road usage and sealed for prolonged durability.

<b>C</b>	



**CV Boot Kit** 

Comes with clamps and grease.

Genuine BRP CV Boot Kits ensure absolute compatibility and a perfect fit.



Models	Front Wheel Side	Front Differential Side	Rear Wheel & Differential Side
Traxter	705401345	705401355	705501864
Maverick	705401354	705401354	715900450
Maverick R	715900450	715900450	715900929
Maverick Sport (ABS, X xc, X mr, X rc)	705401354	705401355	705501864
Maverick Sport (w/o ABS), Maverick Trail	705401345	705401355	705501864
X mr	705401354	705401355	705501864
Commander	705401345	705401355	705501864

### Belts

#### **BRP Premium Drive Belt**

High-performance design ideal for off-road use.

BRP-specific calibration adjusted to best suit your Can-Am vehicle.

	Models	Premium Belt	CVT Gasket Cover	Upgrades
and the second s	Traxter HD10	422280652	420450400	-
	Traxter HD9	422280656	420450400	422280652
	Traxter HD7	422280225	_	_
	Maverick	422280652	420450405	_
can am (®	Maverick Trail & Maverick Sport 1000	422280656	420450400	422280652
	Maverick Trail 700	422280225	_	_
	Commander 2020 & prior	422280366	420450126	_
	Commander 2021 & Up 1000 CC	422280656	420450400	422280652
	Commander 700	422280225	_	_

### **Driven Pulley Adapter Tool**

(Not illustrated)	Spreads the secondary clutch open for easy belt replacement	nt.	
Clutch Spreader Tool (Not illustrated)	Allows you to spread the secondary clutch open for easy belt replacement.		
	Models	Driven Pulley Adapter	Spreader Tool
	Traxter HD10-HD9	708200720	529000088
	Traxter HD7	-	529036098
	Maverick Trail & Sport         708200720           Maverick         708200720		529000088
			529000088
	Commander	_	529036352

### pDrive Pulley Service Kits 420629237

All SxS pDrive

All SxS pDrive

### Ramp Roller Maintenance Set

pDrive Ramp Roller Set



#### **Torque Roller Maintenance Set**

pDrive Torque Roller Set



420629224

### **XPS TIRES**

SHOP BY USAGE	GRAVEL & ROCK S MUD	
XPS Trail Force		
	All-terrain radial tire.	705402754 · 27X9R14
424	8-ply rated construction.	705503103 · 27X11R14
	Versatile and suitable for many types of terrain.	705403026 · 26X8R14
	<ul> <li>Aggressive tread pattern for better traction on dirt, mud and rocky terrains.</li> <li>Tread depth: 20 mm (0.78").</li> </ul>	705503322 · 26X10R14
XPS Trail King		
	All-terrain radial tire.	705402825 - 28X9R14
	8-ply rated construction.	705403081 - 27X9R14
	<ul> <li>Aggressive tread pattern for tougher terrains.</li> <li>An almost continuous center tread offers a smoother trail ride.</li> </ul>	705503181 - 28X11R14
	Tread depth: 26 mm (1.02").	705503355 - 27X11R14
	· · · ·	705402713 - 26X8R12 705503073 - 26X10R12
KPS Trac Force		
	All-terrain light truck style radial tire.	<b>705403080</b> - 30X9R14
424	8-ply rated construction.	705503354 - 30X10R14
	<ul> <li>Central tread for good grip and comfort on compact terrain.</li> <li>Tread depth: 18 mm (0.71").</li> </ul>	<b>705403416</b> - 32X10R16
XPS Hammer Force		
A<1	<ul> <li>Light truck-inspired tire.</li> <li>8-ply rated construction.</li> </ul>	705402918 - 30X10R15
	Rock-crawling tread pattern with unique contact patch.	
SV 2	Aggressive sidewall for maximum traction when faced with technical terrains.     Tread depth: 15 mm (0.59").	
XPS Swamp Force		
1753. A	Hybrid radial tire for mud & trail.	705403201 - 30X9R14
<u>ک</u>	8-ply rated construction.	705503387 - 30X11R14
	<ul> <li>Unique tread pattern allowing good grip in mud and mud ejection.</li> <li>Center tread provides for comfortable trail riding.</li> <li>Tread depth: 36-38 mm (1.41"-1.49").</li> </ul>	
XPS Swamp King		
	Bias tires for mud and trail.	<b>705403028</b> – 28X8X14
	<ul> <li>6-ply rated construction.</li> <li>Ultimate performance in mud without sacrificing good trail handling.</li> <li>Tread depth: 38 mm (1.49").</li> </ul>	<b>705503324</b> – 28X10X14

### **TRAXTER TIRES & RIMS**

			705402504 · Front
TP Cryptid		Traxter X mr	705502913 · Rear
	<ul> <li>Front: 30" x 9" x 14".</li> <li>Rear: 30" x 11" x 14".</li> </ul>	<ul> <li>Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack.</li> <li>6-ply rated.</li> </ul>	
Aaxxis Bighorn 2.0 Tire			
	• Front: 27" x 9" x 14".		705402168 · Front 705400961 · € 705502665 · Rear
A Star	• Rear: 27" x 11" x 14".	Traxter (XT, XT Cab)	705501295 · CE
	5		705402560 · Front 705401386 · CC
	<ul> <li>Front: 27" x 9" x 12".</li> <li>Rear: 27" x 11" x 12".</li> </ul>	Traxter	705502938 · Rear 705501818 · €
	<ul> <li>Front: 28" x 9" x 14".</li> <li>Rear: 28" x 11" x 14".</li> </ul>	Traxter	705402080 · Front 705502603 · Rear
	1		705402107 · Front
Maxxis M923J/M924J		Traxter (Base & DPS models only)	705502626 · Rear
Rear Tire Chains	Improve your traction in r     Sold in pairs.	mud and snow.	<b>715000225</b> · 29" x 9"x 14"
Rims 4" Rim			<b>705401594</b> · Front
Rear Tire Chains	Sold in pairs.	Traxter, Traxter MAX	
Rims			<b>705401594</b> · Front
Rims A4" Rim Not illustrated)	<ul> <li>Sold in pairs.</li> <li>Front: 14" x 6.5" offset = 41 mm.</li> <li>Rear: 14" x 8"</li> </ul>	Traxter, Traxter MAX <ul> <li>Black with clear coat aluminum rim.</li> <li>Choice of beadlock color (not included).</li> <li>Needs 16 bolts (250000787) for installing</li> </ul>	705401594 · Front 705503191 · Rear 705401586 · Manta Greer 705401702 · Octane Blue
Rims 4" Rim	<ul> <li>Sold in pairs.</li> <li>Front: 14" x 6.5" offset = 41 mm.</li> <li>Rear: 14" x 8" offset = 51 mm.</li> <li>Cast aluminum beadlock</li> </ul>	Traxter, Traxter MAX  Black with clear coat aluminum rim. Choice of beadlock color (not included). Needs 16 bolts (250000787) for installing the beadlock. Traxter, Traxter MAX	705401594 · Front 705503191 · Rear 705401586 · Manta Green 705401702 · Octane Blue 705401837 · Can-Am Red

12" Rim			<b>705401678</b> · Black · Front
Not illustrated)		Traxter, Traxter MAX	<b>705502244</b> · Black · Rear
	• Front: 12" x 6"	Black with clear coat aluminum rim.	
	offset = 41 mm. • Rear: 12" x 7.5"	Choice of beadlock color (not included).	
	offset = 51 mm.	<ul> <li>Needs 16 bolts (250000787) for installing the beadlock.</li> </ul>	
			<b>705401816</b> · Can-Am Red <b>705401815</b> · Orange Crush
2" Beadlock Rings		Traxter, Traxter MAX	<b>705401814</b> · Yellow
	<ul> <li>Cast aluminum beadlock</li> <li>Must be installed on From and Rear Rim (70550224)</li> </ul>	nt Rim (705401678)	
	Matching Nuts - 250100184 Matching Cap - 705400928		
			■ 705401848 · Black and machinged · Front
			<b>705502397</b> · Black and machinged · Rear
			<b>705401849</b> · Black · Front
Outlander X mr and Traxter Ri	m	Traxter, Traxter MAX (front wheels)	<b>705502398</b> · Black · Rear
	<ul> <li>Cast aluminum rim with t</li> <li>Front: 14" x 6.5" offset =</li> <li>Rear: 14" x 8.5" offset = 2</li> </ul>		—like a trailblazer.
	Matching Nuts - 250100184 Bi Matching Cap - 705401541	lack, 250100185 Chrome	
			<b>705402338</b> · Black · Front
Fraxter Cast-Aluminum 14" Ri	m	Traxter, Traxter MAX	<b>705502778</b> · Black · Rear
	<ul> <li>Front: 14" x 7" offset = 41</li> <li>Rear: 14" x 8.5" offset = 5</li> </ul>		
	Matching Nuts - 250100184 Matching Cap - 705401541		
one Star Cast-Aluminum 14"	Rim		705402334 · Front
		Traxter, Traxter MAX	705502775 · Rear
Not illustrated)			705502775 Near
Not illustrated)	<ul> <li>Front: 14" x 7" offset = 41</li> <li>Rear: 14" x 8.5" offset = 5</li> </ul>		
Not illustrated)			
Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		<b>705402120</b> · Black · Front
Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		1
Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		<b>705402120</b> · Black · Front <b>705502637</b> · Black · Rear
Not iilustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		705402120 · Black · Front           705502637 · Black · Rear           705402118 · Silver and Machined · Front
Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		705402120 · Black · Front           705502637 · Black · Rear           705402118 · Silver and Machinec · Front           705502634 · Silver and Machinec · Rear
Fraxter Rim	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184		705402120 · Black · Front           705502637 · Black · Rear           705402118 · Silver and Machined · Front           705502634 · Silver and Machined · Rear           705402121 · Black and Machined · Front
Not illustrated) Fraxter Rim Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184	i1 mm.	<ul> <li>705402120 · Black · Front</li> <li>705502637 · Black · Rear</li> <li>705402118 · Silver and Machinec · Front</li> <li>705502634 · Silver and Machinec · Rear</li> <li>705402121 · Black and Machinec · Front</li> <li>705502635 · Black and Machinec</li> </ul>

# **COMMANDER, MAVERICK TRAIL & MAVERICK SPORT TIRES & RIMS**

### **Tires – Commander**

		705402058 · Front
Maxxis Coronado Tire	Commander, Commander MAX <sup>‡</sup>	705502576 · Rear

• Front: 27" x 9" x 14".



• Rear: 27" x 11" x 14".

· Compliant with European class T regulations.

‡Except XT-P.

### **Tires - Maverick Trail & Maverick Sport**

			705402560 · Front
Maxxis Bighorn 2.0 Tire		Maverick Sport, Maverick Sport MAX	705502938 · Rear
	<ul> <li>Front · 27" x 9" x 12".</li> <li>Rear · 27" x 11" x 12".</li> <li>Compliant with European cl</li> </ul>	ass T regulations.	
			705402563 · Front
Maxxis Liberty Tire		Maverick Sport X rc	705402143 · Rear
	<ul> <li>Exceeds DOT test standard</li> <li>8-ply radial construction.</li> </ul>	e driving and to give you and your side-by-side freedor s. nd for supreme traction and control.	n in a variety of terrains.

- Rear: 30" x 10" x 14".

			705402313 · Front
Carlisle ACT Tire		Maverick Trail	705402314 · Rear
	<ul> <li>Front · 26" x 8" x 12".</li> </ul>		
	<ul> <li>Rear · 26" x 9" x 12".</li> </ul>		

### Rims

	Maverick Trail DPS, Maverick Sport	705401417 · Front
	Maverick Sport	705501853 · Rear
12" Maverick Trail DPS/Sport Rim	Maverick Trail DPS	<b>705401417</b> · Rear
Matching Nuter	250100194 (Plack)	

Matching Nuts: 250100184 (Black).



- Matching Cap: 705400928.
- Maverick Sport: Front · 12" x 6" Offset = 41 mm/Rear · 12" x 7.5" Offset = 51 mm.
- Maverick Trail DPS: Front · 12" x 6" Offset = 41 mm/Rear · 12" x 6" Offset = 41 mm.

	Maverick Sport X rc/X mr	705402338 · Front
	Maverick Sport X rc	705402338 · Rear
14" Maverick Sport X rc/X mr Rim	Maverick Sport X mr	705502778 · Rear



Maverick Sport X rc: Front · 14" x 7" Offset = 41 mm/Rear · 14" x 7" Offset = 41 mm.
Maverick Sport X mr: Front · 14" x 7" Offset = 41 mm/Rear · 14" x 8.5" Offset = 51 mm.

12" Maverick Trail Rim

Maverick Trail

705401217



Matching Nuts: 250100042.
12" x 6" – Offset = 41 mm.

### **MAVERICK TIRES & RIMS**

### Tires

			705402080 · Front
			<b>705502603</b> · Rear
			705402168 · Front · CE
Maxxis <sup>†</sup> Bighorn 2.0 Tire			705502665 · Rear · CC
	<ul> <li>Front · 28" x 9" x 14".</li> <li>Rear · 28" x 11" x 14".</li> <li>Compliant with European cla</li> <li>Front · 27" x 9" x 14".</li> <li>Rear · 27" x 11" x 14".</li> </ul>	iss T regulations.	
			705402143 · Front
/laxxis Liberty Tire		Maverick X rc	705402464 · Rear
		1	
			<b>705402960</b> · 30"
Maxxis Carnivore Tire		Maverick (except X mr, X rc & X rs models)	<b>705402961</b> · 32"
Aaxxis Carnivore Tire		I version of the termination of the termination of the termination of the termination of termination of termination of termination of termination.	<b>705402961</b> · 32"
	The Carnivore is designed t <ul> <li>Aggressive all-terrain tread</li> <li>8-ply-rated radial construct</li> </ul>	I version of the termination of the termination of the termination of the termination of termination of termination of termination of termination.	705402961 · 32" rocks, roots, desert terrain, and mud.
Aaxxis Bighorn X ds Tire	The Carnivore is designed t <ul> <li>Aggressive all-terrain tread</li> <li>8-ply-rated radial construct</li> </ul>	I version of the termination of the termination of the termination of the termination of termination of termination of termination of termination.	<b>705402961</b> · 32"
Maxxis Carnivore Tire	The Carnivore is designed t • Aggressive all-terrain tread • 8-ply-rated radial construct • Front & Rear · 30" or 32" x 1 • Front · 29" x 9" x 14".	I version of the termination of the termination of the termination of the termination of termination of termination of termination of termination.	705402961 · 32" rocks, roots, desert terrain, and mut
Maxxis Bighorn X ds Tire	The Carnivore is designed t • Aggressive all-terrain tread • 8-ply-rated radial construct • Front & Rear · 30" or 32" x 1	I version of the termination of the termination of the termination of the termination of termination of termination of termination of termination.	705402961 · 32" rocks, roots, desert terrain, and mud. 705402081 · Front

14" Maverick X mr Rim		Maverick, Maverick MAX	705402256
	Black with clear coat alumi	num rim.	
4" Maverick Beadlock Rim		Maverick, Maverick MAX	<ul> <li>705402207</li> <li>Black and machined</li> <li>705402173 · Black</li> </ul>
	Choice of beadlock color (r	nachined face and clear coat. not included). 3) for installing the beadlock.	
I4" Maverick Rim		Maverick, Maverick MAX	705401965 · Front 705502493 · Rear
	<ul> <li>Black with clear coat alumi</li> <li>Front: 14" x 7" Offset = 55 r</li> <li>Rear: 14" x 8" Offset = 76 rr</li> </ul>	nm.	
			705402393 · Front
4" Maverick Beadlock Rim		Maverick, Maverick MAX	705502814 · Rear
	<ul> <li>Black with clear coat aluminum rim.</li> <li>Choice of beadlock color.</li> <li>Needs 16 bolts (25000893) for installing the beadlock.</li> <li>Front: 14" x 7" Offset = 55 mm (For X rs = Front and rear).</li> <li>Rear: 14" x 8" Offset = 76 mm.</li> </ul>		
14" Maverick Beadlock Ring		Maverick & Maverick MAX (X rs, X ds models only)	<ul> <li>705401709 · Black</li> <li>705401913 · Gold</li> <li>705402358 · Can-Am Red</li> <li>705402472 · Manta Green</li> </ul>
$\bigcirc \bigcirc$	Cast aluminum beadlock.     Must be installed on Front	Rim (705402393) and Rear Rim (705502814).	

### **LUBRICANT & OIL CHANGE KIT**

### Lubricant

#### XPS 4T 10W-50 Synthetic Oil

9779234 (US) · 1 qt / 946 ml 9779240 (EU) · 1 qt / 946 ml

9779235 · 1 US gal / 3.785 L



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- · Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

XPS 4T 0W-40 Synthetic Oil		<b>9779139</b> (US) · 1 qt / 946 ml <b>9779286</b> (EU) · 1 qt / 946 ml	<b>9779140</b> (US) · 1 US gal / 3.785 L <b>9779287</b> (EU) · 1 US gal / 3.785 L
-45° C +104° F	<ul> <li>The best choice for high-pe</li> <li>Provides superior engine ar</li> </ul>	emium anti-wear and anti-corrosion additives. rformance snowmobile, ATV and SXS 4-stroke engines nd transmission protection against heat, rust and corro ce in high and low temperatures.	

- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- · Provides superior engine and transmission protection against heat, rust and corrosion.
  - · Delivers optimal performance in high and low temperatures.

XPS 4T 5W-40 Synthetic Blend Oil
----------------------------------

9779133 (US) · 1 qt / 946 ml 9779290 (EU) · 1 gt / 946 ml 9779134 (US) · 1 US gal / 3.785 L 9779291 (EU) · 1 US gal / 3.785 L

· Off-road formula with premium anti-wear and anti-corrosion additives. · Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged



powersports engines. Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

### **Oil Change Kit**

\*

### **Engine Oil Change Kit**



<ul> <li>Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money.</li> </ul>	
<ul> <li>Includes XPS Synthetic or Synthetic Blend C oil filter, O-rings and washer.</li> </ul>	Dil,

Models	
5W-40 Synthetic Blend Oil / 450 cc or less	9779256 (US) 9779408 (EU)
0W-40 Synthetic Oil / 450 cc or less	9779257 (US) 9779409 (EU)
5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine	9779258 (US) 9779405 (EU)
0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259 (US) 9779406 (EU)
10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252 (US) 9779401 (EU)
0W-40 Synthetic Oil / 650 ACE	9779481 (US) 9779417 (EU)
5W-40 Synthetic Oil / 650 ACE	9779480 (US) 9779416 (EU)
5W-40 Synthetic Blend Oil / 900 ACE	9779260 (US) 9779410 (EU)
10W-50 Synthetic Oil / 900 ACE	9779261 (US) 9779411 (EU)

### **MAINTENANCE PRODUCTS**

				9779158 (US) · 1 qt / 946 ml 9779212 (EU) · 1 qt / 946 ml
		75W-90		9779160 US)
Synthetic Gear Oil		75W-140		9779215 (EU) · 1 qt / 946 ml
	<ul> <li>Allows higher loads, supe</li> </ul>	provide the best performance in \ rior shear stability and reduced o ion and superior performance at a	xidation.	
PS Synthetic Dct Fluid				<b>9779710</b> · 1 qt / 946 ml
	Meets or exceeds API GL-4 i	ndustry specifications.		
	<ul> <li>Formulated for dual clutch sy</li> </ul>	/stem.		
	<ul> <li>Enhanced cooling capabilitie</li> <li>Anti foaming agents for smoother</li> </ul>	es for optimal clutch functionality. oth hydraulic function.		
xtended Life Pre-Mixed C	coolant			<b>9779150</b> · 1 qt / 946 ml <b>619590728</b> (Scandinavia) · 1 qt / 946 ml
	Superior heat transfer.	cially formulated for BRP vehicles		
nti-Corrosive Lubricant				<b>9779167</b> · 12 oz / 340 g <b>619590724</b> (Scandinavia) · 12 oz 340 g
		can also be used to prevent rust, c additives that work as an all-arou		intrusion. but anywhere lubrication is needed.
Extreme Duty Suspension	Grease		9779	<b>708</b> · 14 oz / 400 g
	<ul> <li>It is highly stable and offers of</li> </ul>	y with the components found in C optimal lubrication at both extreme oisture, as well as corrosion unde	e cold and high temper	atures while protecting suspension
(PS Spline Grease				<b>704</b> (US) · 4 oz / 115 g <b>472</b> (EU) · 4 oz / 115 g

Enhanced rust and corrosion resistance.

Protects against seizure, heat-freeze, galling, rust and corrosion.

DOT 4 Brake Fluid		<b>9779151</b> (US) · 12 fl. oz. / 355 ml <b>9779207</b> (EU) · 12 fl. oz. / 355 ml
	<ul> <li>Meets or exceeds all DOT3 and DOT4 brake fluid requirements.</li> <li>High-temperature formula resists fade and also conditions seals and O-rings in</li> </ul>	n braking system.

### **Racing Brake Fluid RS600**

9779152 · 12 fl. oz. / 355 ml

**9779171** (US · 8 fl. oz. / 236 ml **9779183** (EU) · 8 fl. oz. / 236 ml



Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.

- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- Will not harm seals or braking system components.
- · Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

### Fuel Stabilizer

- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle
   hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.






### **BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD**

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO LYNX SEN-200 CAN-AM ROTAX ALUMACraft MANITOL QUINTREX.

www.brp.com



CANAMOFFROAD.COM

No Co

